

Mark Scheme (Results)
Summer 2011

GCE Applied ICT (6959)
Communications and Networks

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at www.edexcel.com.

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our **Ask The Expert** email service helpful.

Ask The Expert can be accessed online at the following link:
<http://www.edexcel.com/Aboutus/contact-us/>

Alternatively, you can contact our ICT Subject Advisor directly by sending an email to Gareth Byrne on ICTSubjectAdvisor@EdexcelExperts.co.uk.

You can also telephone 0844 372 2186 to speak to a member of our subject advisor team.

June 2011

Publications Code UA027380

All the material in this publication is copyright

© Edexcel Ltd 2011

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.




Activity	Answer	MA X
----------	--------	---------

Activity 1	Network components and design	
---------------	-------------------------------	--

Note: Place student in correct mark band based on content.
QWC adjustment can only reduce mark within band. This must be based on the expectation within the mark band. Marks cannot be added and the adjustment cannot put the mark in a different mark band.

Indicative content

A set of illustrated notes for Hishima

Cantenna / waveguide	
Dish	
Corner reflector	

- For each antenna type notes should have:
- a diagram
 - a simple description of how it works
 - simple figures for range and coverage
 - sizes. e.g. can diameter & length, bowl diameter & depth, box length & height

- Notes should contain:
- a comparison of range and coverage of the three types
 - a recommendation with a justification.

Dimensions

The ideas given here are only examples of what candidates may produce. The marks are for putting **their** research findings into a simple and understandable form.

- For a cantenna or corner reflector:
- sizes related to wavelength/ frequency
e.g. about 25 cm = half wavelength at 2.4Ghz (accept candidate's research figures)
 - cantenna length / CR dipole should be exact fraction / multiple of wavelength

- For a dish:
- need for parabolic section to get tight beam
does not need to be a complete dish
 - focal length/diameter (f/D) should be about .5 (accept candidate's research figures)
 - transmitter-receiver should be at focus

- For either:
- Polarisation of signal / orientation of antenna affecting signal.

Activity	Answer		MA X
Level	Mark	Descriptor	
	0	No rewardable material.	
Level 1	1-4	<p>Notes have simple diagrams with little or no text. Or have text but no diagrams.</p> <p>Reason for choice is simple e.g. cheap / easy</p> <p>Little or no technical detail</p> <p>The candidate uses everyday language and the response lacks clarity and organisation. Spelling, punctuation and the rules of grammar are used with limited accuracy.</p>	
Level 2	5-8	<p>Notes have a diagram for at least the chosen antennae that illustrate some technical detail. The text refers to the differences between the types.</p> <p>Reason for choice has some detail for one factor e.g. cost of materials</p> <p>Technical detail given but it is incomplete</p> <p>The candidate uses some terms and shows some focus and organisation. Spelling, punctuation and the rules of grammar are used with some accuracy.</p>	
Level 3	9-12	<p>Notes with diagrams for the three antennae types that illustrate some technical detail. The text clearly explains the difference between them.</p> <p>Reason for choice has detail for more than one factor e.g. cost of material / ease of obtaining the material</p> <p>Complete technical detail given for the chosen type (indicates top of level 3)</p> <p>The candidate uses a range of appropriate terms and shows good focus and organisation. Spelling, punctuation and the rules of grammar used with considerable accuracy.</p>	

Activity 2	Network topology and connectivity	
Required evidence for 2a, b, c, d: FAQs explaining the WiFi mesh to Hishima. The material must be in the context of the scenario		
2 (a)	<p>What is meant by mesh WiFi?</p> <p>Accept any WiFi device - does not have to be laptop</p> <p>Any 5 of:</p> <ul style="list-style-type: none"> • a suitable diagram of a mesh (Note: use Google images and enter MESH NETWORK. Check for copy and paste of images) Credit if seen anywhere in question 2. (1) • each laptop is a node / access point (1) • all laptops can signal to all other laptops in range (1) • signals can follow many possible routes (1) • loss of a node or route should not 'break' the mesh / stop communications (1) • storage / Internet access / peripherals shared by whole mesh (1) • no need for central control / server, laptops will work peer to peer (1) <p style="text-align: right;">Maximum 5 marks</p>	(5)
2 (b)	<p>What features of the XO laptops have been designed for the purpose of forming and using the mesh?</p> <p>Any 5 of (needs feature and use):</p> <ul style="list-style-type: none"> • dual antenna, to boost the range (1) • software for automatic connection to a mesh, saves setup problems (1) • laptops act as routers, to forward packets automatically (1) • WiFi antenna stays on even if laptop is off, keeps the connection / mesh working 24 / 7 (1) • WiFi antenna has its own (low power) processor / named processor, for use when laptop main processor is off (1) • dedicated key on keyboard, allows user a quick view of the mesh and who is online (1) • software will detect network assets automatically (1) <p style="text-align: right;">Maximum 5 marks</p>	(5)
2 (c)	<p>What is the expected performance of the mesh?</p> <p>Any two points relating to speed and distance:</p> <ul style="list-style-type: none"> • 2Mbit/s (Could be higher if justified / explained) (1) • 2 to 3 times normal WiFi range / 200 to 300 metres between laptops (1) <p>Other reasonable figures with a justification of uprated equipment are acceptable</p> <p style="text-align: right;">Maximum 2 marks</p>	(2)

<p>2 (d)</p>	<p>What will limit the performance of the mesh and what effects will be seen?</p> <p>Any two of (needs factor and effect):</p> <ul style="list-style-type: none"> • number of machines in the mesh, more = slower (1) • distance from server / Internet access point, further = slower (1) • battery life, dead battery = dead node / may break the mesh / may cause choke points (1) • may be problems with school buildings masking signals (1) <p style="text-align: right;">Maximum 2 marks</p>	<p>(2)</p>
	<p>TOTAL FOR ACTIVITY 2</p>	<p>14</p>

Activity 3	Components of a network									
	<p>Evidence for 3a to 3g.</p> <p>An explanatory paragraph for each of the items a to g.</p> <p>2 marks for each of a to g.</p> <p>Amount plus where = 1 mark</p> <p>Reason in context = 1 mark</p> <p>If an item is rejected, award up to 2 marks for a good reason in context.</p> <p>Allow different numbers if reason justifies.</p>									
3 (a)	<table border="1" data-bbox="304 712 1353 1010"> <tr> <td data-bbox="304 712 440 763">Item</td> <td data-bbox="440 712 1011 763">two 305m reels of CAT6 cable</td> <td data-bbox="1011 712 1353 1010" rowspan="3">Amount will vary with network layout. 1 box should be enough but allow 2 if there are a lot of data sockets, e.g. one per classroom</td> </tr> <tr> <td data-bbox="304 763 440 887">Amount Where</td> <td data-bbox="440 763 1011 887">1 box joining Toshiba, WAPs, data sockets to switch (1)</td> </tr> <tr> <td data-bbox="304 887 440 1010">Reason</td> <td data-bbox="440 887 1011 1010">cable faster than mesh so use where devices have ethernet ports (1)</td> </tr> </table>			Item	two 305m reels of CAT6 cable	Amount will vary with network layout. 1 box should be enough but allow 2 if there are a lot of data sockets, e.g. one per classroom	Amount Where	1 box joining Toshiba, WAPs, data sockets to switch (1)	Reason	cable faster than mesh so use where devices have ethernet ports (1)
Item	two 305m reels of CAT6 cable	Amount will vary with network layout. 1 box should be enough but allow 2 if there are a lot of data sockets, e.g. one per classroom								
Amount Where	1 box joining Toshiba, WAPs, data sockets to switch (1)									
Reason	cable faster than mesh so use where devices have ethernet ports (1)									
3 (b)	<table border="1" data-bbox="304 1064 1353 1361"> <tr> <td data-bbox="304 1064 440 1115">Item</td> <td data-bbox="440 1064 1011 1115">six packs of 50 RJ45 connectors</td> <td data-bbox="1011 1064 1353 1361" rowspan="3">Amount will vary with network layout. 1 pack should be enough. 1 per data socket 2 per WAP, + Toshiba</td> </tr> <tr> <td data-bbox="304 1115 440 1205">Amount Where</td> <td data-bbox="440 1115 1011 1205">1 pack to terminate ethernet cables (1)</td> </tr> <tr> <td data-bbox="304 1205 440 1361">Reason</td> <td data-bbox="440 1205 1011 1361">allows connection to devices with ports (1)</td> </tr> </table>			Item	six packs of 50 RJ45 connectors	Amount will vary with network layout. 1 pack should be enough. 1 per data socket 2 per WAP, + Toshiba	Amount Where	1 pack to terminate ethernet cables (1)	Reason	allows connection to devices with ports (1)
Item	six packs of 50 RJ45 connectors	Amount will vary with network layout. 1 pack should be enough. 1 per data socket 2 per WAP, + Toshiba								
Amount Where	1 pack to terminate ethernet cables (1)									
Reason	allows connection to devices with ports (1)									
3 (c)	<table border="1" data-bbox="304 1406 1353 1697"> <tr> <td data-bbox="304 1406 440 1496">Item</td> <td data-bbox="440 1406 1011 1496">a box of data sockets with assorted faceplates</td> <td data-bbox="1011 1406 1353 1697" rowspan="3">Amount will vary with network layout. Allow anything sensible</td> </tr> <tr> <td data-bbox="304 1496 440 1619">Amount Where</td> <td data-bbox="440 1496 1011 1619">could run all cables direct to a switch but will probably want 1 - 7+ 1 per classroom, 1 for staff block (1)</td> </tr> <tr> <td data-bbox="304 1619 440 1697">Reason</td> <td data-bbox="440 1619 1011 1697">allows Toshiba to be moved to e.g. classroom for faster printing (1)</td> </tr> </table>			Item	a box of data sockets with assorted faceplates	Amount will vary with network layout. Allow anything sensible	Amount Where	could run all cables direct to a switch but will probably want 1 - 7+ 1 per classroom, 1 for staff block (1)	Reason	allows Toshiba to be moved to e.g. classroom for faster printing (1)
Item	a box of data sockets with assorted faceplates	Amount will vary with network layout. Allow anything sensible								
Amount Where	could run all cables direct to a switch but will probably want 1 - 7+ 1 per classroom, 1 for staff block (1)									
Reason	allows Toshiba to be moved to e.g. classroom for faster printing (1)									

3 (d)	<table border="1"> <tr> <td data-bbox="300 282 440 405">Item</td> <td data-bbox="440 282 1011 405">a box of unmanaged switches 10 x Netgear FS605 and 6 x Netgear FS608</td> <td data-bbox="1011 282 1353 723" rowspan="3">type used will depend on layout Probably FS605 (5 port) for clinic FS608(8 port) for school, depending on how many connections need to be made. May need to be 2 x FS608 if extra data points and WAPs used</td> </tr> <tr> <td data-bbox="300 405 440 600">Amount Where</td> <td data-bbox="440 405 1011 600">2+ type used will depend on layout Probably FS605 (5 port)for clinic FS608(8 port) for school, depending clinic and school, near connecting wifi link (1)</td> </tr> <tr> <td data-bbox="300 600 440 723">Reason</td> <td data-bbox="440 600 1011 723">need to allow wifi link to be used by several devices (1)</td> </tr> </table>	Item	a box of unmanaged switches 10 x Netgear FS605 and 6 x Netgear FS608	type used will depend on layout Probably FS605 (5 port) for clinic FS608(8 port) for school, depending on how many connections need to be made. May need to be 2 x FS608 if extra data points and WAPs used	Amount Where	2+ type used will depend on layout Probably FS605 (5 port)for clinic FS608(8 port) for school, depending clinic and school, near connecting wifi link (1)	Reason	need to allow wifi link to be used by several devices (1)	(2)
Item	a box of unmanaged switches 10 x Netgear FS605 and 6 x Netgear FS608	type used will depend on layout Probably FS605 (5 port) for clinic FS608(8 port) for school, depending on how many connections need to be made. May need to be 2 x FS608 if extra data points and WAPs used							
Amount Where	2+ type used will depend on layout Probably FS605 (5 port)for clinic FS608(8 port) for school, depending clinic and school, near connecting wifi link (1)								
Reason	need to allow wifi link to be used by several devices (1)								
3 (e)	<table border="1"> <tr> <td data-bbox="300 777 440 900">Item</td> <td data-bbox="440 777 1011 900">a box of wireless access points 10 x Netgear WN802T-200UKS Rangemax Next</td> <td data-bbox="1011 777 1353 1151" rowspan="3">Number used will depend on layout. Must have 1 but may use more in the school. 1 in each classroom acceptable Should not be used outside of the school / clinic</td> </tr> <tr> <td data-bbox="300 900 440 1023">Amount Where</td> <td data-bbox="440 900 1011 1023">1 in the school. May also be in school grounds (1) (already one in the clinic)</td> </tr> <tr> <td data-bbox="300 1023 440 1151">Reason</td> <td data-bbox="440 1023 1011 1151">Must have 1 for the mesh/laptops in the school May have extra in school / clinic to improve connectivity. (1)</td> </tr> </table>	Item	a box of wireless access points 10 x Netgear WN802T-200UKS Rangemax Next	Number used will depend on layout. Must have 1 but may use more in the school. 1 in each classroom acceptable Should not be used outside of the school / clinic	Amount Where	1 in the school. May also be in school grounds (1) (already one in the clinic)	Reason	Must have 1 for the mesh/laptops in the school May have extra in school / clinic to improve connectivity. (1)	(2)
Item	a box of wireless access points 10 x Netgear WN802T-200UKS Rangemax Next	Number used will depend on layout. Must have 1 but may use more in the school. 1 in each classroom acceptable Should not be used outside of the school / clinic							
Amount Where	1 in the school. May also be in school grounds (1) (already one in the clinic)								
Reason	Must have 1 for the mesh/laptops in the school May have extra in school / clinic to improve connectivity. (1)								
3 (f)	<table border="1"> <tr> <td data-bbox="300 1205 440 1256">Item</td> <td data-bbox="440 1205 1011 1256">a Toshiba Tecra R10-11B laptop</td> <td data-bbox="1011 1205 1353 1469" rowspan="3">Reason needs to include storage, this is the only device with a hard drive. Printing is likely to be controlled by the Toshiba as well</td> </tr> <tr> <td data-bbox="300 1256 440 1420">Amount Where</td> <td data-bbox="440 1256 1011 1420">only 1 available staff block (office or anywhere else in staff area) but could be occasionally moved (1)</td> </tr> <tr> <td data-bbox="300 1420 440 1469">Reason</td> <td data-bbox="440 1420 1011 1469">network storage & print server(1)</td> </tr> </table>	Item	a Toshiba Tecra R10-11B laptop	Reason needs to include storage, this is the only device with a hard drive. Printing is likely to be controlled by the Toshiba as well	Amount Where	only 1 available staff block (office or anywhere else in staff area) but could be occasionally moved (1)	Reason	network storage & print server(1)	(2)
Item	a Toshiba Tecra R10-11B laptop	Reason needs to include storage, this is the only device with a hard drive. Printing is likely to be controlled by the Toshiba as well							
Amount Where	only 1 available staff block (office or anywhere else in staff area) but could be occasionally moved (1)								
Reason	network storage & print server(1)								
3 (g)	<table border="1"> <tr> <td data-bbox="300 1523 440 1574">Item</td> <td data-bbox="440 1523 1011 1574">two HP Deskjet D2660 inkjet printers</td> <td data-bbox="1011 1523 1353 1897" rowspan="3">These can only connect via USB so cannot be networked. Printing would probably be via the Toshiba, both for control and to save having to load drivers onto the laptops</td> </tr> <tr> <td data-bbox="300 1574 440 1697">Amount Where</td> <td data-bbox="440 1574 1011 1697">1 or 2 mainly with the Toshiba but could be moved (1)</td> </tr> <tr> <td data-bbox="300 1697 440 1897">Reason</td> <td data-bbox="440 1697 1011 1897">Printing, using USB / connected to Toshiba (1)</td> </tr> </table>	Item	two HP Deskjet D2660 inkjet printers	These can only connect via USB so cannot be networked. Printing would probably be via the Toshiba, both for control and to save having to load drivers onto the laptops	Amount Where	1 or 2 mainly with the Toshiba but could be moved (1)	Reason	Printing, using USB / connected to Toshiba (1)	(2)
Item	two HP Deskjet D2660 inkjet printers	These can only connect via USB so cannot be networked. Printing would probably be via the Toshiba, both for control and to save having to load drivers onto the laptops							
Amount Where	1 or 2 mainly with the Toshiba but could be moved (1)								
Reason	Printing, using USB / connected to Toshiba (1)								
TOTAL FOR ACTIVITY 3			14						

Activity 4	Network Design	
4 (a)	<p>Required evidence for 4a: a network design for the complete project</p> <ul style="list-style-type: none"> a) cable types identified (1) b) link from school to clinic (1) c) correct antenna at each end of link from school to clinic (1) d) switch in clinic, connected to WAP / link (1) e) laptop(s) in clinic (1) f) original WAP in clinic (connection to laptops) (1) g) link from clinic to outside business / Internet (cable) (1) h) switch in school, connected to WAP / link (1) i) Toshiba laptop in school staff block (1) j) printer connected to Toshiba laptop by USB (1) k) data socket locations /cable runs (1) l) XO laptop(s) in school (1) m) XO laptop(s) in home / surrounding area (1) n) diagram indicates a mesh network (1) o) extra WAP /printer / switch in a sensible location or for a justified reason (1) <p style="text-align: right;">Max 13 marks</p>	(13)
4 (b) E CCC AA	<p>Required evidence for 4b: an explanation and justification of decisions made regarding the positioning of network devices and equipment.</p> <p>1 mark per explanation which justifies a decision, to a maximum of 6. There are no marks for descriptions of what is on the diagram.</p> <p>Answers may include:</p> <ul style="list-style-type: none"> • Toshiba laptop position • data socket positions • switch size • switch position • WAP positions • network protection / security measures • expansion provision • economical use of assets <p>e.g.</p> <ul style="list-style-type: none"> • Toshiba laptop in the workshop = 0 • Toshiba laptop in the workshop so that Hishima can do maintenance without disturbing the headteacher / staff = 1 • 5 port switch used in clinic = 0 • 5 port switch used in clinic as there are only 2 WAPs and the Internet connection to be plugged in, so an 8 port switch would be a waste = 1 	(6)
TOTAL FOR ACTIVITY 4		19

Activity 5	Network addressing and protocols	
Required evidence for 5a: Notes for Hishima.		
5 (a) (i)	<p>DHCP and how it will help.</p> <p>Any 5 of:</p> <ul style="list-style-type: none"> • uses a DHCP server (1) • allocation of IP addresses (1) • addresses given a lease / 'lifetime' (1) • easy to add new machines (1) • saves manual setup time (1) • any other sensible answer (1) <p style="text-align: right;">Maximum 5 marks</p>	(5)
5 (a) (ii)	<p>Private Class C:</p> <p>Any 2 of</p> <ul style="list-style-type: none"> • 255 addresses (1) • doesn't show outside the network / internal control of IPs (1) • all use same public address / use router to communicate to Internet / words to that effect (1) <p style="text-align: right;">Maximum 2 marks</p>	(2)
5 (a) (iii)	<p>Scope</p> <p>Any 2 of:</p> <ul style="list-style-type: none"> • block / range of IPs / numbers within Class C range (1) • used to make groups of computers etc/ can have multiple scopes (1) • allows policies to be set for each group (1) <p style="text-align: right;">Maximum 2 marks</p>	(2)
5 (a) (iv)	<p>Reservation:</p> <ul style="list-style-type: none"> • fixed / static IP given to one device (1) • used where IP should not change (from day to day) (1) <p style="text-align: right;">Maximum 2 marks</p>	(2)
5 (b) (i)	<p>Required evidence for 5b: Answers to TanCel's questions about scopes and reservations, with reasons. Should the scopes be different and why.</p> <p>Any 3 of:</p> <ul style="list-style-type: none"> • Yes, should be different for school and clinic (1) • allows security policy / settings on clinic laptops (1) • because medical records etc. should not be accessible by school (1) • because school records etc should not be accessible by the clinic (1) • makes it easier to see which devices are in different parts of the network (1). <p style="text-align: right;">Maximum 3 marks</p>	(3)

5 (b) (ii)	Any 3 reasons from: <ul style="list-style-type: none"> • for remote admin via web page (1) • need a static IP address (1) • need fixed location for network printing / storage (1) • any other sensible reason for having a static IP address. <p style="text-align: right;">Maximum 3 marks</p>	(3)
	TOTAL FOR ACTIVITY 5	17

Activity 6	Network management	
6	<p>Required evidence for 6a: guidance notes for Hishima on network management tasks.</p> <p>NOTE. The marks are for guidance notes for the tasks, in context. There are no marks for task names without notes.</p> <p>Award 1 mark for each of 6 the named tasks that have been put into the context of the scenario.</p> <p>Award one mark for each of 6 named tasks with sensible / plausible guidance notes.</p> <p>The following tasks are identified in the specification.</p> <ul style="list-style-type: none"> • System configuration. • User support. • User management. • Usage monitoring. • Misuse monitoring. • Fault finding. • Allocating passwords and access levels. • Backup procedures. • Security procedures such as anti virus and firewall configuration. • Contingency planning. • Strategic long-term planning. • Software licensing. • Formulating a network code of practice. • Server management. • Managing updates. • Centralised software rollout. • User training. • Supervision and management of network staff • Advising on purchasing. • Writing policy documents and reports to management. • Legislation. <p style="text-align: right;">Maximum 12 marks</p>	(12)
	TOTAL FOR ACTIVITY 6	12

SWW EE	<p>All printouts must have a header and a footer. The header must contain the activity number. The footer must contain your name, candidate number and centre number.</p> <p>Minimum font size of 10 should be used for all word processed documents.</p> <p>Submitted work must meet the page limitations given in each activity.</p>	2
-------------------	---	----------

	TOTAL FOR PAPER	90
--	------------------------	-----------

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email publication.orders@edexcel.com

Order Code UA027380 June 2011

For more information on Edexcel qualifications, please visit
www.edexcel.com/quals

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual




Llywodraeth Cynulliad Cymru
Welsh Assembly Government

