

2. (a) Expand and simplify $(7 + \sqrt{5})(3 - \sqrt{5})$.

(3)

(b) Express $\frac{7+\sqrt{5}}{3+\sqrt{5}}$ in the form $a + b\sqrt{5}$, where a and b are integers.

(3)

Lined area for student answers.

(Total 6 marks)

Leave blank

Q2



5. Solve the simultaneous equations

$$y - 3x + 2 = 0$$

$$y^2 - x - 6x^2 = 0$$

(7)

Leave
blank



Leave blank

Question 6 continued

Lined area for writing the answer to Question 6.

Q6

(Total 8 marks)





Question 7 continued

Leave
blank

Ruled lines for writing answer.

(Total 9 marks)

Q7

Q7 mark box



N 3 4 8 5 4 A 0 1 5 2 8



8.




Figure 1

Figure 1 shows a sketch of part of the curve with equation $y = f(x)$.

The curve has a maximum point $(-2, 5)$ and an asymptote $y = 1$, as shown in Figure 1.

On separate diagrams, sketch the curve with equation

- (a) $y = f(x) + 2$ **(2)**
- (b) $y = 4f(x)$ **(2)**
- (c) $y = f(x + 1)$ **(3)**

On each diagram, show clearly the coordinates of the maximum point and the equation of the asymptote.



Question 8 continued

Leave
blank



Question 8 continued

Leave
blank



Question 8 continued

Leave
blank

(Total 7 marks)

Q8



Question 9 continued

Blank lined area for writing answers.

Leave
blank



Question 9 continued

Leave
blank

(The area contains 25 horizontal lines for writing, which have been removed for clarity.)



Leave blank

10. $f(x) = x^2 + 4kx + (3 + 11k)$, where k is a constant.

- (a) Express $f(x)$ in the form $(x + p)^2 + q$, where p and q are constants to be found in terms of k . **(3)**

Given that the equation $f(x) = 0$ has no real roots,

- (b) find the set of possible values of k . **(4)**

Given that $k = 1$,

- (c) sketch the graph of $y = f(x)$, showing the coordinates of any point at which the graph crosses a coordinate axis. **(3)**



BLANK PAGE

