

Paper Reference(s) 9BI0/03
Pearson Edexcel Level 3 GCE

Biology B
Advanced

Total Marks

PAPER 3: General and Practical Principles
in Biology

Wednesday 18 June 2025 – Morning
Time: 2 hours 30 minutes

Question Paper

In the boxes below, write your name, centre number and candidate number.

Surname					
Other names					
Centre Number					
Candidate Number					

**THIS DOCUMENT MUST BE
RETURNED TO PEARSON AT THE END
OF THE EXAMINATION**

YOU MUST HAVE

**Scientific calculator,
writing and drawing equipment, ruler**

YOU WILL BE GIVEN

Diagram Booklet

INSTRUCTIONS

Answer ALL questions.

**Answer the questions in the spaces provided
in this Question Paper or in the separate
Diagram Booklet – there may be more space
than you need.**

Turn over

INFORMATION

The total mark for this paper is 120.

The marks for EACH question are shown in brackets – use this as a guide as to how much time to spend on each question.

In question(s) marked with an **ASTERISK (*), marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.**

There may be spare copies of some diagrams.

ADVICE

Read each question carefully before you start to answer it.

Try to answer every question.

Check your answers if you have time at the end.

Answer ALL questions.

Write your answers in the spaces provided.

- 1 *Saccharomyces cerevisiae* (yeast) is a single-celled organism widely used in brewing and baking.**

Look at the diagram for Question 1 in the Diagram Booklet. It shows a drawing of a yeast cell, as seen using an electron microscope.

(continued on the next page)

1 continued.

(a) The actual size of the cell measured from point A to point B is $6\mu\text{m}$

Calculate the magnification of this yeast cell. Give your answer to the nearest whole number.

(2 marks)

Answer _____

1 continued.

(b) Draw this yeast cell as it would be seen using a light microscope at high magnification.

Labels are not required.

(2 marks)

Answer space begins on the next page.

1(b) continued.

(continued on the next page)

Turn over

1 continued.

(c) The information in the diagram can be used to classify yeast.

(i) State why yeast is classified as eukaryotic not prokaryotic.

(1 mark)

(continued on the next page)

Turn over

1(c) continued.

**(ii) State why yeast is not classified
as a plant.
(1 mark)**

(Total for Question 1 = 6 marks)

2 Where two neurones meet they are linked by a synapse.

(a) Look at the diagram for Question 2(a) in the Diagram Booklet. It shows the structure of a synapse.

(i) Draw an arrow on the diagram to show the direction in which the nerve impulse travels.

(1 mark)

(continued on the next page)

2(a) continued.

- (ii) Describe the role of acetylcholine
in synaptic transmission.
(3 marks)**

Answer space continues on the next page.

Turn over

2(a)(ii) continued.

(continued on the next page)

2(a) continued.

**(iii) State the role of the mitochondria
in synaptic transmission.
(1 mark)**

(continued on the next page)

Turn over

2 continued.

(b) Some neurones have a myelin sheath around them.

Explain how the myelin sheath speeds up the transmission of nerve impulses.

(2 marks)

Answer space continues on the next page.

Turn over

2(b) continued.

(Total for Question 2 = 7 marks)

3 The wavelength of light affects the rate of photosynthesis.

(a) Look at the graph for Question 3(a) in the Diagram Booklet. It shows an action spectrum for a filamentous green alga.

A scientist investigated the effect of wavelength of light on the rate of photosynthesis using this alga.

Filaments of the alga were placed on a microscope slide in water containing bacteria that move to areas of high oxygen concentrations.

(continued on the next page)

3(a) continued.

Light of different wavelengths was shone onto different parts of the filament and the positions where the bacteria accumulated were recorded.

Look at the diagram for Question 3(a) in the Diagram Booklet. It shows the position of the bacteria at the start of the investigation, and the wavelengths of light shone onto the parts of the filament.

**Complete the diagram to show the position of the bacteria you would expect at the end of the investigation.
(2 marks)**

(continued on the next page)

Turn over

3 continued.

(b) Look at the diagram for Question 3(b) in the Diagram Booklet. It shows apparatus that can be used to study the effect of light on photosynthesis in pondweed.

Describe how you could modify and use this apparatus to find the optimum wavelength of light for photosynthesis of the pondweed.

(5 marks)

Answer space continues on the next 3 pages.

Turn over

3(b) continued.

Turn over

3(b) continued.

Turn over

3(b) continued.

(continued on the next page)

3 continued.

- (c) Explain why plants have a variety of photosynthetic pigments.
(2 marks)**

Answer space continues on the next page.

Turn over

3(c) continued.

(Total for Question 3 = 9 marks)

4 Red-green colour blindness is a sex-linked condition.

(a) In humans, the gene for colour vision is located on the X chromosome.

The allele for red-green vision (X^B) is dominant to the allele for red-green colour blindness (X^b).

**(i) State all the possible genotypes of females.
(1 mark)**

(continued on the next page)

4(a) continued.

**(ii) State all the possible genotypes
of males.**

(1 mark)

(continued on the next page)

4(a) continued.

**(iii) Look at the diagram for
Question 4(a)(iii) in the Diagram
Booklet. It shows a family tree for
a family where some individuals
have this condition.**

(continued on the next page)

4(a)(iii) continued.

**Give all the possible genotypes for
each of the following individuals.
(4 marks)**

1 _____

2 _____

3 _____

4 _____

(continued on the next page)

Turn over

4 continued.

(b) Squirrel monkeys are found in the forests of Central and South America.

Look at the diagram for Question 4(b) in the Diagram Booklet. It shows a squirrel monkey.

Squirrel monkeys have a varied diet, including leaves, fruits and insects.

In squirrel monkeys, the production of the pigments needed for red and green vision is determined by two alleles of a single gene.

This gene is located on the X chromosome.

(continued on the next page)

Turn over

4(b) continued.

Female squirrel monkeys have two X chromosomes, male squirrel monkeys have one X chromosome and one Y chromosome.

The colour red can be seen only if the allele X^R is present.

The colour green can be seen only if the allele X^G is present.

Scientists have studied the inheritance of colour vision in squirrel monkeys.

(i) A female monkey able to see both red and green is mated with a male monkey able to see only green.

(continued on the next page)

Turn over

4(b)(i) continued.

Determine the ratio of phenotypes you would expect in their offspring.

On the blank page for Question 4(b)(i) in the Diagram Booklet, use a genetic diagram to support your answer.

(2 marks)

4(b) continued.

(ii) In separate crosses two monkeys were mated.

Half of the offspring were females with the ability to see both red and green colours and half were males able to see red only.

(continued on the next page)

4(b)(ii) continued.

Determine the genotypes of these parents.

On the blank page for Question 4(b)(ii) in the Diagram Booklet, use a genetic diagram to support your answer.
(3 marks)

4(b) continued.

(iii) State why it would be an advantage for monkeys living in forests in South America to be able to see both red and green colours.

(1 mark)

Answer space continues on the next page.

Turn over

4(b)(iii) continued.

(continued on the next page)

4(b) continued.

(iv) In 2009, scientists successfully used gene technology on some squirrel monkeys unable to see the colour red.

The scientists identified the gene for the protein that is sensitive to red light in humans. This gene was transferred to cells in the retina of these monkeys.

Describe how the scientists may have carried out this gene technology.

(3 marks)

Answer space begins and continues on the next 2 pages.

Turn over

4(b)(iv) continued.

4(b)(iv) continued.

(Total for Question 4 = 15 marks)

5 Look at the diagram for Question 5(a) in the Diagram Booklet. It shows a germinating pollen grain, on a slide, as seen using a light microscope.

(a) Describe how you would use a light microscope to measure the actual length of this pollen tube.

(2 marks)

Answer space continues on the next page.

Turn over

5(a) continued.

(continued on the next page)

5 continued.

(b) A scientist investigated the effect of concentration of calcium ions on the germination and growth of pollen grains.

Look at the tables for Question 5(b) in the Diagram Booklet. They show the results from this investigation.

(i) Calculate the mean rate of growth of the pollen tube in the 500 mg dm^{-3} calcium nitrate solution.

**Give your answer in μm per minute, to two decimal places.
(2 marks)**

Answer space begins on the next page.

Turn over

5(b)(i) continued.

Answer _____
 $\mu\text{m minute}^{-1}$

(continued on the next page)

Turn over

5(b) continued.

- (ii) Give THREE conclusions that can be drawn from this investigation.
(3 marks)**

Answer space continues on the next page.

Turn over

5(b)(ii) continued.

(continued on the next page)

5 continued.

(c) Devise a method that could have been used to collect valid data in this investigation.

(4 marks)

Answer space continues on the next 3 pages.

Turn over

5(c) continued.

Turn over

5(c) continued.

Turn over

5(c) continued.

(Total for Question 5 = 11 marks)

- 6 (a) Look at the image for Question 6(a) in the Diagram Booklet. It shows a dandelion plant.**

A student wanted to carry out a survey to estimate the number of dandelion plants growing in a large field.

The student carried out a pilot study on an area of grassland 5m by 10m, to find the size of quadrat which would give the most accurate estimate.

Look at the diagram for Question 6(a) in the Diagram Booklet. It shows the position of each dandelion plant in the pilot study.

6(a) continued.

Three sizes of quadrat were tested:

- **1 m × 1 m (1 m²)**
- **0.5 m × 0.5 m (0.25 m²)**
- **10 cm × 10 cm (0.01 m²)**

The quadrats were placed randomly and the number of dandelion plants in each quadrat was recorded.

The total number for all quadrats was then calculated.

Look at the table for Question 6(a) in the Diagram Booklet. It shows the results obtained.

(continued on the next page)

Turn over

6(a) continued.

- (i) Describe how the quadrats would be placed randomly.
(2 marks)**

Answer space continues on the next page.

Turn over

6(a)(i) continued.

(continued on the next page)

6(a) continued.

(ii) Look again at the table for Question 6(a) in the Diagram Booklet. The total number of dandelion plants in this area of grassland was 53

Analyse the data to determine the size of quadrat that gives the most accurate estimate of the number of dandelion plants.

(4 marks)

Answer space continues on the next 2 pages.

6(a)(ii) continued.

Turn over

6(a)(ii) continued.

(continued on the next page)

6 continued.

(b) In a different survey, the student wanted to measure the biodiversity of the grassland, using a biodiversity index.

Describe the data that must be collected so that the biodiversity index can be calculated.

(2 marks)

Answer space continues on the next page.

Turn over

6(b) continued.

(continued on the next page)

6 continued.

(c) (i) State the meaning of the term SPECIES.

(1 mark)

(continued on the next page)

Turn over

6(c) continued.

- (ii) Describe how scientists can use DNA from two similar looking plants to investigate whether they are closely related.**
- (2 marks)**

Answer space continues on the next page.

Turn over

6(c)(ii) continued.

(Total for Question 6 = 11 marks)

7 The activity of enzymes is affected by a number of factors.

(a) A class of students investigated the effect of temperature on the activity of the enzyme phosphatase extracted from mung beans.

This enzyme removes phosphate groups from organic phosphate molecules. Look at the diagram for Question 7(a) in the Diagram Booklet. It shows the reaction between phosphatase and its substrate, phenolphthalein phosphate.

When they are in alkaline solutions, phenolphthalein phosphate is colourless and phenolphthalein is pink.

7(a) continued.

The students used the following method.

STEP 1 Germinate mung bean seeds, then grind them with water and filter the extract. Use the filtrate as the enzyme extract.

STEP 2 Set up 8 tubes, each containing 1 cm^3 of 1% phenolphthalein phosphate, and place in water baths at varying temperatures. Leave for 10 minutes.

(continued on the next page)

Turn over

7(a) continued.

STEP 3 Add 1 cm^3 of enzyme extract to each tube. Leave in the water baths for 20 minutes.

STEP 4 Add 5 cm^3 of 10% sodium carbonate solution (alkaline) to each tube. Place the tubes into an ice bath, which will stop the reaction.

STEP 5 Use a colorimeter to measure the absorbance of light for each tube. As the pink colour increases, the absorbance increases.

7(a) continued.

- (i) Describe how you would ensure that the concentration of the enzyme extract was the same for all students carrying out the investigation.**

(2 marks)

Answer space continues on the next page.

Turn over

7(a)(i) continued.

(continued on the next page)

7(a) continued.

- (ii) Describe how you would ensure that the colorimeter readings were comparable for each of the students.**
- (2 marks)**

Answer space continues on the next page.

Turn over

7(a)(ii) continued.

(continued on the next page)

7 continued.

(b) Look at the table for Question 7(b) in the Diagram Booklet. It shows the results obtained in this investigation.

**(i) Explain the effect of temperature on the activity of phosphatase.
(3 marks)**

Answer space continues on the next page.

Turn over

7(b)(i) continued.

(continued on the next page)

Turn over

7(b) continued.

(ii) For enzyme-controlled reactions at temperatures between 0°C and 40°C, a 10°C rise in temperature will double the rate of reaction.

The data collected in this investigation do not show this pattern, suggesting that there may be errors in the method used.

(continued on the next page)

7(b)(ii) continued.

The students repeated the investigation with these four changes:

- **adding buffer solution to the phenolphthalein phosphate**
- **placing separate tubes containing phenolphthalein phosphate and enzyme extract into water baths for 10 minutes before mixing together**
- **using smaller temperature intervals than 10°C**
- **stopping the reaction after 5 minutes instead of 20 minutes.**

7(b)(ii) continued.

**Justify why the students repeated
the investigation with these
four changes.**

(4 marks)

Answer space continues on the next 2 pages.

Turn over

7(b)(ii) continued.

Turn over

7(b)(ii) continued.

7 continued.

(c) The phosphatase enzyme catalyses the removal of phosphate groups from organic phosphate molecules, releasing phosphate ions.

Give TWO examples of biochemical processes in plant cells requiring phosphate ions.

(2 marks)

Answer space continues on the next page.

Turn over

7(c) continued.

(Total for Question 7 = 13 marks)

- 8 Look at the diagram for Question 8 in the Diagram Booklet. It shows tar spots on a sycamore leaf.**

Tar spots are caused by a fungus, *Rhytisma acerinum*, growing on the sycamore leaf.

Fungal spores spend the winter in dead leaves on the ground. When new leaves emerge in the spring, they are infected by these spores and tar spots develop.

The fungus is known to be sensitive to sulfur dioxide and oxides of nitrogen in the air.

The fungus grows more slowly when these gases are present.

(continued on the next page)

Turn over

8 continued.

(a) A student investigated whether there were fewer tar spots on sycamore leaves close to busy roads where air pollution is higher.

This is the method the student used.

STEP 1 Choose one sycamore tree close to a busy road and one sycamore tree in parkland away from busy roads.

STEP 2 Choose 15 leaves from each tree.

STEP 3 Record the number of tar spots on each leaf.

(continued on the next page)

Turn over

8(a) continued.

- (i) Give a suitable null hypothesis
for this investigation.
(1 mark)**

(continued on the next page)

8(a) continued.

**(ii) Look at the table for
Question 8(a)(ii) in the
Diagram Booklet. It shows the
data the student recorded.**

**The student analysed the data
with a t-test.**

Calculate the value of t.

(continued on the next page)

8(a)(ii) continued.

Use the formula

$$t = \frac{(\bar{x}_A - \bar{x}_B)}{\sqrt{\frac{(S_A)^2}{n_A} + \frac{(S_B)^2}{n_B}}}$$

where:

$\bar{x}$ is the mean for each set of data

**n is the number of samples in
each set of data**

**S is the standard deviation for
each set of data**

(3 marks)

Answer space begins on the next page.

Turn over

8(a)(ii) continued.

Answer _____

(continued on the next page)

Turn over

8(a) continued.

**(iii) Look at the table for
Question 8(a)(iii) in the Diagram
Booklet. It shows the critical
values of t for different degrees
of freedom.**

**Analyse the data to comment on
the results of this investigation.
(3 marks)**

Answer space continues on the next page.

Turn over

8(a)(iii) continued.

8 continued.

**(b) Justify TWO improvements to the method used by the student.
(2 marks)**

Answer space continues on the next page.

Turn over

8(b) continued.

(Total for Question 8 = 9 marks)

9 Transpiration is the loss of water from the leaves of plants.

(a) Water moves through xylem vessels in a plant during transpiration.

Explain ONE way in which xylem vessels are adapted for their function.

(2 marks)

Answer space continues on the next page.

9(a) continued.

(continued on the next page)

9 continued.

(b) Look at the graph for Question 9(b) in the Diagram Booklet. It shows the rate of transpiration in oat seedlings during one day. Windspeed and humidity were controlled.

(i) Calculate the mean rate of change in transpiration from five to thirteen hours.

Give your answer to one decimal place.

(1 mark)

Answer space begins on the next page.

Turn over

9(b)(i) continued.

Answer _____ **g m⁻² hour⁻¹**

(continued on the next page)

9(b) continued.

**(ii) Explain the shape of the graph
over the 22-hour period.
(3 marks)**

Answer space continues on the next page.

Turn over

9(b)(ii) continued.

(continued on the next page)

9 continued.

(c) Look at the diagram for Question 9(c) in the Diagram Booklet. It shows two types of potometer, A and B.

Evaluate which type of potometer would be better to measure the rate of transpiration.

(5 marks)

Answer space continues on the next 2 pages.

Turn over

9(c) continued.

Turn over

9(c) continued.

9 continued.

(d) A scientist investigated the movement of sugar from the leaf to the roots of a plant.

One leaf was supplied with carbon dioxide containing the radioisotope ^{14}C

Look at Diagram 1 for Question 9(d) in the Diagram Booklet. It shows part of the apparatus used by the scientist.

The sugar produced by photosynthesis in this leaf is radioactive.

(continued on the next page)

Turn over

9(d) continued.

After a few hours, a section was cut through the plant stem and placed on photographic film.

Structures containing radioactive material will cause darkening of the film.

Look at Diagram 2 for Question 9(d) in the Diagram Booklet. It shows the structure of the stem when a section is cut.

- (i) On Diagram 2 for Question 9(d) shade the areas you would expect to be darker because they are transporting radioactive sugar.**
- (1 mark)**

9(d) continued.

**(ii) Name the radioactive sugar
causing this darkening on
the film.**

(1 mark)

(Total for Question 9 = 13 marks)

10 Oceans cover 71% of the Earth's surface. Marine and coastal habitats are thought to contain about one quarter of all species worldwide.

(a) Some parts of the UK coastline have been designated Marine Conservation Zones (MCZ).

These are part of a wider network of sites protected by law, called Marine Protected Areas (MPA).

Large parts of the UK coastline and the sea surrounding it are protected in this way. There are more than 370 protected coastal or marine sites around the UK.

(continued on the next page)

10(a) continued.

The regulations in these areas protect coastal and marine habitats, and the communities and species which live in them, from damage by humans.

This is an example of in-situ conservation.

Comment on the benefits AND difficulties of in-situ conservation in coastal and marine sites.

(4 marks)

Answer space begins and continues on the next 2 pages.

10(a) continued.

Turn over

10(a) continued.

(continued on the next page)

Turn over

10 continued.

***(b) Seagrasses are flowering plants that live underwater in coastal habitats.**

Seagrass meadows are one of the world's most threatened habitats, but only 26% are within Marine Protected Areas.

In the past, seagrass meadows were common worldwide. Over the last 90 years the area covered by seagrass has declined dramatically, with around 7% being lost each year.

These losses are due to water pollution, damage from fishing, dredging and building ports.

(continued on the next page)

Turn over

10(b) continued.

Worldwide, seagrass covers 0.2% of the ocean, but is estimated to be responsible for 10% of its carbon storage. It can store at least 0.5 tonnes of carbon per hectare per year, which is more than a tropical rainforest.

Seagrass meadows protect the coastline from wave erosion. They also provide food and shelter for young fish, including commercially important species like cod.

(continued on the next page)

10(b) continued.

Around the UK, 90% of seagrass meadows have been lost and only 8 500 hectares remain. A pilot project will plant two hectares of seagrass meadow off the coast of Wales.

Different planting methods have been trialled at different sites. Look at the diagram for Question 10(b) in the Diagram Booklet. It shows the most successful method, where 4% of seeds germinate after eight months.

(continued on the next page)

10(b) continued.

**Analyse the information to evaluate the importance of seagrass as a habitat, and the importance of this pilot project.
(9 marks)**

Answer space continues on the next 7 pages.

Turn over

10(b) continued.

Turn over

10(b) continued.

Turn over

10(b) continued.

Turn over

10(b) continued.

10(b) continued.

Turn over

10(b) continued.

Turn over

10(b) continued.

(Total for Question 10 = 13 marks)

11 The growth of bacterial populations can be studied if they are grown in liquid culture.

(a) One type of bacteria is grown in nutrient broth under aseptic conditions.

The number of bacteria in the culture at a particular time can be determined using serial dilution and plating.

Look at the diagram for Question 11(a) in the Diagram Booklet. It shows the dilution series used.

(continued on the next page)

11(a) continued.

One sample of 0.5 cm^3 is taken from each tube (A to F). Each sample is spread onto a separate agar plate using aseptic technique.

The plates are incubated at 25°C for 48 hours and the number of colonies on each plate is counted.

Each colony represents a single bacterium in the original culture.

(continued on the next page)

11(a) continued.

Look at the table for Question 11(a) in the Diagram Booklet. It shows the results obtained.

- (i) Calculate the number of bacteria per cm^3 in the original culture.**

**Give your answer in
STANDARD FORM.
(2 marks)**

Answer space continues on the next page.

11(a)(i) continued.

Answer _____ **per cm³**

(continued on the next page)

Turn over

11(a) continued.

**(ii) Look at the graph for
Question 11(a)(ii) in the Diagram
Booklet. It shows the population of
bacteria in a culture, as determined
using this method.**

**Explain the shape of this graph.
(4 marks)**

Answer space continues on the next 2 pages.

Turn over

11(a)(ii) continued.

Turn over

11(a)(ii) continued.

(continued on the next page)

11(a) continued.

(iii) Between 1.3 hours and 4.7 hours the number of bacteria is rising very rapidly.

The number of bacteria can be calculated at any time in this period using the exponential growth rate constant, k .

The number of bacteria per cm^3 at the start of this period was 400 and the number 3.4 hours later was 102400

Calculate the value of k when the culture has been growing exponentially for 3.4 hours.

Give your answer to two decimal places.

11(a)(iii) continued.

Use the formula

$$k = \frac{\log_{10} N_t - \log_{10} N_0}{0.301 \times t}$$

**where N_t = the number of organisms
at time t**

**N_0 = the number of organisms
at time 0**

**k = the exponential growth
rate constant**

**t = the time the culture has
been growing**

(2 marks)

Answer space begins on the next page.

11(a)(iii) continued.

Answer _____

(continued on the next page)

Turn over

11(a) continued.

(iv) Calculate the mean generation time, g (time for the population of bacteria to double, in minutes).

Use your value for k and the formula $k = \frac{60}{g}$
(1 mark)

Answer _____ minutes

(continued on the next page)

Turn over

11 continued.

(b) An alternative method to dilution plating is to use a colorimeter to measure the turbidity of a culture.

Turbidity is an indicator of the growth of the bacterial population.

Assess the advantages of each of these methods to measure the growth of a bacterial population.

(4 marks)

Answer space continues on the next 3 pages.

Turn over

11(b) continued.

Turn over

11(b) continued.

Turn over

11(b) continued.

(Total for Question 11 = 13 marks)

TOTAL FOR PAPER = 120 MARKS

END OF PAPER