

Biology A (Salters Nuffield)

Advanced

PAPER 1: The Natural Environment and Species Survival

Time: 2 hours

In the boxes below, write your name, centre number and candidate number.

Surname					
Other names					
Centre Number					
Candidate Number					

YOU MUST HAVE

Ruler, writing equipment and calculator

YOU WILL BE GIVEN

Diagram Booklet

INSTRUCTIONS

Answer ALL questions.

Show all your working out in calculations and include units where appropriate.

Answer the questions in the spaces provided – there may be more space than you need.

INFORMATION

The total mark for this paper is 100.

The marks for EACH question are shown in brackets – use this as a guide as to how much time to spend on each question.

You may use a scientific calculator.

In questions marked with an ASTERISK (*), marks will be awarded for your ability to structure your answer logically, showing how the points that you make are related or follow on from each other where appropriate.

ADVICE

Read each question carefully before you start to answer it.

Try to answer every question.

Check your answers if you have time at the end.

Answer ALL questions.

Some questions must be answered with a cross in a box ☐. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☐.

1 Mineral ions are required for plant growth.

**(a) (i) Nitrate ions are required for the synthesis of
(1 mark)**

☐ **A amino acids**

☐ **B cellulose**

☐ **C starch**

☐ **D sucrose**

(continued on the next page)

1 continued.

**(ii) Phosphate ions are required for the synthesis of
(1 mark)**

- ☐ **A cellulose**
- ☐ **B chlorophyll**
- ☐ **C nucleic acids**
- ☐ **D sucrose**

**(iii) Magnesium ions are present in the structure of
(1 mark)**

- ☐ **A amino acids**
- ☐ **B cellulose**
- ☐ **C chlorophyll**
- ☐ **D starch**

(continued on the next page)

1 continued.

(b) Mineral ions enter the plant through the roots.

Mineral ions in the soil are in lower concentrations than in the vacuoles of root hair cells.

Describe how mineral ions are taken up by root hair cells.

(3 marks)

1 continued.

(Total for Question 1 = 6 marks)

- 2 Anthropogenic activities are contributing to global warming.**

Scientists from the IPCC (Intergovernmental Panel on Climate Change) say that changes to diet can have a major impact on greenhouse gas emissions. The method of farming affects the level of impact.

The Paris Agreement of 2015 committed countries to reduce carbon emissions.

(continued on the next page)

2 continued.

(a) How many of the following statements about global warming are correct?

(1 mark)

- **global warming is caused by a reduction in greenhouse gases**
- **deforestation may contribute to global warming**
- **global warming is leading to the melting of sea ice**
- **global warming may lead to a change in rainfall patterns**
- **global warming is affecting only the ice caps**

☐ **A 2**

☐ **B 3**

☐ **C 4**

☐ **D 5**

(continued on the next page)

2 continued.

(b) Look at the table for Question 2(b) in the Diagram Booklet. It shows the mass of greenhouse gas released in the production of one serving of a variety of sources of protein.

**(i) Explain why a diet based on plant protein produces lower greenhouse gas emissions than a diet based on animal protein.
(3 marks)**

(continued on the next page)

Turn over

2 continued.

(continued on the next page)

2 continued.

- (ii) Beef cattle are traditionally reared by grazing on natural pastures (grassland).**

In recent years, large areas of rainforest have been cleared to produce beef.

Explain why the farming of beef cattle on deforested land produces more greenhouse gas emissions than from those reared on natural pastures.

(3 marks)

(continued on the next page)

Turn over

2 continued.

(Total for Question 2 = 7 marks)

- 3 Peat bogs are formed over millions of years from the remains of plants and animals.**

Waterlogging and acidic conditions prevent the decomposition of plants and animals in peat bogs.

Peat is cut from peat bogs, leaving deep trenches in the landscape.

- (a) (i) State how the age of the layers in a peat bog can be determined.
(1 mark)**

- (ii) Explain why the conditions in peat bogs prevent decomposition.
(3 marks)**

(continued on the next page)

Turn over

3 continued.

(continued on the next page)

3 continued.

- (b) In the 1980s, there was a scheme to plant trees in areas of peat bog.**

This dries out the bog and allows it to decompose, releasing the carbon dioxide locked in the peat bog.

Conservationists are cutting down trees and raising the water level to recreate the peat bog. It is estimated that the peat bogs will recover in 15 years.

Sphagnum moss grows on the surface of peat bogs and helps their formation. Sphagnum moss plants are very small but they grow closely together forming spongy carpets.

**Devise a procedure to measure the rate of recovery of the peat bog.
(4 marks)**

(continued on the next page)

Turn over

3 continued.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

(continued on the next page)

Turn over

3 continued.

(Total for Question 3 = 8 marks)

- 4 Malaria is a disease that kills more than 400 000 people every year.

It is caused by **Plasmodium**, a single-celled organism that lives in the blood.

Plasmodium is transmitted by mosquitoes.

Look at the diagram for Question 4(a) in the Diagram Booklet. It shows a **Plasmodium** organism.

- (a) State and justify two structures shown in the diagram that indicate that **Plasmodium** is a eukaryotic organism.
(2 marks)

4 continued.

(continued on the next page)

4 continued.

- (b) Malaria can be controlled by killing the mosquitoes that transmit the disease.**

Scientists are genetically modifying *Metarhizium pingshaense*, a fungus that infects mosquitoes.

The genetically modified (GM) fungus contains a gene from a species of spider. This gene codes for a protein that kills mosquitoes.

- (i) The GM fungus transcribes and translates the gene for this protein.**

**Describe the primary structure of a protein.
(2 marks)**

4 continued.

- (ii) The primary structure of this protein is then converted into a tertiary structure and modified by organelles in the cell.**

Describe the role of the organelles involved in these processes.

(5 marks)

(continued on the next page)

Turn over

4 continued.

(Total for Question 4 = 9 marks)

- 5 Porphyria is a life-threatening genetic disease. It is caused by a mutation in the gene coding for an enzyme involved in the production of haem.**

In people with porphyria, haem cannot be produced.

- (a) Explain why this mutation may prevent the enzyme involved in the production of haem from functioning correctly.
(4 marks)**

5 continued.

[illegible]

(continued on the next page)

5 continued.

- (b) Porphyria is caused by a dominant allele and may not develop until later in life.**

Look at the pedigree diagram for Question 5(b) in the Diagram Booklet. It shows a family in which some individuals have porphyria.

- (i) State the genotype and phenotype of person C.
(1 mark)**

(continued on the next page)

5 continued.

- (ii) Person A and Person B have one son with porphyria. What was the probability of them having a child that was male and had porphyria?
(1 mark)**

☐ **A 0·00**

☐ **B 0·25**

☐ **C 0·50**

☐ **D 1·00**

(continued on the next page)

5 continued.

- (c) A new technique known as gene silencing has been developed to treat this disease.**

Molecules known as small interfering RNA (siRNA) combine with mRNA to prevent translation.

Deduce how siRNA may be used to prevent the development of porphyria.

(4 marks)

(continued on the next page)

Turn over

5 continued.

[illegible]

(Total for Question 5 = 10 marks)

- 6 Leigh syndrome is a disease of the nervous system that affects the brain.**

It is caused by a mutation in the DNA present inside mitochondria.

- (a) Draw and label a mitochondrion.
(2 marks)**

6 continued.

- (b) Mitochondrial diseases such as Leigh syndrome are passed on by the mother during fertilisation.**

Explain why a fertilised egg cell will contain only maternal mitochondria.

(2 marks)

(continued on the next page)

6 continued.

- (c) Using IVF, it is possible to produce an embryo that does not have the mitochondrial disease.**

The nucleus is removed from a donor egg cell from another individual.

The nucleus from a fertilised egg from a mother with the mutation is then placed in the egg cell from the donor.

- (i) Explain why the resulting embryo does not develop mitochondrial disease.
(2 marks)**

(continued on the next page)

Turn over

6 continued.

(continued on the next page)

6 continued.

**(ii) Comment on the inheritance of parental characteristics in offspring produced in this way.
(3 marks)**

[illegible]

6 continued.

(Total for Question 6 = 9 marks)

- 7 Measles is a contagious disease that can be controlled by vaccination.**

Not all parents choose to have their children vaccinated.

Look at the table for Question 7(a) in the Diagram Booklet. It shows the number of cases of measles and the percentage of children vaccinated in the UK between 2012 and 2017.

- (a) (i) Calculate the percentage change in the number of cases of measles from 2013 to 2014.**

**Give your answer to three significant figures.
(2 marks)**

_____ %

(continued on the next page)

7 continued.

- (ii) One conclusion from the data is that it takes time for an increase in vaccination rate to reduce the number of cases of measles in children.**

**Explain why this is a valid conclusion.
(4 marks)**

(continued on the next page)

Turn over

7 continued.

(continued on the next page)

7 continued.

(b) The incidence of measles has risen by 300% worldwide in recent years.

A study has found that some B memory cells and antibodies are destroyed by the measles virus.

**(i) Antibodies are released into the blood when
(1 mark)**

- ☐ **A B cells are activated to become killer cells**
- ☐ **B B cells are activated to become plasma cells**
- ☐ **C macrophages are activated to become B cells**
- ☐ **D plasma cells are activated to become memory cells.**

(continued on the next page)

7 continued.

- (ii) Vaccinations are carried out against many serious diseases.**

Vaccination leads to the production of antibodies and memory cells.

**Which kind of immunity is provided by this type of vaccination?
(1 mark)**

- ☐ **A active artificial**
- ☐ **B active natural**
- ☐ **C passive artificial**
- ☐ **D passive natural**

(continued on the next page)

7 continued.

- (iii) Explain why, following a measles infection, it may be advisable for children to repeat other vaccinations they have had.
(3 marks)**

7 continued.

(Total for Question 7 = 11 marks)

- 8 Tuberculosis (TB) is a disease that affects the lungs. It is caused by the bacterium **Mycobacterium tuberculosis**. When these bacteria enter the body an immune response is triggered.

(a) The initial response when bacteria enter the body is a
(1 mark)

- ☐ A non-specific response and bacteria are destroyed by antibodies
- ☐ B non-specific response and bacteria are destroyed by phagocytes
- ☐ C specific response and bacteria are destroyed by antibodies
- ☐ D specific response and bacteria are destroyed by phagocytes.

(continued on the next page)

8 continued.

(b) **M. tuberculosis** bacteria can remain dormant in the body after infection.

Explain why these dormant bacteria are not destroyed by the immune system.

(3 marks)

(continued on the next page)

Turn over

8 continued.

(continued on the next page)

8 continued.

- (c) The Human Immunodeficiency Virus (HIV) affects the immune system. People infected with HIV are more likely to develop TB.**

A study investigated the relationship between TB infections and HIV status.

In 2008, the number of people in the world estimated to have TB was 9·4 million.

Look at the table for Question 8(c) in the Diagram Booklet. It shows the percentage of these people who were either HIV positive or HIV negative. The estimated number of deaths due to TB is also shown in the table.

- (i) Calculate the percentage of TB patients infected with HIV who died of TB.
(2 marks)**

_____ %

8 continued.

- (ii) Describe the effect of HIV on the number of deaths from TB.
(2 marks)**

(continued on the next page)

8 continued.

- *(iii) There are increased numbers of deaths from TB as a result of HIV infection.**

The table shows data for deaths worldwide from HIV and TB in 2016.

Type of infection	Number of deaths
TB only	1 300 000
HIV only	826 000
TB and HIV	374 000

Treatment of HIV with anti-viral drugs has reduced the incidence of TB associated with HIV infection.

The replication of HIV reduces the T-helper cell count. These anti-viral drugs reduce the replication of the virus in the body.

Look at the graph for Question 8(c)(iii) in the Diagram Booklet. It shows the effect of this on the incidence of TB.

(continued on the next page)

8 continued.

**Explain the effect of using anti-viral drugs to treat HIV on the number of deaths from TB.
(6 marks)**

[illegible]

(continued on the next page)

Turn over

8 continued.

[illegible]

(continued on the next page)

Turn over

8 continued.

(Total for Question 8 = 14 marks)

9 A biodiversity hotspot is a region that is both highly diverse and threatened with destruction.

**(a) Biodiversity can be measured by the number of
(1 mark)**

☐ **A different genes in a population.**

☐ **B different species in a habitat.**

☐ **C homozygotes in a habitat.**

☐ **D individuals in a population.**

(continued on the next page)

9 continued.

(b) Biodiversity hotspots have at least 1500 endemic plant species.

These hotspots have lost at least 70% of their natural vegetation.

Explain how protection of these hotspots can affect global biodiversity.

(2 marks)

(continued on the next page)

Turn over

9 continued.

(c) A population of white-tailed deer

Odocoileus virginianus was introduced from North America into Finland in 1934. There were four females and one male. The population has since increased rapidly.

A study in 2012 compared the genetic diversity of the population in Finland with the population in North America.

Ten genes were compared from 72 deer in each population. The allele richness (number of alleles in the population) of each gene was measured.

A χ^2 test was carried out to compare the two populations.

(continued on the next page)

9 continued.

**(i) The null hypothesis for this investigation is
(1 mark)**

- ☐ **A the allele richness in the population from Finland is higher than the USA.**
- ☐ **B the allele richness in the population from the USA is higher than Finland.**
- ☐ **C the population in the USA is more genetically diverse than the population in Finland.**
- ☐ **D there is no difference in allele richness between the two populations.**

(continued on the next page)

9 continued.

- (ii) The values from the population in the USA can be taken as the expected values and a χ^2 test can be carried out.

Look at the table for Question 9(c)(ii) in the Diagram Booklet. Complete the table to calculate the χ^2 value, using the formula (3 marks)

$$\chi^2 = \sum \frac{(O - E)^2}{E}$$

Answer _____

(continued on the next page)

9 continued.

(iii) Look at the table for Question 9(c)(iii) in the Diagram Booklet. It shows the critical values of chi-squared at different levels of probability.

**Deduce the effect of a small founder population on the allele richness in the population of white-tailed deer in Finland.
(3 marks)**

9 continued.

(continued on the next page)

9 continued.

- (d) Look at the table for Question 9(d) in the Diagram Booklet. It shows the heterozygosity index for each population of white-tailed deer.**

Climate change may affect the habitat of both populations of deer.

Explain which population is more likely to adapt to changing conditions.

(4 marks)

9 continued.

[illegible]

(Total for Question 9 = 14 marks)

10 Some plants are adapted to grow in shady conditions.

A study was carried out to compare the effect of growing in different light intensities on rates of photosynthesis of plants.

The plants are rated for levels of shade tolerance.

Plant seedlings of nine species were grown in either 25% or 5% of full sunlight. All other abiotic factors were controlled.

These seedlings were grown for six weeks and then exposed to full sunlight for 15 minutes. The rate of photosynthesis was measured during the exposure to full light.

Look at the table for Question 10 in the Diagram Booklet. It shows the results of this investigation for four species of plant.

(continued on the next page)

10 continued.

- (a) (i) Determine which species had the greatest percentage change in rate of photosynthesis when grown in lower light intensities.
(2 marks)**

Answer _____

(continued on the next page)

10 continued.

- (ii) The rate of growth for all nine species of plant was also measured.**

Look at the graph for Question 10(a)(ii) in the Diagram Booklet. It shows the effects of the rate of photosynthesis on the rate of growth of these plants.

Explain the effect of light intensity during the first six weeks of growth on the growth rate of these species of plant.

(4 marks)

10 continued.

(continued on the next page)

10 continued.

- *(b) Differences in the rate of photosynthesis may be due to the light-dependent reactions in chloroplasts.**

Devise an investigation to compare the rate of the light-dependent reaction in shade tolerant and shade intolerant plants grown at different light intensities.

(6 marks)

(continued on the next page)

Turn over

10 continued.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins or other markings on the paper.

(continued on the next page)

Turn over

10 continued.

(Total for Question 10 = 12 marks)

TOTAL FOR PAPER = 100 MARKS
END OF PAPER