

Biology A (Salters Nuffield)

Advanced

**PAPER 3: General and Practical Applications
in Biology**

Total Marks

Time: 2 hours

In the boxes below, write your name, centre number and candidate number.

Surname					
Other names					
Centre Number					
Candidate Number					

YOU MUST HAVE

Ruler, writing and drawing equipment, scientific calculator and a copy of the scientific article adapted from Scientific American

YOU WILL BE GIVEN

Diagram Booklet

INSTRUCTIONS

Answer ALL questions.

Show all your working out in calculations and include units where appropriate.

Answer the questions in the spaces provided in this Question Paper or in the separate Diagram Booklet – there may be more space than you need.

INFORMATION

The total mark for this paper is 100.

The marks for EACH question are shown in brackets – use this as a guide as to how much time to spend on each question.

You may use a scientific calculator.

There may be spare copies of some diagrams.

INFORMATION continued.

In questions marked with an **ASTERISK (*)**, marks will be awarded for your ability to structure your answer logically, showing how the points that you make are related or follow on from each other where appropriate.

ADVICE

Read each question carefully before you start to answer it.

Try to answer every question.

Check your answers if you have time at the end.

Answer ALL questions.

Write your answers in the spaces provided.

1 When oat seeds germinate, they produce roots and a coleoptile.

(a) The effect of shading the tip of the coleoptile was investigated.

Look at the diagram for Question 1(a) in the Diagram Booklet. It shows how the coleoptile of an oat seedling can bend towards light.

Oat seeds were germinated. When the coleoptiles were 2cm long the seedlings were split into three groups.

- Group 1 none of the tip of the coleoptile was shaded**
- Group 2 5mm at the tip of the coleoptile was shaded**
- Group 3 10mm at the tip of the coleoptile was shaded**

All the coleoptiles were then exposed to light from one side.

The curvature of the coleoptiles was measured after intervals of 2 hours and 3 hours.

1 continued.

Look at the graph for Question 1(a) in the Diagram Booklet. The results of this investigation are shown in the graph.

- (i) Describe two conclusions that can be drawn from the results of this investigation.
(2 marks)**

(continued on the next page)

1 continued.

- (ii) The results of this investigation were analysed using the Student's t-test.**

A p value of 0.05 was used to interpret the results of the t-test.

**Explain what a p value of 0.05 means.
(2 marks)**

(continued on the next page)

Turn over

1 continued.

- (b) In a second investigation, cells were taken from below the tip of the coleoptile.**

These cells were soaked in buffer alone or buffer containing IAA (auxin), for a period of 60 minutes.

The lengths of the cells were measured every six minutes.

Look at the graph for Question 1(b) in the Diagram Booklet. The results of this investigation are shown in the graph.

- (i) Give one abiotic factor, other than pH, that would need to be controlled in this investigation.**
(1 mark)

(continued on the next page)

1 continued.

- (ii) Look at the enlarged section of the graph for Question 1(b)(ii) in the Diagram Booklet. Calculate the difference in the rates of change in cell length from 30 to 60 minutes, in the presence of IAA and in the absence of IAA. (2 marks)**

Answer _____

(continued on the next page)

1 continued.

- (c) Explain how the evidence from these investigations indicates that plant hormones are involved in the phototropic response of oat coleoptiles.
(3 marks)**

(continued on the next page)

Turn over

1 continued.

(Total for Question 1 = 10 marks)

2 Look at the diagrams for Question 2 in the Diagram Booklet. It shows an RNA virus that causes influenza.

(a) Influenza cannot be treated with antibiotics.

Explain why antibiotics cannot be used to treat influenza.

(2 marks)

(continued on the next page)

2 continued.

- (b) Look at the diagram for Question 2(b) in the Diagram Booklet. The surface of this virus capsid is covered with 'spike' proteins.**

The diameter of the capsid of this virus is 240 nm.

Calculate the maximum number of spike proteins that can be packed on the surface of one virus particle.

The formula for calculating the surface area of a sphere is $4\pi r^2$

The formula for calculating the area of a triangle is

$$\frac{h \times b}{2}$$

(3 marks)

Answer _____

(continued on the next page)

2 continued.

- (c) Changes in the RNA of influenza produce new strains of the virus with an altered spike protein.**

Devise a procedure to determine the similarity of the strains of influenza in saliva samples collected from different people.

(4 marks)

(continued on the next page)

Turn over

2 continued.

(Total for Question 2 = 9 marks)

3 Eukaryotic cells contain membrane-bound organelles. Detailed photographs of organelles can be obtained using an electron microscope.

(a) Look at the diagram for Question 3(a) in the Diagram Booklet. The diagram shows an organelle.

(i) Label a part of this organelle where carbon fixation occurs.

(1 mark)

(ii) Give the name of the component labelled X.

(1 mark)

(continued on the next page)

3 continued.

- (iii) Describe how the structure of a membrane in the part labelled X is related to its function.
(3 marks)**

(continued on the next page)

Turn over

3 continued.

- (iv) Describe how GP is produced by carbon fixation in this organelle.
(2 marks)**

(continued on the next page)

Turn over

3 continued.

(b) Look at the graph for Question 3(b) in the Diagram Booklet. It shows the changes in biomass, gross primary productivity and the energy used in respiration during succession from grassland to mature forest.

(i) Add shading to the graph to show the area that represents net primary productivity.

(1 mark)

(ii) Describe what is meant by the term succession.

(2 marks)

(continued on the next page)

Turn over

3 continued.

**(iii) Deduce the effect of succession on the level of carbon dioxide in the atmosphere.
(3 marks)**

(continued on the next page)

Turn over

3 continued.

(Total for Question 3 = 13 marks)

- 4 This question is about a plant called lantana (*Lantana camara*).

The leaves of lantana contain chemicals known to have antimicrobial properties.

The antimicrobial activity of lantana leaf extracts prepared using three different solvents, A, B and C, was compared.

Fresh lantana leaves were dried and powdered. The dried leaf material was mixed with the solvent and then the extract was purified and dried.

The mass of extract obtained from 5g of powdered leaf, using each solvent, was measured.

Solvent used	Mean mass of extract $\pm$ SD/ μ g
A	501.3 $\pm$ 3.5
B	721.3 $\pm$ 1.5
C	245.6 $\pm$ 4.0

(continued on the next page)

4 continued.

- (a) The mass of dried and powdered lantana leaves is 10.5% of the mass of fresh leaves.**

Calculate the mass of fresh leaves needed to produce 1 mg of extract using solvent A.

**Give your answer to three significant figures.
(2 marks)**

_____ g

(continued on the next page)

4 continued.

(b) Look at the table for Question 4(b) in the Diagram Booklet. The antimicrobial properties of the extracts produced using these solvents are shown in the table.

**(i) Deduce the effect of using different solvents on the effectiveness of the extracts against these two bacteria.
(2 marks)**

(continued on the next page)

Turn over

4 continued.

(ii) Devise a method that could be used to collect the data in the table.
(4 marks)

[illegible]

(continued on the next page)

Turn over

4 continued.

(Total for Question 4 = 8 marks)

5 Habituation is a learning response observed in many types of animal.

**(a) Explain the importance of the habituation response in an animal.
(2 marks)**

(continued on the next page)

5 continued.

- (b) The ‘light-off jump’ assay can be used to study habituation in fruit flies.**

When the light is turned off the flies jump into the air and attempt to fly away.

The strength of this response can be measured by recording the noise made by the flies.

In one experiment, fruit flies with reduced expression of a protein called synapsin were compared with a control group.

Synapsin is a protein that inhibits the binding of presynaptic vesicles to the cell membrane.

Look at the graph for Question 5(b) in the Diagram Booklet. The results of this experiment are shown in the graph.

(continued on the next page)

5 continued.

- (i) State two variables associated with the light-off stimulus that need to be controlled in this experiment.
(2 marks)**

(continued on the next page)

5 continued.

(ii) Determine the effect of reduced synapsin on the habituation of fruit flies in this experiment. (3 marks)

[illegible]

5 continued.

**(iii) Explain how reduced expression of synapsin could produce these results.
(3 marks)**

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

5 continued.

- (c) Scientists are using fruit fly habituation to investigate the role of genes associated with human autism spectrum disorders (ASD).**

Before they can do this, the scientists first identify genes linked to human ASD.

Describe how genes linked to human ASD could be identified.

(2 marks)

(Total for Question 5 = 12 marks)

- 6 The red flour beetle (*Tribolium castaneum*) is a food pest found in flour.**

Look at the diagram for Question 6 in the Diagram Booklet. It shows a red flour beetle.

- (a) Calculate the length of the red flour beetle between A and B.
(1 mark)**

_____ mm

- (b) The main food source for adult red flour beetles is starch.**

Red flour beetles lay eggs that contain all the nutrients required for the development of the embryo.

The main food source in the eggs is glycogen.

**Describe how starch can be used to make glycogen.
(3 marks)**

6 continued.

(continued on the next page)

6 continued.

(c) Look at the graph for Question 6(c) in the Diagram Booklet. It shows the changes in mass of glucose and glycogen in the eggs of the red flour beetle during embryo development.

(i) Look at the graph for Question 6(c)(i) in the Diagram Booklet. It is an enlargement of a section of the graph for Question 6(c).

**Calculate the percentage of glycogen used from 4 to 8 hours after the eggs were laid.
(2 marks)**

_____ %

6 continued.

- (ii) A student suggested that between 20 and 24 hours the cells in the developing embryo switched from anaerobic to aerobic respiration.**

**Describe how a respirometer could be used to test this suggestion.
(3 marks)**

(continued on the next page)

Turn over

6 continued.

(Total for Question 6 = 9 marks)

- *7 The human genome codes for approximately 20 000 different proteins.**

Look at the table for Question 7 in the Diagram Booklet. It shows the proportion of proteins carrying out different functions.

The 20 amino acids used to make proteins can be classified according to the properties of their side chains (R groups).

Look at Table 1 and Table 2 for Question 7 in the Diagram Booklet.

Table 1 shows the number of amino acids with these properties.

Table 2 shows three amino acids, used to synthesise proteins, that have unique properties.

**Discuss the importance of the amino acid side chain to the structure, function and location of proteins.
(9 marks)**

(continued on the next page)

7 continued.

[illegible]

(continued on the next page)

Turn over

7 continued.

[illegible]

(continued on the next page)

Turn over

7 continued.

[illegible]

(continued on the next page)

Turn over

7 continued.

(Total for Question 7 = 9 marks)

- 8 The scientific article you have studied is adapted from *Scientific American*.**

Use the information from the scientific article and your own knowledge to answer the following questions.

- (a) Explain why natural selection took place in Darwin's Galapagos finches (paragraph 3).
(3 marks)**

(continued on the next page)

Turn over

8 continued.

**(b) Explain how inflammation and the immune response can cause damage to tissues (paragraph 4).
(3 marks)**

(continued on the next page)

Turn over

8 continued.

**(c) Describe how tumour shrinkage could be observed
(paragraph 6).
(2 marks)**

(continued on the next page)

Turn over

8 continued.

(d) “Why is aging, smoking or radiation exposure associated with cancer?” (paragraph 8).

**Explain why “These things cause mutations”.
(3 marks)**

8 continued.

- (e) Explain why a cancer cell needs to ‘use the resources of the tissue immediately around it’ (paragraph 12).
(2 marks)**

(continued on the next page)

8 continued.

- (f) Explain how ‘a cancer-causing mutation’ could increase the rate of division in stem cells (paragraph 14).
(3 marks)**

(continued on the next page)

8 continued.

**(g) Describe how a cell that is ‘a key player in the body’s immune system’ differs from a stem cell (paragraph 14).
(4 marks)**

(continued on the next page)

Turn over

8 continued.

(continued on the next page)

8 continued.

(h) Describe how the effects of ‘competitive release’ could be demonstrated (paragraphs 18 and 19). (4 marks)

[illegible]

(continued on the next page)

Turn over

8 continued.

(continued on the next page)

8 continued.

- (i) Describe how evasion mechanisms can enable pathogens to become drug-resistant (paragraph 20).
(2 marks)**

(continued on the next page)

8 continued.

- (j) Discuss the ethical issues relating to the use of mice in experiments such as those described in the article (paragraph 25).
(4 marks)**

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

(continued on the next page)

Turn over

8 continued.

(Total for Question 8 = 30 marks)

TOTAL FOR PAPER = 100 MARKS
END OF PAPER