

Mark Scheme (Results)

November 2011

Modular Mathematics (GCSE)
Unit 2: 5MB2F_01 (Foundation)

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at www.edexcel.com.

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our **Ask The Expert** email service helpful.

Ask The Expert can be accessed online at the following link:
<http://www.edexcel.com/Aboutus/contact-us/>

November 2011

Publications Code UG029766

All the material in this publication is copyright

© Pearson Education Ltd 2011

NOTES ON MARKING PRINCIPLES

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- 3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
 - i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labeling conventions.
 - ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
 - iii) *organise information clearly and coherently, using specialist vocabulary when appropriate.*
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.


12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme
M1 – method mark A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working

5MB2F_01					
Question		Working	Answer	Mark	Notes
1	(a)		rhombus	1	B1 cao
	(b)			1	B1 for both lines seen do not accept any extras but accept freehand Lines.
2	(a)		10 570	1	B1 for 10 570
	(b)		560	1	B1 cao
	(c)		2.17, 3.95, 5.03, 6.84	1	B1 cao
	(d)(i)		49	1	B1 cao
	(ii)		8	1	B1 cao
3	(a)		8.6	1	B1 for 8.6 ± 0.2 cm
	(b)		correct \times	1	B1 for \times 5 cm from $Q \pm 0.2$ cm use overlay provided
	(c)(i)		obtuse	2	B1 ignore spelling
	(ii)		120		B1 for $120 \pm 2^\circ$

5MB2F_01				
Question	Working	Answer	Mark	Notes
4	$2 \times 60 + 3 \times 50$ $= 120 + 150 = 270$ $7 \times (45 + 55) = 700$ $1500 - 970$ or $2 \times 60 + 3 \times 50 + 7 \times 45 + 7 \times 55$ $120 + 150 + 315 + 385 = 970$ $1500 - 970 =$ or for doubling travel costs $2 \times 2 \times 60 + 2 \times 3 \times 50$ $= 240 + 300 = 540$ $7 \times (45 + 55) = 700$ $1500 - 1240 = 260$	530	4	M1 for 2×60 or 3×50 or 7×45 or 7×55 oe M1 for ' 2×60 ' + ' 3×50 ' + ' 7×45 ' + ' 7×55 ' oe M1 for $1500 - (2 \times 60 + 3 \times 50 + 7 \times 45 + 7 \times 55)$ oe A1 cao or M1 for 2×60 or 3×50 or $45 + 55$ oe M1 for ' 2×60 ' + ' 3×50 ' + ' $(45 + 55) \times 7$ ' oe M1 for $1500 - (2 \times 60 + 3 \times 50 + (45 + 55) \times 7)$ oe A1 cao Or for doubling travel costs M1 for $2 \times 2 \times 60$ or $2 \times 3 \times 50$ or 7×45 or 7×55 oe M1 for ' $2 \times 2 \times 60$ ' + ' $2 \times 3 \times 50$ ' + ' 7×45 ' + ' 7×55 ' oe M1 for $1500 - (2 \times 2 \times 60 + 2 \times 3 \times 50 + 7 \times 45 + 7 \times 55)$ oe A1 for 260
5	(a)	2	1	B1 cao
	(b)(i)	Monday	2	B1 for Monday oe
	(ii)	7		B1 ft for their (b)(i) accept positive and negative answers for 7
6	(a)	5.6	1	B1 cao
	(b)	9.58	1	B1 ft from their weight in part (a) may be shown by selecting correct value in the table
7	(i)	70	2	B1 for 70 look for answer on diagram
	(ii)	reason		C1 for angles (on a) straight line (add up to) 180°

5MB2F_01				
Question	Working	Answer	Mark	Notes
*8	$28 = (4+1) + (4+1) + (4+1) + (4+1) + (4+1) + 3$ Buy 4 + 4 + 4 + 4 + 4 + 3 $23 \times 6 = 138$ or $140 \div 6 (= 23 \text{ rem } 2)$ $23 \div 4 = 5 \text{ free}$ $23 + 5 = 28$	Yes + reason	3	M1 for attempt to account for 1 free e.g. $(4+1) + (4+1) \dots$ with at least 2 seen e.g. $140 \div 24 = 5$ so 5 free eg every £24 get 1 free e.g. 23lots of £6 so 5 free M1 for using £140 in a calculation that could lead to the correct conclusion (need not be explicit) or for a method that leads to a total cost of 138 C1 (dep on M1) for 'Yes' and reason eg "138" is less than 140 oe or "Yes" and "23 with 5 free gives £2" left over oe NB Needs a statement to this effect
9	(a) $\frac{15}{100} \times 240$ (b) $240 \div 3$ (c) $80 : 60 = 8 : 6$	36 80 4 : 3	2 1 2	M1 for $15 \div 100$ or 10% + 5% attempted with correct values of 24 and 12 seen or 24 and 12 seen or 0.15 seen A1 cao B1 cao M1 for any correct ratio eg 80:60, 40 : 30, 8 : 6 or 4 gap 3 seen without ratio sign or 4 dot 3 A1 for 4 : 3 or 4 to 3 SC B1 for an answer of 3:4 or 3 to 4 if M1 not scored

5MB2F_01					
Question		Working	Answer	Mark	Notes
10	(a)		16	1	B1 for answer in range 15.5 to 16.5
	(b)		2.4	1	B1 for answer in range 2.3 to 2.5
	(c)(i)		Debbie	1	B1 for Debbie
	(c)(ii)		Correct reason	1	C1 for Debbie in Part (i) with a valid explanation e.g. It is higher or with a correct conversion ± 1 sq or Stefan in part (i) with an incorrect conversion but valid explanation Note: 6 mph = 9.6 km/h (accept 9-10) 10.5 km/h = 6.5625 mph (accept 6.4 – 6.8)
11	(a)		6	2	M1 for any valid method e.g. drawing diagrams, counting in 2s which may be on the diagram or table of values A1 cao
	(b)	n th term is $2n + 2$ so 50th term is $50 \times 2 + 2$	102	2	M1 for $50 + 50 + 2$ or any other valid method A1 cao
12			$4x + 9y$	2	B2 for $4x + 9y$ (B1 for $4x$ or $9y$ seen)

5MB2F_01													
Question		Working	Answer	Mark	Notes								
13	(a)		17	1	B1 cao								
	(b)		$(5+3) \times 2 + 1$	1	B1 cao								
	(c)		24	1	B1 for 24 or + 24								
	(d)	$\frac{7}{10} + \frac{1}{5} = \frac{7}{10} + \frac{2}{10}$ <table border="1" data-bbox="412 592 645 735"> <tr> <td></td> <td>1</td> <td>5</td> </tr> <tr> <td>7</td> <td></td> <td>35</td> </tr> <tr> <td>10</td> <td>10</td> <td>50</td> </tr> </table>		1	5	7		35	10	10	50	$\frac{9}{10}$	2
	1	5											
7		35											
10	10	50											
*14		$96 \div 2^2$ $= 96 \div 4$ $= 24$	No + calculations	3	M1 for $96 \div 2^2$ oe A1 for 24 C1 dep on M1 for "No" with a calculation to support their conclusion SC B1: for $96 \div 2$ and a correct conclusion seen NB To award the marks in this question working must be shown								

5MB2F_01					
Question		Working	Answer	Mark	Notes
15	(a)	Missing sides are $2x + 1$ and $3x + 3$ Perimeter = $5x + 1 + x + 3x + 2x + 3 + 2x + 1 + 3x + 3$ OR $2(5x + 1) + 2(2x + 3 + x)$	$16x + 8$	3	M1 for $5x + 1 - 3x$ or $2x + 3 + x$ or identifying a missing side as $2x + 1$ or $3x + 3$ (maybe on the diagram) M1 for adding 5 or 6 sides from $x, 5x + 1, 3x, 2x + 3, '2x + 1', '3x + 3'$ where the missing sides are in the form $ax \pm b$ (a and $b \neq 0$) or $2(5x + 1) + 2(2x + 3 + x)$ oe A1 for $16x + 8$ oe for unsimplified expression
	(b)		$4x + 2$	1	B1 ft for $['2(5x + 1) + 2(2x + 3 + x)'] \div 4$ or (' $16x + 8$ ') $\div 4$ oe where the answer is an algebraic expression in x

5MB2F_01				
Question	Working	Answer	Mark	Notes
16	Big area = 144 Small area = 64 Area frame = 144 – 64 = 80 80 ÷ 4 or Area one piece is a trapezium $\frac{1}{2} (12+8) \times (12-8) \div 2$ $\frac{1}{2} \times 20 \times 2 = 20$ or Area of rectangle + 2 triangles $8 \times 2 + 2 \times (\frac{1}{2} \times 2 \times 2)$ 16 + 4 or Area of rectangle – 2 triangles $12 \times 2 - 2 \times (\frac{1}{2} \times 2 \times 2)$ 24 – 4	20	4	M1 for 12×12 or 8×8 or 144 seen or 64 seen as area M1 for $12 \times 12 - 8 \times 8$ or '144' – '64' or 80 seen as area M1 for $(12 \times 12 - 8 \times 8) \div 4$ or '(144 – 64)' ÷ 4 or '80' ÷ 4 seen as area A1 for 20 cao or M1 for 12 – 8 or 4 seen as difference in lengths M1 for height of trapezium = $(12 - 8) \div 2$ or '4' ÷ 2 or 2 M1 for area trapezium = $\frac{1}{2} (12 + 8) \times '2'$ oe A1 for 20 cao or M1 for $\frac{1}{2} \times (12 - 8)$ or 2 for width of frame M1 for $8 \times 2 = 16$ for rectangle M1 for $2 \times (\frac{1}{2} \times 2 \times 2)$ or 4 for 2 triangles A1 for 20 cao or M1 for $\frac{1}{2} \times (12 - 8)$ or 2 for width of frame M1 for $12 \times 2 = 24$ for rectangle M1 for $2 \times (\frac{1}{2} \times 2 \times 2)$ or 4 for 2 triangles A1 for 20 cao NB marks can be awarded for correct measurements indicated on the diagram Note:- If 80 seen on the answer line following a correct calculation of one piece of card, full marks can be earned

5MB2F_01				
Question	Working	Answer	Mark	Notes
*17	<p>Angle $ACB = 35^\circ$ (base angles of an isosceles triangle are equal) (angles in a triangle add up to 180) Angle $CAE = 35^\circ$ (alternate angles are equal) $x = 360 - (100 + 90 + 35)$ $= 135$ (angles in a quadrilateral add up to 360°)</p>	135	4	<p>M1 for angle $ACB = (180 - 110) \div 2$ or 35 seen M1 for angle $CAE = \text{angle } ACB$ or "35" (this could be marked on diagram) A1 $x = 135$ cao C1 (dep on M1) for alternate angles are equal or allied angles (co-interior angles) are supplementary (add to 180°) AND any one of</p> <ul style="list-style-type: none"> • (base) or 2 angles of an isosceles triangle are equal oe • angles in a triangle (add up to) 180 • angles in a quadrilateral (add up to) 360° • angles in a pentagon (add up to) 540°

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email publication.orders@edexcel.com

Order Code UG029766 November 2011

For more information on Edexcel qualifications, please visit
www.edexcel.com/quals

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual



Llywodraeth Cynulliad Cymru
Welsh Assembly Government

