

Paper Reference(s) 1CH0/2H

Pearson Edexcel Level 1/Level 2 GCSE (9–1)

Chemistry

Paper 2

Higher Tier

| |
|--------------------|
| Total Marks |
|--------------------|

Wednesday 10 June 2020 – Morning

Time: 1 hour 45 minutes plus your additional time allowance

In the boxes below, write your name, centre number and candidate number.

| | | | | | |
|-----------------------------|--|--|--|--|--|
| Surname | | | | | |
| Other names | | | | | |
| Centre Number | | | | | |
| Candidate Number | | | | | |

YOU MUST HAVE

Calculator, ruler

YOU WILL BE GIVEN

Periodic table, Diagram Booklet

INSTRUCTIONS

Answer ALL questions.

Answer the questions in the spaces provided – there may be more space than you need.

Calculators may be used.

Any diagrams may NOT be accurately drawn, unless otherwise indicated.

You must show all your working out with your answer clearly identified at the end of your solution.

INFORMATION

The total mark for this paper is 100.

The marks for EACH question are shown in brackets – use this as a guide as to how much time to spend on each question.

In questions marked with an ASTERISK (*), marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.

A periodic table is provided.

ADVICE

Read each question carefully before you start to answer it.

Try to answer every question.

Check your answers if you have time at the end.

Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

- 1 (a) A chloride ion, a fluorine atom and a nanoparticle are all types of particle.**

Which of the following shows the particles in order of size, starting from the smallest? (1 mark)

- ☐ **A nanoparticle, fluorine atom, chloride ion**
- ☐ **B nanoparticle, chloride ion, fluorine atom**
- ☐ **C fluorine atom, nanoparticle, chloride ion**
- ☐ **D fluorine atom, chloride ion, nanoparticle**

(continued on the next page)

1 continued.

(b) A solution, X, is thought to contain chloride, bromide or iodide ions.

- (i) The solution is tested to see whether it contains one of these ions.
In the test, a few drops of TWO different solutions are added to X.**

Name the two solutions that are added in the test. (2 marks)

solution 1 _____

solution 2 _____

(continued on the next page)

1 continued.

- (ii) The student carrying out the test records the following result.**

**A precipitate forms in the test tube.
The precipitate is a cream/yellow
colour.**

**Explain why the anion in X cannot be known
for certain. (2 marks)**

(continued on the next page)

1 continued.

(iii) The metal ions in X could be identified using a flame test.

There is a more sensitive and accurate instrumental method that can be used.

Give the name of an instrument that can be used to identify the metal ions in X. (1 mark)

(TOTAL FOR QUESTION 1 = 6 MARKS)

- 2 (a) An atom of potassium has atomic number 19 and mass number 39.

(i) Give the electronic configuration of this potassium atom. (1 mark)

(ii) This potassium atom forms the ion K^+ .

Which row shows the number of protons and the number of neutrons in this potassium ion, K^+ ? (1 mark)

| | number of protons | number of neutrons |
|----------------------------|-------------------|--------------------|
| <input type="checkbox"/> A | 19 | 19 |
| <input type="checkbox"/> B | 19 | 20 |
| <input type="checkbox"/> C | 20 | 19 |
| <input type="checkbox"/> D | 20 | 20 |

(continued on the next page)

2 continued.

(b) Potassium and caesium are in the same group of the periodic table.

Explain, in terms of electrons, why potassium and caesium are in the same group. (2 marks)

(continued on the next page)

2 continued.

(c) Fluorine boils at -188°C .

There are forces between fluorine molecules.

Explain, in terms of these forces, why the boiling point of fluorine is low. (2 marks)

(continued on the next page)

2 continued.

(d) Potassium reacts with fluorine to form potassium fluoride.

Potassium fluoride is a solid.

Complete the balanced equation for this reaction and add the state symbols. (3 marks)



(TOTAL FOR QUESTION 2 = 9 MARKS)

- 3 Calcium carbonate reacts with dilute hydrochloric acid to produce carbon dioxide gas.**

The rate of reaction between calcium carbonate and dilute hydrochloric acid at room temperature was investigated.

- (a) Look at Figure 1 for Question 3(a) in the Diagram Booklet.**

The investigation was carried out with different sized calcium carbonate pieces.

The mass of calcium carbonate and all other conditions were kept the same.

The results are shown in Figure 1.

State, using the information in Figure 1, the effect of the surface area of the calcium carbonate on the rate of this reaction. (1 mark)

3 continued.

(b) The calcium carbonate powder produced 90 cm^3 of carbon dioxide in five minutes.

**Calculate the average rate of reaction in $\text{cm}^3\text{ s}^{-1}$.
(3 marks)**

average rate of reaction = _____ $\text{cm}^3\text{ s}^{-1}$

(continued on the next page)

3 continued.

(c) The experiments were repeated at a higher temperature.

The rate of reaction for each experiment increased.

Explain, in terms of particles, why the rate of reaction increased when the temperature was increased. (3 marks)

(TOTAL FOR QUESTION 3 = 7 MARKS)

Turn over





- 4 Look at Figure 2 for Question 4 in the Diagram Booklet. It shows the structure of a molecule of dichloroethene.**

(a) (i) Describe how dichloroethene monomers form a polymer. (2 marks)

(continued on the next page)

4 continued.

(ii) Which of these represents the structure of the polymer formed from the monomer in Figure 2? (1 mark)



(continued on the next page)

Turn over

4 continued.

(iii) Separate samples of dichloroethene and poly(dichloroethene) are shaken with a few drops of bromine water.

What would be SEEN? (1 mark)

- ☐ A both mixtures remain orange
- ☐ B only the dichloroethene and bromine water goes colourless
- ☐ C only the poly(dichloroethene) and bromine water goes colourless
- ☐ D both mixtures go colourless

(b) Dichloroethene is produced from ethene and chlorine.

In the overall reaction, ethene reacts with chlorine and forms dichloroethene and hydrogen chloride.

Complete the balanced equation for the overall reaction. (2 marks)



(continued on the next page)

Turn over

4 continued.

(c) Poly(dichloroethene) was used to wrap food to keep it fresh.

Explain ONE property that a plastic food wrapping must have. (2 marks)

(continued on the next page)

4 continued.

(d) An industrial process uses 500 tonnes of dichloroethene.

In the process only 96.5% of the dichloroethene molecules react.

Calculate the mass of dichloroethene that has NOT reacted.

**Give your answer to two significant figures.
(3 marks)**

mass = _____ tonnes

(TOTAL FOR QUESTION 4 = 11 MARKS)

5 (a) Look at Figure 3 for Question 5(a) in the Diagram Booklet. It shows the structure of two monomers.

(i) Monomer B contains a carboxylic acid group.

Describe what you would SEE when a small amount of solid sodium carbonate is added to a solution of monomer B. (2 marks)

(continued on the next page)

5 continued.

- (ii) When monomer A and monomer B react together they polymerise to form a polymer and one other product.**

Name the type of polymerisation that takes place and name the other product. (2 marks)

type of polymerisation

name of other product

- (iii) A naturally occurring polymer is made by combining monomers called nucleotides.**

**Give the name of this natural polymer.
(1 mark)**

(continued on the next page)

5 continued.

(b) Some polymerisation reactions produce ammonia as a waste product.

A student is given a sample of pure, dry ammonia gas.

The student suggests the following method to test for ammonia gas.

step 1 take some dry, blue litmus paper

step 2 place the dry litmus paper into the dry gas

step 3 observe any change in colour of the litmus paper

This test for ammonia will not work.

(continued on the next page)

5 continued.

Give TWO changes that should be made to this test for it to work. (2 marks)

change 1 _____

change 2 _____

(c) Look at the balanced equation for Question 5(c) in the Diagram Booklet.

Alcohols can be dehydrated.

Complete the balanced equation for the dehydration of butan-1-ol by drawing the structures of the two products in the boxes. Name the two products. (3 marks)

(TOTAL FOR QUESTION 5 = 10 MARKS)

- 6 (a) Sodium thiosulfate solution, $\text{Na}_2\text{S}_2\text{O}_3$, reacts with dilute hydrochloric acid.



- (i) When dilute hydrochloric acid is mixed with sodium thiosulfate solution, the mixture turns cloudy.

Explain why the mixture turns cloudy. (2 marks)

(continued on the next page)

6 continued.

- (ii) In an investigation, different concentrations of hydrochloric acid are reacted with sodium thiosulfate solution.**

The mixture goes cloudy at different rates.

Describe how the rate at which the mixture goes cloudy can be measured. (3 marks)

(continued on the next page)

6 continued.

- (iii) You are provided with some dilute hydrochloric acid which has a concentration of 50 g dm^{-3} .

For this experiment, dilute hydrochloric acid with a concentration of 20 g dm^{-3} is required.

How much water must be added to 100 cm^3 of 50 g dm^{-3} hydrochloric acid to make dilute hydrochloric acid with a concentration of 20 g dm^{-3} ? (1 mark)

- ☐ A 200 cm^3
- ☐ B 150 cm^3
- ☐ C 100 cm^3
- ☐ D 50 cm^3

(continued on the next page)

6 continued.

(b) Sodium iodide solution is colourless.

When a solution of bromine is added to sodium iodide solution, a reaction occurs.



(i) The mixture turns brown.

Give the name of the substance causing the brown colour. (1 mark)

(ii) Explain which substance has been reduced in this reaction. (2 marks)

(TOTAL FOR QUESTION 6 = 9 MARKS)

Turn over

7 (a) Air contains several gaseous elements.

Which of these shows the three most common gaseous elements in air, listed in order from the most common to the least common? (1 mark)

- ☐ **A oxygen, chlorine, nitrogen**
- ☐ **B nitrogen, oxygen, hydrogen**
- ☐ **C oxygen, nitrogen, helium**
- ☐ **D nitrogen, oxygen, argon**

(b) Look at Figure 4 for Question 7(b) in the Diagram Booklet.

The density of a gas can be found using the equation

$$\text{density} = \frac{\text{mass}}{\text{volume}}$$

A student carried out an experiment to find the density of argon.

The mass of a stopper and flask, containing no gas, was known.

The flask was completely filled with argon and its mass measured.

(continued on the next page)

Turn over

7 continued.

Figure 4 shows the results the student wrote down.

- (i) Use the results to calculate the density of argon in g cm^{-3} . (2 marks)

density of argon = _____ g cm^{-3}

(continued on the next page)

7 continued.

- (ii) Look at Figure 5 for Question 7(b)(ii) in the Diagram Booklet. It shows the flask used for the experiment.
The flask holds 250.0 cm^3 when filled up to the line.

There is an error in the volume the student has used in the calculation.

This would give an incorrect value for the density of argon.

Identify this error and state what should be done to correct it. (2 marks)

error _____

what should be done to correct it _____

(continued on the next page)

Turn over

7 continued.

- (c) Four of the noble gases are argon, helium, krypton and neon.

Give these gases in order of increasing density.
(2 marks)

- (d) Much of the carbon dioxide present in the Earth's early atmosphere dissolved into the oceans.

This led to the formation of compounds including calcium carbonate, CaCO_3 .

Some of the calcium carbonate reacted with magnesium ions to form dolomite, $\text{CaMg}(\text{CO}_3)_2$.

Complete the IONIC equation for the reaction of calcium carbonate with magnesium ions. (2 marks)



(continued on the next page)

Turn over

7 continued.

(e) Look at Figure 6 for Question 7(e) in the Diagram Booklet.

P and Q are both mixtures of gases.

One has the same composition as the early atmosphere and the other has the same composition as the current atmosphere.

Tests are carried out on gas mixtures P and Q.

The test for carbon dioxide is to bubble the gas into limewater; if carbon dioxide is present calcium carbonate is formed.

The results of the tests are shown in Figure 6.

**Explain, using the data in Figure 6, which gas mixture represents the early atmosphere.
(2 marks)**

(continued on the next page)

Turn over

7 continued.

(TOTAL FOR QUESTION 7 = 11 MARKS)

8 The first four elements in group 1 are lithium, sodium, potassium and rubidium.

(a) Rubidium reacts with water to form rubidium hydroxide and hydrogen.



(i) Predict what you would SEE when a small piece of rubidium is placed in a large volume of water. (3 marks)

(continued on the next page)

8 continued.

(ii) Why is rubidium more reactive than potassium? (1 mark)

- ☐ **A the metallic bonds in rubidium are weaker than those in potassium**
- ☐ **B rubidium is a softer metal than potassium**
- ☐ **C the outer electron of a rubidium atom is further from the nucleus than potassium's**
- ☐ **D rubidium has a more exothermic reaction with water than potassium does**

(continued on the next page)

8 continued.

(iii) 8.5 g of rubidium are reacted completely with water.

The reaction makes a solution of rubidium hydroxide.

The volume of this solution is 2.5 dm^3 .

Calculate the concentration of the rubidium hydroxide solution in g dm^{-3} . (4 marks)

(relative atomic mass: $\text{Rb} = 85$;

relative formula mass: $\text{RbOH} = 102$)

concentration = _____ g dm^{-3}

(continued on the next page)

Turn over

8 continued.

- (b) An example of an endothermic reaction is the reaction between rubidium hydroxide and ammonium carbonate, $(\text{NH}_4)_2\text{CO}_3$.

This reaction forms rubidium carbonate, Rb_2CO_3 , ammonia and one other product.

Write the balanced equation for this reaction.
(3 marks)

(TOTAL FOR QUESTION 8 = 11 MARKS)

- 9 (a) Look at Figure 7 for Question 9(a) in the Diagram Booklet. An impure hydrocarbon fuel is burned in the apparatus.

When the fuel is burned

- the funnel becomes hot
- a colourless liquid forms in tube **A**
- the indicator in tube **B** changes colour to show an acidic gas.

Explain these observations. (3 marks)

(continued on the next page)

Turn over

9 continued.

(b) Look at Figure 8 and the equation for Question 9(b) in the Diagram Booklet.

The energies of some bonds are shown in Figure 8.

Methane burns in oxygen to form carbon dioxide and water.

The equation shows the structures of the molecules.

Calculate the energy change, in kJ mol^{-1} , for this reaction. (4 marks)

9 continued.

energy change = _____ kJ mol^{-1}

(continued on the next page)

9 continued.

***(c) Look at Figure 9 for Question 9(c) in the Diagram Booklet.**

Petrol and diesel are used as fuels for cars.

The emissions from three similar sized cars were investigated.

The first car was the oldest, had no catalytic converter and used petrol.

The other two cars were only a few years old.

One of these was fitted with a catalytic converter and used petrol and the other car used diesel.

Figure 9 shows the emissions in grams for each kilometre travelled by these three cars.

**Discuss and compare the impact on the environment of the emissions from these three cars using the information from Figure 9.
(6 marks)**

9 continued.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

(continued on the next page)

Turn over

9 continued.

[illegible]

(continued on the next page)

Turn over

9 continued.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

(continued on the next page)

Turn over

9 continued.

[illegible]

(TOTAL FOR QUESTION 9 = 13 MARKS)

10 (a) Look at Figure 10 for Question 10(a) in the Diagram Booklet. It shows a flask fitted with a cotton wool plug.

The flask contains an aqueous solution of a carbohydrate.

(i) State TWO steps that need to be taken to turn the solution of the carbohydrate in the flask into a solution of ethanol. (2 marks)

1 _____

2 _____

(continued on the next page)

10 continued.

- (ii) Look at Figure 11 for Question 10(a)(ii) in the Diagram Booklet. The apparatus is used to increase the concentration of the dilute solution of ethanol.**

This apparatus did not produce a very concentrated solution of ethanol.

Describe how the apparatus can be altered to produce a more concentrated solution of ethanol. (2 marks)

(continued on the next page)

10 continued.

- (b) The equation for the fermentation of a carbohydrate is



Calculate the maximum mass of carbon dioxide that could be produced if 135 g of this carbohydrate is fully fermented. (3 marks)

(relative formula masses: $\text{CO}_2 = 44$; $\text{C}_6\text{H}_{12}\text{O}_6 = 180$)

mass of carbon dioxide = _____ g

(continued on the next page)

10 continued.

- *(c) Look at Figure 12 for Question 10(c) in the Diagram Booklet. It shows information about some compounds in the same homologous series.**

Explain, using the data in Figure 12, why these compounds belong together in the same homologous series. (6 marks)

(continued on the next page)

10 continued.

[illegible]

(continued on the next page)

Turn over

10 continued.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

(continued on the next page)

Turn over

10 continued.

[illegible]

(continued on the next page)

Turn over

10 continued.

(TOTAL FOR QUESTION 10 = 13 MARKS)

TOTAL FOR PAPER = 100 MARKS
END