

Mark Scheme (Results) Summer 2010

IGCSE

IGCSE Biology (4325) Paper 2H

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at www.edexcel.com.

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our **Ask The Expert** email service helpful.

Ask The Expert can be accessed online at the following link:

<http://www.edexcel.com/Aboutus/contact-us/>

Alternately, you can speak directly to a subject specialist at Edexcel on our dedicated Science telephone line: 0844 576 0037

(If you are calling from outside the UK please dial + 44 1204 770 696 and state that you would like to speak to the **Science** subject specialist).

Summer 2010

Publications Code UG024189

All the material in this publication is copyright

© Edexcel Ltd 2010

IGCSE BIOLOGY 4325/2H - SUMMER 2010

Question Number	Answer	Mark												
1	<table border="1"> <thead> <tr> <th>Feature</th> <th>Type of living organism</th> </tr> </thead> <tbody> <tr> <td>have cellulose cell walls</td> <td>(plants)</td> </tr> <tr> <td>all are parasitic and have a protein coat</td> <td>viruses;</td> </tr> <tr> <td>are microscopic and contain circular DNA</td> <td>bacteria;</td> </tr> <tr> <td>some have structures called hyphae</td> <td>fungi;</td> </tr> <tr> <td>cells have a nucleus but no cell wall</td> <td>animals;</td> </tr> </tbody> </table>	Feature	Type of living organism	have cellulose cell walls	(plants)	all are parasitic and have a protein coat	viruses;	are microscopic and contain circular DNA	bacteria;	some have structures called hyphae	fungi;	cells have a nucleus but no cell wall	animals;	(4)
	Feature	Type of living organism												
	have cellulose cell walls	(plants)												
	all are parasitic and have a protein coat	viruses;												
	are microscopic and contain circular DNA	bacteria;												
	some have structures called hyphae	fungi;												
cells have a nucleus but no cell wall	animals;													

Question Number	Answer	Mark
2(a)	transfers/carries/takes pollen (by insects) / eq; (from anther) to stigma;	(2)

Question Number	Answer	Mark
2(b)(i)	first box ticked;	(1)

Question Number	Answer	Mark
2(b)(ii)	(sun)light / heat; Ignore sun alone photosynthesis; attract insects; enzymes;	max (2)

Question Number	Answer	Mark
2(c)	Stems away / up / against gravity / negative geotropism; sun / light / carbon dioxide / photosynthesis; Roots toward gravity / down / positive geotropism; water / minerals / ions / named mineral ion / anchorage / nutrients / eq;	(4)

Question Number	Answer	Mark
3(a)(i)	<p>A cell membrane controls what enters/leaves the cell / permeability / holds cell contents / engulf / eq;</p> <p>B cytoplasm (chemical) reactions / respiration / metabolism / synthesis / enzymes / eq;</p> <p>C nucleus; controls (cell activity) / contains DNA/genetic material / eq; Ignore brain</p>	(4)

Question Number	Answer	Mark
3(a)(ii)	digestion / breakdown; Ignore destroyed / killed / dissolves / eq; enzymes;	(2)

Question Number	Answer	Mark
3(b)	lymphocytes / memory cell / plasma cell; antibodies / antitoxins; clump bacteria/pathogen/microorganism / neutralise / eq; Ignore kill/destroy	max (2)

Question Number	Answer			Mark																					
4	<table border="1"> <thead> <tr> <th data-bbox="375 297 576 398">condition</th> <th data-bbox="576 297 895 398">symptom</th> <th data-bbox="895 297 1283 398">organ affected</th> </tr> </thead> <tbody> <tr> <td data-bbox="375 398 576 499">emphysema</td> <td data-bbox="576 398 895 499">poor gas exchange</td> <td data-bbox="895 398 1283 499">lung;</td> </tr> <tr> <td data-bbox="375 499 576 600">cataract</td> <td data-bbox="576 499 895 600">cloudy lens</td> <td data-bbox="895 499 1283 600">eye;</td> </tr> <tr> <td data-bbox="375 600 576 701">Alzheimer's</td> <td data-bbox="576 600 895 701">loss of memory</td> <td data-bbox="895 600 1283 701">brain / CNS;</td> </tr> <tr> <td data-bbox="375 701 576 846">coeliac</td> <td data-bbox="576 701 895 846">poor food absorption</td> <td data-bbox="895 701 1283 846">(small) intestine / duodenum / ileum; Ignore gut / large intestine</td> </tr> <tr> <td data-bbox="375 846 576 947">arthritis</td> <td data-bbox="576 846 895 947">swollen joints</td> <td data-bbox="895 846 1283 947">(bones)</td> </tr> <tr> <td data-bbox="375 947 576 1048">infertility</td> <td data-bbox="576 947 895 1048">lack of sperm</td> <td data-bbox="895 947 1283 1048">testis / eq;</td> </tr> </tbody> </table>			condition	symptom	organ affected	emphysema	poor gas exchange	lung;	cataract	cloudy lens	eye;	Alzheimer's	loss of memory	brain / CNS;	coeliac	poor food absorption	(small) intestine / duodenum / ileum; Ignore gut / large intestine	arthritis	swollen joints	(bones)	infertility	lack of sperm	testis / eq;	(5)
condition	symptom	organ affected																							
emphysema	poor gas exchange	lung;																							
cataract	cloudy lens	eye;																							
Alzheimer's	loss of memory	brain / CNS;																							
coeliac	poor food absorption	(small) intestine / duodenum / ileum; Ignore gut / large intestine																							
arthritis	swollen joints	(bones)																							
infertility	lack of sperm	testis / eq;																							

Question Number	Answer	Mark
7(a)	<p>Aa Aa;</p> <p>A a A a;</p> <p>AA Aa Aa aa;</p> <p>brown brown brown albino / 3 brown + 1 albino; allow normal as eq to brown</p> <p>Ignore not albino Ignore genotype descriptions</p>	(4)

Question Number	Answer	Mark										
7(b)(i)	<table border="1"> <thead> <tr> <th>parent genotypes</th> <th>number of albino offspring</th> </tr> </thead> <tbody> <tr> <td>homozygous dominant x homozygous dominant</td> <td>(none)</td> </tr> <tr> <td>heterozygous x homozygous recessive</td> <td>two / 2;</td> </tr> <tr> <td>heterozygous x heterozygous</td> <td>one / 1;</td> </tr> <tr> <td>homozygous recessive x homozygous recessive</td> <td>four / 4 / all;</td> </tr> </tbody> </table>	parent genotypes	number of albino offspring	homozygous dominant x homozygous dominant	(none)	heterozygous x homozygous recessive	two / 2;	heterozygous x heterozygous	one / 1;	homozygous recessive x homozygous recessive	four / 4 / all;	(3)
parent genotypes	number of albino offspring											
homozygous dominant x homozygous dominant	(none)											
heterozygous x homozygous recessive	two / 2;											
heterozygous x heterozygous	one / 1;											
homozygous recessive x homozygous recessive	four / 4 / all;											

Question Number	Answer	Mark
7(b)(ii)	<p>easily seen / not camouflaged / cannot hide / eq; predators / eaten / killed / do not survive / selected against / eq; less chance of mating / eq; allow converse</p>	<p>max</p> <p>(2)</p>

Question Number	Answer	Mark
8(a)(i)	46 / 23 <u>pairs</u> ;	(1)

Question Number	Answer	Mark
8(a)(ii)	female + XX / female + no Y / female + correct ref to 23 rd pair of chromosomes;	(1)

Question Number	Answer	Mark
8(b)(i)	idea of missing chromosome: less / 45 / not 46 / 22 pairs (+ 1) / not 23 pairs / one missing / one unpaired / not all paired / eq; identification of the missing chromosome; one X missing / one of the 23 rd pair missing / one sex chromosome / eq = 2	(2)

Question Number	Answer	Mark
8(b)(ii)	no Y;	(1)

Question Number	Answer	Mark
10(a)	<p>(control) diet / quality / frequency; (control) water quality / oxygen / temperature / waste / eq; (control) predation / nets / eq; (control) disease / parasites / antibiotics / pathogens; Ignore healthier fish</p> <p>selected species / strain / mass / guarantee quality / less variation / eq; Ignore more fish produced</p> <p>no need for boats / easier to catch / guaranteed harvest / eq;</p> <p>less depletion of (wild) fish / less overfishing / no risk of catching other species / eq;</p>	<p>max</p> <p>(3)</p>

Question Number	Answer	Mark
10(b)(i)	<p>bacteria / microorganisms / decomposers / eq; decomposition / decay / rot / eq; (less) oxygen; minerals / ions / salts / named mineral ion; Ignore nutrients algae / plants / <u>eutrophication</u>; less fish / death;</p>	<p>max</p> <p>(3)</p>

Question Number	Answer	Mark
10(b)(ii)	<p>affect food chains / webs / competition / less food for (wild) fish / eq; are predators / eat other organisms / eq; breed with wild fish / eq; spread disease / spread parasites / eq;</p>	<p>max</p> <p>(3)</p>

Question Number	Answer	Mark
11	<p>vasodilation; arterioles; (blood vessels) dilate / get wider / eq; (more) blood to skin / surface;</p> <p>(more) <u>sweat</u>; (more) evaporation / water loss / eq;</p> <p>(erector) muscles relax; hair flat / eq; (less) air trapped / less insulation / eq;</p> <p>cooling / heat loss / radiation / convection / eq;</p> <p>allow converse</p>	<p>max</p> <p>(6)</p>

Question Number	Answer	Mark
12(a)	single cell / one cell;	(1)

Question Number	Answer	Mark
12(b)(i)	small / microscopic / short distance; <u>large SA/vol ratio</u> ; diffusion;	max (2)

Question Number	Answer	Mark																		
12(b)(ii)	<table border="1"> <thead> <tr> <th>Substance</th> <th>Enter the blood from</th> <th>Carried by</th> </tr> </thead> <tbody> <tr> <td>glucose</td> <td>small intestine / ileum / duodenum / villi nephron / liver;</td> <td>plasma</td> </tr> <tr> <td>oxygen</td> <td>alveoli</td> <td>red (blood) cells / haemoglobin;</td> </tr> <tr> <td>adrenaline</td> <td>adrenal glands</td> <td>plasma;</td> </tr> <tr> <td>carbon dioxide / lactic acid;</td> <td>respiring muscle cells</td> <td>plasma</td> </tr> <tr> <td>urea</td> <td>liver;</td> <td>plasma</td> </tr> </tbody> </table>	Substance	Enter the blood from	Carried by	glucose	small intestine / ileum / duodenum / villi nephron / liver;	plasma	oxygen	alveoli	red (blood) cells / haemoglobin;	adrenaline	adrenal glands	plasma;	carbon dioxide / lactic acid;	respiring muscle cells	plasma	urea	liver;	plasma	(5)
Substance	Enter the blood from	Carried by																		
glucose	small intestine / ileum / duodenum / villi nephron / liver;	plasma																		
oxygen	alveoli	red (blood) cells / haemoglobin;																		
adrenaline	adrenal glands	plasma;																		
carbon dioxide / lactic acid;	respiring muscle cells	plasma																		
urea	liver;	plasma																		

Question Number	Answer	Mark
13(a)(i)	python;	(1)

Question Number	Answer	Mark
13(a)(ii)	mongoose;	(1)

Question Number	Answer	Mark
13(b)(i)	reduce beetles / eat beetles / reduce pest / kill beetles / eq; increase (sugar cane) crop / stop beetles eating sugar cane / eq; reduce beetles that eat sugar cane = 2 because beetles eat sugar cane = 1	(2)

Question Number	Answer	Mark
13(b)(ii)	increase in number / reproduce / eq; eat other organisms / disrupt food chains / not enough beetles for other species to eat / eq; Ignore idea that more beetles eaten	(2)

Question Number	Answer	Mark
14(a)(i)	excretory / urinary / urinogenital / osmoregulatory / eq;	(1)

Question Number	Answer	Mark
14(a)(ii)	C bladder; B ureter; A urethra;	(3)

Question Number	Answer	Mark
14(b)	semen; Ignore sperm urine;	(2)

Question Number	Answer	Mark
14(c)	unwilling to donate / eq; need correct match / antigens / eq; allow ref to blood groups	(2)

Question Number	Answer	Mark																		
15(a)	<table border="1"> <thead> <tr> <th>Name of component</th> <th>Source</th> <th>Function</th> </tr> </thead> <tbody> <tr> <td>carbohydrate / starch; Ignore glucose and sugar</td> <td>pasta</td> <td>energy source</td> </tr> <tr> <td>lipid</td> <td>fish</td> <td>energy / insulation / eq;</td> </tr> <tr> <td>protein;</td> <td>meat</td> <td>synthesis of enzymes</td> </tr> <tr> <td>iron</td> <td>red meat</td> <td>haemoglobin / red (blood) cells;</td> </tr> <tr> <td>vitamin C;</td> <td>fruit / vegetables / eq;</td> <td>maintain healthy gums and prevent scurvy</td> </tr> </tbody> </table>	Name of component	Source	Function	carbohydrate / starch; Ignore glucose and sugar	pasta	energy source	lipid	fish	energy / insulation / eq;	protein;	meat	synthesis of enzymes	iron	red meat	haemoglobin / red (blood) cells;	vitamin C;	fruit / vegetables / eq;	maintain healthy gums and prevent scurvy	(6)
Name of component	Source	Function																		
carbohydrate / starch; Ignore glucose and sugar	pasta	energy source																		
lipid	fish	energy / insulation / eq;																		
protein;	meat	synthesis of enzymes																		
iron	red meat	haemoglobin / red (blood) cells;																		
vitamin C;	fruit / vegetables / eq;	maintain healthy gums and prevent scurvy																		

Question Number	Answer	Mark
15(b)(i)	C H O / carbon + hydrogen + oxygen;	(1)

Question Number	Answer	Mark
15(b)(ii)	lipase; fatty acids / glycerol; bile; emulsification / large drops to small drops / increase surface area / optimum pH / neutralises acid;	max (3)

Question Number	Answer	Mark																				
16	<table border="1"> <thead> <tr> <th>Level of illumination</th> <th>Photosynthesis</th> <th>Respiration</th> <th>Amount of oxygen</th> <th>Amount of carbon dioxide</th> </tr> </thead> <tbody> <tr> <td>Bright light</td> <td>high</td> <td>medium</td> <td>high</td> <td>low</td> </tr> <tr> <td>Low light</td> <td>medium</td> <td>medium</td> <td>medium</td> <td>medium</td> </tr> <tr> <td>Darkness</td> <td>low;</td> <td>medium;</td> <td>low;</td> <td>high;</td> </tr> </tbody> </table>	Level of illumination	Photosynthesis	Respiration	Amount of oxygen	Amount of carbon dioxide	Bright light	high	medium	high	low	Low light	medium	medium	medium	medium	Darkness	low;	medium;	low;	high;	(4)
	Level of illumination	Photosynthesis	Respiration	Amount of oxygen	Amount of carbon dioxide																	
	Bright light	high	medium	high	low																	
	Low light	medium	medium	medium	medium																	
Darkness	low;	medium;	low;	high;																		

Question Number	Answer	Mark
17(a)	B;	(1)

Question Number	Answer	Mark
17(b)	C;	(1)

Question Number	Answer	Mark
17(c)	A and B (and C);	(1)

Question Number	Answer	Mark
17(d)	D;	(1)

Question Number	Answer	Mark
17(e)	A, B, C and D;	(1)

PAPER TOTAL: 120 MARKS

Further copies of this publication are available from
International Regional Offices at www.edexcel.com/international

For more information on Edexcel qualifications, please visit www.edexcel.com
Alternatively, you can contact Customer Services at www.edexcel.com/asktheexpert or on + 44 1204 770 696

Edexcel Limited. Registered in England and Wales no.4496750
Registered Office: One90 High Holborn, London, WC1V 7BH