

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

--	--	--	--	--

--	--	--	--

Pearson Edexcel International GCSE (9–1)

Time 2 hours

Paper

reference

4CH1/1C 4SD0/1C

Chemistry

UNIT: 4CH1

Science (Double Award) 4SD0

PAPER: 1C

You must have:

Calculator, ruler

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.

Information

- The total mark for this paper is 110.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

R70945A

©2022 Pearson Education Ltd.

Q:1/1/1/

The Periodic Table of the Elements

1												3		4	5	6	7	0	
		<div style="border: 1px solid black; padding: 5px; display: inline-block;"> Key relative atomic mass atomic symbol name atomic (proton) number </div>										<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 1 H hydrogen 1 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 4 He helium 2 </div>						
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 7 Li lithium 3 </div>		<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 9 Be beryllium 4 </div>												<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 11 B boron 5 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 12 C carbon 6 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 14 N nitrogen 7 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 16 O oxygen 8 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 19 F fluorine 9 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 20 Ne neon 10 </div>
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 23 Na sodium 11 </div>		<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 24 Mg magnesium 12 </div>												<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 27 Al aluminium 13 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 28 Si silicon 14 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 31 P phosphorus 15 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 32 S sulfur 16 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 35.5 Cl chlorine 17 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 40 Ar argon 18 </div>
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 39 K potassium 19 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 40 Ca calcium 20 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 45 Sc scandium 21 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 48 Ti titanium 22 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 51 V vanadium 23 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 52 Cr chromium 24 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 55 Mn manganese 25 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 56 Fe iron 26 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 59 Co cobalt 27 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 59 Ni nickel 28 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 63.5 Cu copper 29 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 65 Zn zinc 30 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 70 Ga gallium 31 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 73 Ge germanium 32 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 75 As arsenic 33 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 79 Se selenium 34 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 80 Br bromine 35 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 84 Kr krypton 36 </div>		
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 85 Rb rubidium 37 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 88 Sr strontium 38 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 89 Y yttrium 39 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 91 Zr zirconium 40 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 93 Nb niobium 41 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 96 Mo molybdenum 42 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [98] Tc technetium 43 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 101 Ru ruthenium 44 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 103 Rh rhodium 45 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 106 Pd palladium 46 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 108 Ag silver 47 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 112 Cd cadmium 48 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 115 In indium 49 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 119 Sn tin 50 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 122 Sb antimony 51 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 128 Te tellurium 52 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 127 I iodine 53 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 131 Xe xenon 54 </div>		
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 133 Cs caesium 55 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 137 Ba barium 56 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 139 La* lanthanum 57 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 178 Hf hafnium 72 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 181 Ta tantalum 73 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 184 W tungsten 74 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 186 Re rhenium 75 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 190 Os osmium 76 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 192 Ir iridium 77 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 195 Pt platinum 78 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 197 Au gold 79 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 201 Hg mercury 80 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 204 Tl thallium 81 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 207 Pb lead 82 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 209 Bi bismuth 83 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [209] Po polonium 84 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [210] At astatine 85 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [222] Rn radon 86 </div>		
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [223] Fr francium 87 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [226] Ra radium 88 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [227] Ac* actinium 89 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [261] Rf rutherfordium 104 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [262] Db dubnium 105 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [266] Sg seaborgium 106 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [264] Bh bohrium 107 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [277] Hs hassium 108 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [268] Mt meitnerium 109 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [271] Ds darmstadtium 110 </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> [272] Rg roentgenium 111 </div>	Elements with atomic numbers 112-116 have been reported but not fully authenticated								


* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

Answer ALL questions.

Some questions must be answered with a cross ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

- 1 The diagram shows the electronic configuration of an atom of an element.



- (a) Name the part of the atom that contains the protons and neutrons. (1)
- (b) Give the number of protons in this atom. (1)
- (c) Give the number of the group that contains this element. (1)
- (d) Give the number of the period that contains this element. (1)
- (e) Give the charge on the ion formed from this atom. (1)

(Total for Question 1 = 5 marks)

2 (a) The box shows some changes of state.

boiling	condensation	evaporation
freezing	melting	sublimation

The table lists some physical changes.

Complete the table using words from the box to show the change of state for each physical change.

(4)

Physical change	Change of state
water to ice	
steam to water	
solid wax to liquid wax	
iodine crystals to iodine vapour	

(b) A student plans to obtain salt crystals from a mixture of salt and sand.

The student adds pure water to the mixture to dissolve the salt.

(i) State two things the student could do to make the salt dissolve quickly.

(2)

1

2

(ii) State what the student should do next to separate the sand from the salt solution.

(1)

(iii) Describe how the student can obtain pure dry crystals of salt from the salt solution.

(4)

(Total for Question 2 = 11 marks)

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



3 Crude oil is an important source of organic compounds.

(a) The diagram shows how crude oil can be separated into fractions by fractional distillation.



(i) State what happens to the crude oil when it is in X.

(1)

(ii) Give the name of fraction E.

(1)

(iii) Give a use for fraction A.

(1)

(b) One of the compounds in fraction D is tridecane ($C_{13}H_{28}$) which can be cracked to form shorter-chain hydrocarbons.

(i) State the catalyst and temperature used in this cracking reaction.

(2)

catalyst

temperature

(ii) The equation shows an example of a catalytic cracking reaction.



Give two reasons why this reaction is important.

(2)

1

2


(c) Sulfur is an impurity in crude oil.
Explain why this is a problem for the environment.

(3)

(Total for Question 3 = 10 marks)

- 4 A student uses the reaction between iron and oxygen to find the percentage of oxygen in air.

The diagram shows the apparatus the student uses.



- (a) (i) State why the iron powder needs to be wet. (1)
- (ii) State the colour of the compound formed in the reaction between iron and oxygen. (1)
- (iii) Give the formula of the compound formed. (1)
- (iv) Explain the advantage of using iron powder rather than pieces of iron. (2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) The syringe in the diagram shows the reading at the end of the experiment.

Complete table 1 to show the readings on the syringe.

Give both values to the nearest 1 cm^3 .

(2)

syringe reading at start	
syringe reading at end	
change in volume in cm^3	65

Table 1

(c) The student repeats the experiment and obtains a different set of results.

Table 2 shows these results.

volume of air in conical flask and glass tube in cm^3	260
syringe reading at start	90
syringe reading at end	22

Table 2

Use the results from table 2 to calculate the percentage by volume of oxygen in the air.

(3)

percentage by volume of oxygen in air =

%

(Total for Question 4 = 10 marks)

(b) Ethane (C₂H₆) and ethene (C₂H₄) both react with bromine.

Describe the differences in the reactions of ethane and ethene with bromine.

Refer to the conditions, the products and the types of reaction involved.

(5)

(Total for Question 5 = 11 marks)



DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



- 6 A student uses this apparatus to investigate the reaction between magnesium and dilute hydrochloric acid.



- (a) The word equation for the reaction is

magnesium + hydrochloric acid \rightarrow magnesium chloride + hydrogen

- (i) Complete the chemical equation for this reaction.

(1)



- (ii) Give the test for hydrogen.

(1)

- (iii) The student uses 0.090 g of magnesium and 0.025 mol of hydrochloric acid.

Show by calculation that the hydrochloric acid is in excess.


(2)

- (b) The student measures the volume of hydrogen collected at regular intervals until the reaction stops.

The table shows the student's results.

Time in s	0	15	30	45	60	75
Volume of hydrogen in cm³	0	40	68	80	88	88

- (i) Plot the student's results. (1)
- (ii) Draw a curve of best fit. (1)



- (iii) Determine the volume of hydrogen collected in the first 10 seconds.
Show on the graph how you obtained your answer. (2)

volume of hydrogen = _____ cm³

(iv) Explain why the rate of reaction is greatest at the start of the reaction.

(2)

(c) The student repeats the experiment at a temperature 5°C higher than the original temperature.

All other conditions are kept the same.

(i) On the grid, draw the curve you would expect the student to obtain.

(2)

(ii) Explain, in terms of particle collision theory, how increasing the temperature affects the rate of reaction.

(3)

(Total for Question 6 = 15 marks)



7 This question is about copper and copper compounds.

(a) A sample of copper contains two isotopes.

- Cu-63 with relative abundance 69.5%
- Cu-65 with relative abundance 30.5%

(i) State what is meant by the term **isotopes**.

(2)

(ii) Calculate the relative atomic mass (A_r) of this sample of copper.

Give your answer to three significant figures.

(3)

A_r of copper =

(b) When copper(II) carbonate is heated, copper(II) oxide and carbon dioxide are formed.

(i) What is the name of this type of reaction?

(1)


- A** decomposition
- B** neutralisation
- C** oxidation
- D** reduction

(ii) Which colour change occurs during this reaction?

(1)

- A** blue to black
- B** blue to white
- C** green to black
- D** green to orange

(c) A student uses this apparatus to find the value of x in the formula $\text{CuSO}_4 \cdot x\text{H}_2\text{O}$



This is the student's method.

- find the mass of an empty boiling tube
- add hydrated copper(II) sulfate to the tube and record the new mass
- heat the hydrated copper(II) sulfate until it changes colour
- allow the tube to cool and record the mass again

The table shows the student's results.

mass of empty tube in g	20.52
mass of tube and $\text{CuSO}_4 \cdot x\text{H}_2\text{O}$ in g	31.77
mass of tube and CuSO_4 in g	28.20

(i) Calculate the mass of CuSO_4 formed.

(1)

mass of CuSO_4 = g

(ii) Calculate the mass of water formed.

(1)

mass of water = g

(iii) Show that the value of x is approximately 4

$[M_r \text{ of } \text{CuSO}_4 = 159.5 \quad M_r \text{ of } \text{H}_2\text{O} = 18]$

(3)

(iv) The actual value of x is 5

Give a reason why the calculated value of x is lower than the actual value.

(1)

(Total for Question 7 = 13 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



8 Diamond and graphite are giant covalent structures made of carbon atoms.

The diagram shows their structures.



Diamond



Graphite

(a) Discuss the differences between diamond and graphite.

Refer to structure and bonding, electrical conductivity and hardness in your answer.

(6)

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) C₆₀ fullerene is a simple molecular substance made of 60 carbon atoms.

The diagram shows its structure.



The table shows the approximate melting points of diamond, graphite and C₆₀ fullerene.

Substance	Approximate melting point in °C
diamond	4000
graphite	3600
C ₆₀ fullerene	600

Explain why C₆₀ fullerene has a much lower melting point than diamond and graphite.

(4)

(Total for Question 8 = 10 marks)




9 This question is about the oxides of lead.

(a) Yellow lead oxide (PbO) can be reacted with hydrogen to produce lead.

(i) Complete the equation for the reaction by adding the missing state symbols.

(1)



(ii) What is the charge on the lead ion in PbO?

(1)

A 1–

B 1+

C 2–

D 2+

(iii) Explain why the reaction of yellow lead oxide with hydrogen is a redox reaction.

(2)

(iv) Describe a physical test to show that the water produced in this reaction is pure.

(2)

(b) When red lead oxide (Pb_3O_4) is heated, yellow lead oxide forms.

The equation for the reaction is



A scientist heats a known mass of red lead oxide in a crucible in a fume cupboard.

The scientist leaves the crucible to cool, then records the total mass of the crucible and its contents.

(i) Describe what the scientist should do next to make sure that all the red lead oxide has reacted.

(2)

(ii) The red lead oxide used in the reaction has a mass of 5.48 g.

Calculate the maximum mass of yellow lead oxide that could form.

[M_r of $\text{Pb}_3\text{O}_4 = 685$ M_r of $\text{PbO} = 223$]

(3)

maximum mass of $\text{PbO} =$ g

(Total for Question 9 = 11 marks)



10 This question is about ammonia and ammonium compounds.

(a) Ammonia (NH_3) is a simple covalent molecule.

Draw a dot-and-cross diagram to show the bonding in a molecule of ammonia.

(2)

(b) The table shows the names and formulae of some ammonium compounds.

Name	ammonium sulfate		ammonium carbonate
Formula	$(\text{NH}_4)_2\text{SO}_4$	NH_4Cl	

(i) Complete the table by giving the missing information.

(2)

(ii) When ammonia reacts with sulfuric acid, ammonium sulfate is formed.

Write a chemical equation for this reaction.

(1)

(iii) Describe a test for ammonium ions.

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) The table gives some information about ammonia and ammonium compounds.

Name	Formula	Percentage of nitrogen (%)	Approximate pH in solution
ammonia	$\text{NH}_3(\text{g})$	82	11
ammonium nitrate	$\text{NH}_4\text{NO}_3(\text{s})$		5.5
ammonium sulfate	$(\text{NH}_4)_2\text{SO}_4(\text{s})$	21	5.5

(i) Calculate the percentage of nitrogen in ammonium nitrate.

$[M_r \text{ of } \text{NH}_4\text{NO}_3 = 80]$

(2)

percentage of nitrogen = _____ %

(ii) Fertilisers add nitrogen to the soil to help plants grow.

Ammonia and ammonium sulfate can both be used as fertilisers.

Discuss the advantages and disadvantages of using each of these compounds as fertilisers.

Use information from the table in your answer.

[pH of rainwater is approximately 5.6]

(4)

(Total for Question 10 = 14 marks)

TOTAL FOR PAPER = 110 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

