

**Paper Reference 4MA1/2H**  
**Pearson Edexcel**  
**International GCSE**

**Mathematics A**  
**PAPER 2H**  
**Higher Tier**  
**(Calculator)**

**Formulae Pages**

**DO NOT RETURN THIS  
FORMULAE BOOKLET WITH  
THE QUESTION PAPER.**

**Y72443A**

## Arithmetic series

Sum to  $n$  terms,  $S_n = \frac{n}{2} [2a + (n - 1)d]$

## The quadratic equation


The solutions of  $ax^2 + bx + c = 0$

where  $a \neq 0$  are given by:

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$


Turn over

$$\text{Area of trapezium} = \frac{1}{2} (a + b) h$$



Turn over

# Trigonometry



In any triangle ABC

Sine Rule  $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$


Cosine Rule  $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle =  $\frac{1}{2} ab \sin C$

Turn over

**Volume of cone =  $\frac{1}{3} \pi r^2 h$**


**Curved surface area of cone =  $\pi r l$**



**Turn over**

## Volume of prism


= area of cross section  $\times$  length



Turn over

**Volume of cylinder =  $\pi r^2 h$**

**Curved surface area of  
cylinder =  $2\pi rh$**



**Turn over**



**Volume of sphere =  $\frac{4}{3} \pi r^3$**

**Surface area of sphere =  $4\pi r^2$**

