

**Paper Reference 4MA1/1H
Pearson Edexcel
International GCSE**

Mathematics A

PAPER: 1H

**Higher Tier
(Calculator)**

Formulae Pages

**DO NOT RETURN THIS
FORMULAE BOOKLET WITH
THE QUESTION PAPER.**

V68796A

Arithmetic series

Sum to n terms, $S_n = \frac{n}{2} [2a + (n - 1)d]$


The quadratic equation

The solutions of $ax^2 + bx + c = 0$


where $a \neq 0$ are given by:

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$\text{Area of trapezium} = \frac{1}{2} (a + b) h$$



Trigonometry



In any triangle ABC

Sine Rule $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$


Cosine Rule $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle $= \frac{1}{2} ab \sin C$

Turn over


$$\text{Volume of cone} = \frac{1}{3} \pi r^2 h$$

$$\text{Curved surface area of cone} = \pi r l$$



Volume of prism


= area of cross section \times length



Turn over

Volume of cylinder = $\pi r^2 h$

**Curved surface area of
cylinder = $2\pi r h$**



$$\text{Volume of sphere} = \frac{4}{3} \pi r^3$$

$$\text{Surface area of sphere} = 4\pi r^2$$

