

Paper Reference(s) 4PH1/1P 4SD0/1P

Pearson Edexcel International GCSE (9–1)

Physics

Unit: 4PH1

Science (Double Award) 4SD0

Paper: 1P

Wednesday 22 May 2019 – Afternoon

Time: 2 hours plus your additional time allowance

INSTRUCTIONS TO CANDIDATES

Write your centre number, candidate number, surname, other names, your signature and insert the paper reference for which you have been entered in the boxes below.

Check that you have the correct question paper.

Centre No.					
Candidate No.					
Surname					
Other names					
Signature					
Paper Reference				/	1 P



- Use **BLACK** ink or ball-point pen.
- Answer **ALL** questions.
- Answer the questions in the spaces provided – there may be more space than you need.
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ☐. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☐.

MATERIALS REQUIRED FOR EXAMINATION
Calculator, ruler, protractor

ITEMS INCLUDED WITH QUESTION PAPERS
Formulae booklet

INFORMATION FOR CANDIDATES

- The total mark for this paper is 110.
- The marks for **EACH** question are shown in brackets – use this as a guide as to how much time to spend on each question.

(Instructions continue on next page)

(Turn over)

ADVICE TO CANDIDATES

- **Read each question carefully before you start to answer it.**
- **Write your answers neatly and in good English.**
- **Try to answer every question.**
- **Check your answers if you have time at the end.**

Answer ALL questions.

1 This question is about waves.

(a) (i) Which of these waves is longitudinal? (1 mark)

- ☐ **A infrared**
- ☐ **B radio**
- ☐ **C sound**
- ☐ **D ultraviolet**

(Question continues on next page)

(Turn over)

(ii) Draw a straight line linking each electromagnetic wave to its correct hazard. (2 marks)

Electromagnetic wave

Hazard

	● skin burns
microwave ●	● blindness
infrared ●	● internal heating of body tissue
	● cell mutation

(Question continues on next page)

(Turn over)

(b) (i) Which of these is a use for x-rays? (1 mark)

- ☐ **A checking for broken bones**
- ☐ **B cooking food**
- ☐ **C detecting forged banknotes**
- ☐ **D smoke detectors**

(ii) Which of these is a use for infrared waves? (1 mark)

- ☐ **A checking for broken bones**
- ☐ **B cooking food**
- ☐ **C detecting forged banknotes**
- ☐ **D sterilising medical instruments**

(TOTAL FOR QUESTION 1 = 5 MARKS)

(Questions continue on next page)

(Turn over)

2 This question is about magnetic fields.

(a) Describe an experiment to investigate the magnetic field pattern around a permanent bar magnet.

You may draw a diagram to help your answer. (3 marks)

(Continue your answer on next page)

(Turn over)

(Turn over)

(b) The diagram shows two bar magnets.

Complete the diagram to show the magnetic field pattern. (3 marks)



(TOTAL FOR QUESTION 2 = 6 MARKS)


(Questions continue on next page)

(Turn over)

3 This question is about food preservation.

(a) The diagram shows how gamma radiation is used to irradiate fruit stored in a wooden box.

The radiation kills bacteria on the fruit.



(Question continues on next page)

(Turn over)

Explain why gamma radiation is used instead of alpha radiation to kill bacteria. (2 marks)

(Question continues on next page)

(Turn over)

(b) The wooden box has this label.

**these fruits have
been irradiated**

**Explain why fruit irradiated with
gamma radiation is safe to eat.
(2 marks)**

(TOTAL FOR QUESTION 3 = 4 MARKS)


(Questions continue on next page)

(Turn over)

- 4 A car driver sees a hazard on the road ahead.

The graph shows the velocity of the car from when the driver sees the hazard.

Velocity
in m/s



(Question continues on next page)

(Turn over)

- (a) (i) Use the graph to determine the reaction time of the driver. (1 mark)**

reaction time = _____ s

- (ii) Calculate the stopping distance of the car. (4 marks)**

stopping distance = _____ m

(Question continues on next page)

(Turn over)

- (iii) Calculate the acceleration of the car when the car is braking. (3 marks)**

acceleration = _____ m/s²

(Question continues on next page)

(Turn over)

(b) The speed of the car affects the thinking distance and the braking distance.

Discuss other factors that affect the thinking distance and the braking distance of the car. (4 marks)

(Continue your answer on next page)

(Turn over)

(TOTAL FOR QUESTION 4 = 12 MARKS)

(Questions continue on next page)


(Turn over)

5 This question is about stretching a spring.

(a) The graph shows how the extension of a spring varies when a force is applied to the spring.

The line on the graph shows that the spring has been extended past its elastic limit.

The line has a straight section and a curved section.



(Question continues on next page)

(Turn over)

- (i) Draw a cross on the line to show the elastic limit of the spring.
(1 mark)
- (ii) Sketch another line to show how the extension will change when the force is decreased from its maximum value back to 0.
(2 marks)
- (b) (i) State which energy store of the spring increases when it is stretched.
Assume the spring does not reach its elastic limit. (1 mark)
-

(Question continues on next page)

(Turn over)

(ii) How is this energy transferred to the spring? (1 mark)

- ☐ **A electrically**
- ☐ **B by heating**
- ☐ **C mechanically**
- ☐ **D by radiation**

(TOTAL FOR QUESTION 5 = 5 MARKS)

(Questions continue on next page)

(Turn over)

- 6 (a) (i) A student investigates how current varies with voltage for a metal filament lamp.**

Draw a diagram of the circuit that a student could use for this investigation. (4 marks)

(Question continues on next page)

(Turn over)

- (ii) Describe a method the student could use for their investigation. (4 marks)**

(Continue your answer on next page)

(Turn over)

(Question continues on next page)

(Turn over)

- (b) The student extends the investigation by recording additional data for the lamp.**

This is her method.

For each voltage

- **switch the current on for 45 seconds**
- **record the current and colour of the lamp**
- **calculate the power and the energy transferred by the lamp**

(Question continues on next page)

(Turn over)

The table shows the student's results.

Voltage in V	Current	Power in W	Energy in J	Colour of lamp
0·0	0·00	0·0	0·0	off
2·0	0·40	0·8	36	red
4·0	0·90	3·6		orange
6·0	1·60	9·6	430	yellow
8·0	2·80	22·4	1000	white

- (i) State the unit for current.
(1 mark)
-

(Question continues on next page)

(Turn over)

- (ii) Calculate the missing value of energy for the voltage of 4.0 V.**

Give your answer to 2 significant figures. (2 marks)

energy = _____ J

(Question continues on next page)

(Turn over)

- (iii) The colour of a star is related to its surface temperature.**

The Sun is yellow.

Use the student's results to identify a colour for a star that is cooler than the Sun. (1 mark)

(TOTAL FOR QUESTION 6 = 12 MARKS)

(Questions continue on next page)

(Turn over)


7 This question is about refraction.

**(a) State what is meant by the term
REFRACTION. (1 mark)**

(Question continues on next page)

(Turn over)

- (b) The diagram shows a ray of light from a torch incident on the surface of a pool of water.



The angle of refraction of the ray of light is 33°

- (i) Draw the path of the ray of light in the water. (2 marks)

(Question continues on next page)

(Turn over)

(ii) State the formula linking refractive index, angle of incidence and angle of refraction. (1 mark)

(iii) Show that the refractive index of water is about 1.3 (2 marks)

(Question continues on next page)

(Turn over)

- (c) The torch is moved below the surface of the water. Light from the torch is incident on the water surface at an angle greater than the critical angle.**

(Question continues on next page)

- (i) Explain the meaning of the term **CRITICAL ANGLE**.

You may draw a diagram to help your answer. (2 marks)

(Continue your answer on next page)
(Turn over)

(Question continues on next page)

(Turn over)

(ii) State the formula linking critical angle and refractive index. (1 mark)

(iii) Calculate the critical angle of water.

Assume the refractive index of water is 1.3 (3 marks)


critical angle = _____°

(Question continues on next page)

(Turn over)

- (iv) A ray of light leaves the torch as shown in the diagram.

Complete the path of the ray of light. (2 marks)



(TOTAL FOR QUESTION 7 = 14 MARKS)

(Questions continue on next page)


(Turn over)

8 Schiaparelli is a spacecraft that was sent to Mars in 2016.

(a) Schiaparelli slowed down as it fell vertically through the atmosphere of Mars.

(Question continues on next page)

- (i) Draw labelled arrows on the diagram to show the forces acting on Schiaparelli as it fell.
(3 marks)



(Question continues on next page)

(Turn over)

- (ii) **Schiaparelli then opened a parachute to slow down.**

Explain how the spacecraft reached a low terminal velocity after opening its parachute.

Use ideas about forces in your answer. (4 marks)

(Continue your answer on next page)

(Turn over)

(b) The parachute was disconnected when Schiaparelli was at a height of 2·0 m from the surface of Mars and travelling at a speed of 0·45 m/s.

**Calculate the speed of the spacecraft just before it hits the surface of Mars.
(4 marks)**

**[acceleration of free-fall
on Mars = 3·4 m/s²]**

(Continue your answer on next page)

(Turn over)

speed = _____ m/s

(Question continues on next page)

(Turn over)


- (c) Suggest why Mars has a lower gravitational field strength than Earth.
(1 mark)**

(TOTAL FOR QUESTION 8 = 12 MARKS)

(Questions continue on next page)

(Turn over)

9 (a) The diagram shows a nuclear reactor.



(Question continues on next page)

(Turn over)

Each part of the nuclear reactor has a function and is made of a suitable material for its function.

**Complete the table by giving the missing information.
(5 marks)**

Part	Function	Suitable material
control rod		boron
moderator		graphite
shielding	prevents irradiation of workers	
fuel rod		

(Question continues on next page)

(Turn over)

(b) Heavy water is a compound of oxygen and an isotope of hydrogen called deuterium.

Deuterium is formed by the fusion of protons.

(i) State the meaning of the term ISOTOPE. (2 marks)

(Question continues on next page)

(Turn over)

- (ii) Explain the difference between nuclear fission and nuclear fusion. (2 marks)**

- (iii) State a location where nuclear fusion takes place. (1 mark)**

(Question continues on next page)

(Turn over)

- (iv) Explain why fusion cannot take place at low temperature or low pressure. (2 marks)


(TOTAL FOR QUESTION 9 = 12 MARKS)

(Questions continue on next page)

(Turn over)

10 This question is about voltage and current.

(a) The diagram shows two resistors connected to a battery.



(Question continues on next page)

(Turn over)

48

Calculate the voltage across resistor R. (4 marks)


voltage = _____ V

(Question continues on next page)

(Turn over)

(b) The diagram shows the parts of an ammeter.

The pointer is connected to the coil so they can move together.



(Question continues on next page)

(Turn over)

- (i) Explain what happens when there is a current in the coil. (3 marks)

(Question continues on next page)

(Turn over)

- (ii) Draw an arrow on the diagram on page 49 to show the force acting on side CD of the coil when there is a current in the coil. (1 mark)**

(Question continues on next page)


- (iii) Explain how the ammeter could be changed so that it could measure smaller currents. (3 marks)

(TOTAL FOR QUESTION 10 = 11 MARKS)

(Questions continue on next page)

(Turn over)

- 11 The diagram shows a manometer, a device used for measuring differences in pressure.**



- (a) One side of the manometer has some trapped gas. The other side is left open to the atmosphere.**

The difference in pressure can be calculated using this formula.

$$\text{[difference in pressure = height} \times \text{density} \times 10]$$

(Question continues on next page)

(Turn over)

The density of the liquid
is $1.3 \times 10^4 \text{ kg/m}^3$.

The difference in the levels of the
liquid is 3.8 cm.

Calculate the difference in pressure
between the atmosphere and the
trapped gas. (3 marks)

difference in pressure = _____ Pa

(Question continues on next page)

(Turn over)

(b) The temperature and pressure of the trapped gas increase when it is warmed.

(i) Explain, in terms of particles, why the pressure of the trapped gas increases. (3 marks)

(Question continues on next page)

(Turn over)

- (ii) The pressure of the trapped gas in the manometer is $9.95 \times 10^4 \text{ Pa}$ and the temperature is 16°C .

Calculate the new pressure of the trapped gas if the temperature increases to 32°C . (4 marks)

[assume volume of the trapped gas remains constant]


new pressure = _____ Pa

(TOTAL FOR QUESTION 11 = 10 MARKS)

(Questions continue on next page)

(Turn over)

- 12 (a) The diagram shows a ball of dough, of mass 580 g, held at a height of 92 cm above the floor.



(Question continues on next page)

(Turn over)

Calculate the increase in gravitational potential energy (GPE) stored in the ball of dough when it is above the floor. (3 marks)

GPE = _____ J

(Question continues on next page)

(Turn over)

- (b) The ball of dough hits the floor and does not rebound.**

Describe the energy transfers taking place from when the dough is dropped to after it has hit the floor.

You should refer to energy stores as well as transfers between energy stores at these stages.

- **before the dough is dropped**
- **just before the dough hits the floor**
- **after the dough has hit the floor**

(4 marks)

(Continue your answer on next page)

(Turn over)

(Turn over)

(TOTAL FOR QUESTION 12 = 7 MARKS)

TOTAL FOR PAPER = 110 MARKS
END