

Mark Scheme

IGCSE Science (Double Award) (4437)

June 2006

delivered locally, recognised globally

Mark Scheme

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel International centres receive the support they need to help them deliver their education and training programmes to learners.

For further information please call our International Customer Services Unit:

Tel +44 (0) 190 884 7750

Fax +44 (0) 207 190 5700

www.edexcel-international.org

June 2006

All the material in this publication is copyright
© Edexcel Limited 2006

IGCSE SCIENCE (DOUBLE AWARD) 4437, MARK SCHEME

Symbols used in marking points

- ;
/
eq
- indicates separate mark points
indicates alternatives
means allow any correct equivalent

Paper 1F

- | | | | |
|----|-----|----|---|
| 1. | (a) | D; | 1 |
| | (b) | C; | 1 |
| | (c) | A; | 1 |
| | (d) | A; | 1 |
| | (e) | D; | 1 |
| | (f) | D; | 1 |
| | (g) | D; | 1 |

Total 7 marks

- | | | | | |
|----|-----|------|--------------------|---|
| 2. | (a) | A | trachea; | |
| | | B | bronchus; | |
| | | C | diaphragm; | 3 |
| | (b) | (i) | coronary; | |
| | | | fat / cholesterol; | 2 |
| | | (ii) | oxygen; | |
| | | | glucose; | 2 |

Total 7 marks

- | | | | |
|----|-----|--|---|
| 3. | (a) | rice/plant → insects/named insect → spiders | |
| | | correct order; | |
| | | arrows; | 2 |
| | (b) | stop it eating rice / increases yield / stop damaging crop / eq; | 1 |
| | (c) | spider is a living organism / spider is a predator; | |
| | | reduces insect numbers / eq; | 2 |

Total 5 marks

4. (a) plants would not grow / disease passed on to other plants; 1
- (b) no microorganisms / eq;
would harm plants / infect plants / cause disease; 2
- (c) amino acids / protein;
chlorophyll / chloroplasts; 2
- (d) root;
shoot / stem / stalk / leaves; max
grows into carrot plant / cell division; 2

Total 7 marks

5. (a) (i) 18 - 64; 1
(ii) 53; 1
- (b) (i) 9;; (one mark for 51 - 42) 2
(ii) growing more/faster; 1
- (c) milk contains protein;
protein for baby; max
baby growing; 2
- (e) lines joining: carbohydrate to energy;
vitamin A to good sight;
iron to make haemoglobin;
calcium to healthy bones; 4

Total 11 marks

6. (a) (i) arrow (with arrowhead) from plants to animals; 1
arrow (with arrowhead) from plants to decomposers; 1
(ii) K; 1
(iii) J, L and N; 1
- (b) (i) carbon dioxide; 1
(ii) glucose / cellulose / starch / sucrose / acceptable 1
(iii) alternative; 1
bacteria / fungus / microorganisms / named decomposer;

Total 7 marks

7. (a) 100%;; 2
(1) for: $4 - 2 \div 2$ OR a number divided by $2 \times 100 = 1$
- (b) phagocytes;
ingest / digest / engulf / swallow / eat;
microorganisms / bacteria / pathogens / parasite / eq;
lymphocytes;
antibodies / antitoxins; max
3
- (c) plasma; 1

- (d) (combines with / transports) oxygen;
 haemoglobin;
 biconcave (or described e.g. doughnut) / large surface area;
 no nucleus / more space for oxygen;
 thin / flexible;
- max**
3

Total 9 marks

- 8.**
1. less photosynthesis;
 2. less carbon dioxide absorbed from air / more carbon dioxide in air / trees absorb carbon dioxide;
 3. less oxygen in air / trees release oxygen / no trees no oxygen;
 4. greenhouse effect / global warming;
 5. less transpiration / less rainfall / drought;
 6. erosion / leaching;
 7. flooding;
 8. loss / change of habitat / loss of food;
 9. loss of species / extinction / genes / change in distribution;
- max**
5

Total 5 marks

- 9.**
- (a) (i) 1st week / 2nd week; **1**
- (ii) oestrogen; **1**
- (iii) ovary; **1**
- (b) progesterone; **1**
- (c) ovulation / egg release; **1**

Total 5 marks

- 10.**
- (a) (i) digests / breaks down;
 protein; **max**
 amino acids; **2**
- (ii) lower / reduce / decrease (gas exchange) / less oxygen
 absorbed;
 alveoli; **max**
 less surface; **2**
- (b) (i) join / fuse / combine with sperm / male nucleus; **1**
- (ii) mitosis; **1**
- (iii) nucleus;
 egg / ovum;
 embryo;
 uterus / womb;
 milk;
 clones; **6**

Total 12 marks

PAPER TOTAL 75 MARKS

Paper 2F

1. (a) atomic number (second box) 1
(b) hydrogen / H / H₂ 1
(c) silicon / Si 1
(d) lithium / Li 1
(e) three / all three correctly listed 1

Total 5 marks

2. (a) (i) from top to bottom: proton - electron - neutron 3
(ii) 8 1
(iii) Be/ Beryllium 1
(b) same number of protons / atomic number 1
different number of neutrons / atomic mass / mass number / nucleon number 1

Total 7 marks

3. (a) (i) bubbles / fizzing / effervescence / magnesium gets smaller / disappears **NOT** dissolves / gas made 1
(ii) increases / goes up **NOT** heat produced 1
(iii) magnesium + hydrochloric acid → magnesium chloride + hydrogen 1
(b) lighted splint / flame / burn 1
(squeaky) pop (**ONLY** if 1st mark awarded) 1
(c) ticks in 3rd, 4th and last boxes 3

Total 8 marks

4. (a) (iodine) element covalent
(magnesium oxide) compound ionic
(hydrogen chloride) compound covalent

bonding: all 3 correct = **2**; 2 correct = **1**

element/compound: all three correct = **2**, 2 correct = **1**

- (b) allotropes 4
(c) solid 1

Total 6 marks

5. (a) (i) A, C and D (any order) 1
 (ii) C (accept B) 1
 (iii) A and D (either order) 1
- (b) alkene(s) 1
- (c) C_nH_{2n+2} 1
- (d) add bromine (water) / Br_2 1
 decolourised / (goes from orange to) colourless **NOT** 'clear' 1
 remains orange/yellow/brown (or combination) / no change with C 1
- (e) 46 1

Total 9 marks

6. (a) aqueous / dissolved in water
 gas
 solid 3
- (b) (i) green 1
 (to) black 1
 (ii) carbon dioxide 1
- (c) nitric acid 1
- (d) magnesium oxide 1
 copper (either order) 1
- (e) sulphuric acid / H_2SO_4 1

Total 10 marks

7. (a) 1 1
 2 1
- (b) (i) sodium + water $\rightarrow$ sodium hydroxide + hydrogen 1
 (ii) sodium moves around / floats
 melts / becomes a ball / gets smaller / disappears
NOT dissolves
 effervescence / fizzing / bubbles **NOT** gas made 2
any two – max one from each line
- (c) indicator **NOT** 'universal indicator' 1
 blue 1
- (d) (i) $Mg + H_2O \rightarrow MgO + H_2$ 1
 (ii) white 1
- (e) potassium / K 1
 magnesium / Mg 1

Total 11 marks

8. (a) carbon and hydrogen 1
- (b) (i) fractional distillation 1
 (ii) (group of) compounds with same / similar boiling points 1
 (iii) crude oil heated / boiled 1
 (vapour) passed into column / tower 1
 fractions collect at different heights 1
- (c) (i) carbon monoxide 1
 (ii) poisonous / toxic / lethal / causes death 1
 reduces capacity of blood to carry oxygen / combines with 1
 haemoglobin

Total 9 marks

9. (a) acts as solvent
mixture melts at lower temperature / reduces operating temperature
 / allows lower temperature to be used
 increases conductivity of mixture 2 (any two)
- (b) (i) carbon / graphite / C 1
 (ii) oxygen 1
 (iii) they burn/combine with oxygen/form carbon dioxide 1
- (c) (aluminium) more reactive than carbon / too reactive 1
- (d) electricity / replacing anodes 1
- (e) (aeroplanes) low density **NOT** light 1
 (overhead power cables) (good) conductor of electricity 1
 low density (if not scored above)
 (pans for cooking food) (good) conductor of heat 1

(Accept resists corrosion once as alternative for any of the above)

Total 10 marks

PAPER TOTAL 75 MARKS

Paper 3F

1. (a) metal 1
- (b) (i) green and yellow (either order) 1
(ii) (the metal case of) the iron 1
- (c) to prevent the user getting a shock 1
OR to carry (the) current to earth/the ground
if there is a fault/loose connection/wire (in the iron)
- (d) (i) (electric) current 1
(ii) prevent more than 13 A in the iron 1
- (e) frayed cables / water around sockets / pushing metal objects into sockets 1

Total 7 marks

2. (a) conduction and convection (either order) 1
- (b) glass is silvered glass 1
reflects heat back into flask 1
- (c) 1st box 1
4th box 1

Total 5 marks

3. (a) (i) A 1
(ii) 1. the temperature of 50°C in A must be the wall heater 1
2. heat moving straight up from the floor in B 1
- (b) less draught 1
warmer at floor level 1

Total 5 marks

4. (a) (i) R 1
Q 1
(ii) two 1
(iii) longitudinal 1
(iv) sound 1
- (b) (i) hertz **ALLOW** kilohertz 1
(ii) $20 \div 4$ 1
=5 1

Total 8 marks

5. (a) conserved 1
- (b) $10 / 100 - 90$ 2
- (c) (i) efficiency = useful energy output / total energy output 1
(ii) no 1
less of the energy goes for the intended purpose 1

Total 6 marks

6. (a) kinetic 1
electrical 1
- (b) coal 1
gas 1
- (c) work 1
doing work / supply or transfer of energy 1
- (d) watt 1

Total 7 marks

7. (a) normal correctly labelled with N 1
- (b) $A = 90^\circ$ 1
 $B = 30^\circ$ 1
- (c) angle of incidence = angle of reflection 1
- (d) ray from top of ear to mirror 1
ray reflected at mirror at same angle 1
- (e) virtual 1

Total 7 marks

8. (a) gamma rays = sterilising medical equipment 3
infra-red = night vision equipment
microwaves = satellite transmissions
ultraviolet = fluorescent lamps
- all four correct **(3)**; any two correct **(2)**; any one correct **(1)**
DO NOT credit lines to any box with two (or more) lines to/from it
- (b) gamma rays = mutations 3
infra-red = skin burns
microwaves = heat damage to internal body tissue
ultraviolet = blindness

all four correct **(3)**; any two correct **(2)**; any one correct **(1)**
DO NOT credit lines to any box with two (or more) lines to/from it

Total 6 marks

9. (a) (i) centre of X along the vertical line **1**
(ii) B
A all correct **(2)**; any correct **(1)**
C **2**
(iii) air resistance **ALLOW** drag / air friction **1**
- (b) (i) slope/gradient (of the line) **1**
ALLOW line increasing / line going up
(ii) 500 (m) **2**
OR any clear indication, on the graph or elsewhere, that the distance is represented by (some of) the area under the graph e.g. $\frac{1}{2} (20 \times 30) = 300$ **(1)**

Total 7 marks

10. (a) (i) reflected **NOT** bounced / echoed **1**
(ii) 3.5 (s) **1**
(iii) 1155 (m) **2**
(1) for working: 330×3.5
- (b) frequency (of the echo) **2**
OR loudness / volume / amplitude; **NOT** sound of the echo increases
ALLOW shorter delay **(2)**
- (c) frequency and wavelength are inversely proportional **1**
OR (wave) speed = frequency $\times$ wavelength

Total 7 marks

11. (a) 0.025 (m²) **2**
OR 0.25×0.1 **(1)**; 10×25 **(1)**
- (b) (i) pressure = force $\div$ area **1**
(ii) 4800 (Pa) / 4.8 kPa **2**
(1) for working: $120 \div 0.025$

Total 5 marks

12. (a) (i) all points plotted correctly **(2)** **3**
OR four points plotted correctly **(1)**
DO NOT credit:
• blobs which are 2 mm or more across
• points which are more than 1 mm out in any direction
curve **(1)**
(ii) 2 (hours) **1**
- (b) 1 000 000 (Bq) **1**
ALLOW 1×10^6 / million

Total 5 marks

PAPER TOTAL 75 MARKS

Paper 4H

1. (a) (i) arrow (with arrowhead) from plants to animals; 1
arrow (with arrowhead) from plants to decomposers; 1
(ii) K; 1
(iii) J, L and N; 1
- (b) (i) carbon dioxide; 1
(ii) glucose / cellulose / starch / sucrose / acceptable alternative; 1
(iii) bacteria / fungus / microorganisms / named decomposer; 1

Total 7 marks

2. (a) 100%;; 2
(1) for: $4 - 2 \div 2$ OR a number divided by 2 x 100 = 1
- (b) phagocytes;
ingest / digest / engulf / swallow / eat;
microorganisms / bacteria / pathogens / parasite / eq;
lymphocytes; max
antibodies / antitoxins; 3
- (c) plasma; 1
- (d) (combines with / transports) oxygen;
haemoglobin;
biconcave (or described e.g. doughnut) / large surface area;
no nucleus / more space for oxygen; max
thin / flexible; 3

Total 9 marks

3. 1. less photosynthesis;
2. less carbon dioxide absorbed from air / more carbon dioxide in air / trees absorb carbon dioxide;
3. less oxygen in air / trees release oxygen / no trees no oxygen;
4. greenhouse effect / global warming;
5. less transpiration / less rainfall / drought;
6. erosion / leaching; max
7. flooding; 5
8. loss / change of habitat / loss of food;
9. loss of species / extinction / genes / change in distribution;

Total 5 marks

4. (a) (i) 1st week / 2nd week; 1
(ii) oestrogen; 1
(iii) ovary; 1
- (b) progesterone; 1
- (c) ovulation / egg release; 1

Total 5 marks

5. (a) (i) digests / breaks down;
protein; max
2
amino acids;
- (ii) lower / reduce / decrease (gas exchange) / less oxygen
absorbed;
alveoli; max
2
less surface;
- (b) (i) join / fuse / combine with sperm / male nucleus; 1
(ii) mitosis; 1
(iii) egg / ovum;
embryo;
uterus / womb;
milk;
clones; 5

Total 11 marks

6. (a) secondary consumers / carnivores; 1
- (b) level 1 and level 2; 1
- (c) energy is lost / used (up) / wasted;
respiration / excretion / faeces / movement / heat / not eaten; 2

Total 4 marks

7. (a) (i) parent genotypes: male + Hh female + hh;
gametes: H h (h) h;
offspring genotypes: Hh **and** hh;
offspring phenotypes: Huntington's disease, normal; 4
(ii) 50% / 0.5 / $\frac{1}{2}$ / 1:1 / 1 in 2; 1
- (b) would have children already / gene already passed on;
didn't know they had Huntington's; 2
- (c) receptors;
sensory / afferent neurones;
relay neurones / spinal cord;
motor / efferent neurones;
muscles / effector;
contracts;
synapse;
no brain involved; max
5
quicker;

Total 12 marks

8. (a) high in winter;
decreases in spring;
falls / low / rises in summer;
high / rises in autumn; max
2
- (b) less light in winter / more light in spring;
colder in winter / warmer in spring;
less light means less photosynthesis;
lower temperature means less photosynthesis;
more photosynthesis means more numbers/growth; max
3
- (c) starch is a large molecule;
insoluble / does not dissolve;
less space needed;
water is not taken in / osmosis;
starch not lost / diffuse from cell;
starch not react in cell; max
3

Total 8 marks

9. (a) (i) sweat evaporates;
using / loss of body heat / removes body heat; 2
- (ii) vasodilation;
blood vessels (**NOT** capillaries) get wider / eq;
(more) blood to skin / surface;
heat lost from skin / surface;
radiation / convection; max
3
- (b) water content (of blood) decreases;
(more) ADH released;
kidney / nephron / collecting duct;
(more) water reabsorbed / increases permeability;
water into blood;
less water lost from body / more concentrated urine produced; max
4
- (c) (i) homeostasis is keeping conditions / substances / levels
constant; 1
- (ii) temperature control;
glucose control; max
pH of blood / eq; 2

Total 12 marks

10. (a) (i) shoot has grown / bent towards the light; 1
- (ii) positive;
phototropism; 2
- (iii) more (auxin) on dark side;
growth / cell elongation; 2
- (b) obtain light;
more photosynthesis; 2

Total 7 marks

- 11.** (a) fertilisers contain minerals/salts / named mineral/salt;
e.g. nitrate for amino acids/protein or magnesium for chlorophyll; **2**
- (b) (i) advantage - less crop is destroyed / more crop growth;
disadvantage - affects other organisms / affects food chain
/ pollutes environment / needs reapplication /
pest resistance; **2**
- (ii) biological control;
living organism/predator that eats insects/pests; **max**
example e.g. ladybirds eating aphids; **2**
- (c) A - restriction;
B - plasmid / virus;
C - virus / plasmid;
D - ligase; **4**

Total 10 marks

PAPER TOTAL 90 MARKS

Paper 5H

1. (a) 1 1
2 1
- (b) (i) sodium + water $\rightarrow$ sodium hydroxide + hydrogen 1
(ii) sodium moves around / floats
melts / becomes a ball / gets smaller / disappears
NOT dissolves
effervescence / fizzing / bubbles **NOT** 'gas made' 2
any two - max one from each line
- (c) indicator **NOT** 'universal indicator' 1
blue 1
- (d) (i) $\text{Mg} + \text{H}_2\text{O} \rightarrow \text{MgO} + \text{H}_2$ 1
(ii) white 1
- (e) potassium / K 1
magnesium / Mg 1

Total 11 marks

2. (a) carbon and hydrogen 1
- (b) (i) fractional distillation 1
(ii) (group of) compounds with same / similar boiling points 1
(iii) crude oil heated / boiled 1
(vapour) passed into column / tower 1
fractions collect at different heights 1
- (d) (i) carbon monoxide 1
(ii) poisonous / toxic / lethal / causes death 1
reduces capacity of blood to carry oxygen / combines with haemoglobin 1

Total 9 marks

3. (a) acts as solvent
mixture melts at lower temperature / reduces operating temperature
 / allows lower temperature to be used
 increases conductivity of mixture (any two) 2
- (b) (i) carbon / graphite / C 1
 (ii) oxygen 1
 (iii) they burn/combine with oxygen/form carbon dioxide 1
- (c) (aluminium) more reactive than carbon / too reactive 1
- (d) electricity / replacing anodes 1
- (e) (aeroplanes) low density **NOT** light 1
 (overhead power cables) (good) conductor of electricity 1
 low density (if not scored above)
 (pans for cooking food) (good) conductor of heat 1
- (Accept resists corrosion once as alternative for any of the above)

Total 10 marks

4. (a) $C + O_2 \rightarrow CO_2$
 C / carbon reacted with oxygen 1
 equation correct 1
- (b) $Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$
 all formulae correct 1
 balancing correct 1
- (c) limestone decomposes
 to make CaO or $CaCO_3 \rightarrow CaO + CO_2$ (2) 1
 this reacts with silicon dioxide or $CaO + SiO_2 \rightarrow CaSiO_3$ (2) 1
 to form slag / calcium silicate 1
- (d) prevents rusting 1
 zinc more reactive than iron 1
 oxidises / corrodes instead of iron 1

Total 11 marks

5. (a) $\text{Mg(s)} + 2\text{HCl(aq)} \rightarrow \text{MgCl}_2\text{(aq)} + \text{H}_2\text{(g)}$ 1
all formulae correct 1
state symbols correct 1
balanced 1
- (b) (i) line steeper 1
same final volume 1
(ii) line not as steep 1
produces half the final volume of gas 1
- (c) particles/ions move faster / have more energy 1
more collisions per second / more frequent collisions / greater chance 1
of collisions
more successful/effective/fruitful collisions / idea of more collisions 1
with E_A
- (d) add nitric acid 1
and silver nitrate (solution) 1
white ppt (**ONLY** if silver nitrate mark awarded) 1

Total 13 marks

6. (a) electrolysis 1
brine / sodium chloride solution 1
- (b) (i) $\text{Cl}_2 + 2\text{KBr} \rightarrow \text{Br}_2 + 2\text{KCl}$ 1
all species correct 1
balanced 1
ACCEPT correct ionic equation / multiples of above
- (ii) redox / displacement 1
- (c) (i) (goes red then) bleached / goes white / decolorised / colourless 1
(ii) goes red / pink 1
- (d) (i) division of percentages by A_r values 1
division of numbers of moles by the smallest 1
 CH_2Cl 1
(ii) $\text{C}_2\text{H}_4\text{Cl}_2$ only 1

Total 11 marks

7. (a) stoichiometric coefficients are: 2:3:2:2 1
- (b) (i) gives out (heat) energy / products have less energy than reactants 1
- (ii) $2\text{SO}_2 + \text{O}_2 \rightleftharpoons 2\text{SO}_3$
correct species and balanced 1
using $\rightleftharpoons$ (indep) 1
- (iii) temperature: decreases/less **NOT** "shifts left" 1
pressure: increases/more **NOT** "shifts right" 1
- (c) pipette to measure sodium hydroxide 1
sulphuric acid in burette 1
indicator used and colour change (**NOT** universal indicator) 1
add sodium hydroxide gradually near end point (and swirl) 1

Total 10 marks

8. (a) (i) carbon and hydrogen only 1
double bond / can undergo addition reactions / has multiple bond 1
- (ii) same molecular formula / same atoms 1
different spatial arrangement/structural formula 1
- (b) three isomers of C_5H_{10} (1 mark per isomer) 3
ACCEPT condensed methyl groups
- (c) correct structure with continuation bonds and brackets 1
poly(propene) / polypropylene 1
styrene / phenylethene 1
correct structure 1
- (d) (i) orange / yellow / brown 1
colourless **NOT** clear 1
- (ii) correct structure of 1,2 dibromoethane 1
- (iii) has no double bonds/saturated 1

Total 15 marks

PAPER TOTAL 90 MARKS

Paper 6H

1. (a) gamma rays = sterilising medical equipment **3**
infra-red = night vision equipment
microwaves = satellite transmissions
ultraviolet = fluorescent lamps

all four correct **(3)**; any two correct **(2)**; any one correct **(1)**
DO NOT credit lines to any box with two (or more) lines to/from it

- (b) gamma rays = mutations **3**
infra-red = skin burns
microwaves = heat damage to internal body tissue
ultraviolet = blindness

all four correct **(3)**; any two correct **(2)**; any one correct **(1)**
DO NOT credit lines to any box with two (or more) lines to/from it

Total 6 marks

2. (a) (i) centre of X along the vertical line **1**
(ii) B
A all correct **(2)**; any correct **(1)**
C **2**
(iii) air resistance **ALLOW** drag / air friction **1**
- (b) (i) slope/gradient (of the line) **1**
ALLOW line increasing / line going up
(ii) 500 (m) **2**
OR any clear indication, on the graph or elsewhere, that the distance is represented by (some of) the area under the graph e.g. $\frac{1}{2} (20 \times 30) = 300$ **(1)**

Total 7 marks

3. (a) (i) reflected **NOT** bounced / echoed **1**
(ii) 3.5 (s) **1**
(iii) 1155 (m) **2**
(1) for working: 330×3.5
- (b) frequency (of the echo) **2**
OR loudness / volume / amplitude; **NOT** sound of the echo increases
ALLOW shorter delay **(2)**
- (c) frequency and wavelength are inversely proportional **1**
OR (wave) speed = frequency $\times$ wavelength

Total 7 marks

4. (a) $0.025 \text{ (m}^2\text{)}$ **2**
OR 0.25×0.1 **(1)**; 10×25 **(1)**
- (b) (i) pressure = force $\div$ area **1**
(ii) 4800 (Pa) / 4.8 kPa **2**
(1) for working: $120 \div 0.025$

Total 5 marks

5. (a) (i) all points plotted correctly **(2)** **3**
OR four points plotted correctly **(1)**
DO NOT credit:
• blobs which are 2 mm or more across
• points which are more than 1 mm out in any direction
curve **(1)**
- (ii) 2 (hours) **1**
- (b) $1\,000\,000 \text{ (Bq)}$ **1**
ALLOW 1×10^6 / million

Total 5 marks

6. (a) use of $F = ma$ **1**
 $a = 1440 \div 60 = 24$ **IGNORE** minus sign **1**
 m/s^2 **ALLOW** N/kg **1**
- (b) *arrow* : **1**
left to right **1**
in correct place **1**

Total 5 marks

7. (a) (i) **R** **1**
(ii) total internal reflection (takes place at the surface)
(ONLY if R correct) **1**
- (b) (i) $\sin c = \frac{1}{n}$ **OR** $\frac{1}{\sin c} = n$ **1**
(ii) 49° **1**
- (c) (i) continues out of tank **(IGNORE reflections)** **1**
bends downwards **(ONLY if first mark given)** **1**
(ii) hits surface at an angle less than critical angle/ angle Q **1**
OR goes from more dense to less dense / gets faster
therefore refraction takes place/ enters air at angle P **1**
OR refracts/bends away from normal

Total 8 marks

8. (a) formula / $\frac{1}{2} \times 0.400 \times 25$ 3
 = 5
 J
- (b) formula / $0.40 \times 10 \times 0.75$ 2
 = 3 (J)
- (c) (i) $5 - 3 = 2$ 2
 J
- (ii) conservation of energy 2
 means work = $k_e - p_e$ **OR** $k_e = \text{work done} + p_e$
 ACCEPT "this is the minimum work done if the technician
 just lets the hammer fall (onto the nail)" for **(2)**

Total 9 marks

9. (a) (i) $120 \times 0.025 = 140 \times V$ 1
 $V = 0.021(4)$ 1
- (ii) fixed mass **ACCEPT** amount/ number of molecules 1
 no temperature change 1
- (b) (i) mass / volume 1
 (ii) increased 1
 (iii) same mass/amount 1
 decreased volume 1

Total 8 marks

10. (a) (i) line used to describe the shape/strength/direction/shape of 1
 a magnetic field / line going from N to S
- (ii) current in it / moved in a magnetic field / cuts magnetic 1
 field lines
- (b) (i) I downwards 1
 (ii) M from N to S 1
 (iii) F out of the paper 1
- (c) increase the current 2
 OR reduce resistance / increase power supply / thicker wire /
 shorter (connecting) wire
 move poles closer together
 OR stronger field/magnets
- (d) any two from: liquid (at room temperature) 2
 metallic
 conductor
 to allow the end of the wire to move
 non-magnetic

Total 9 marks

11. (a) $\begin{matrix} & & -4 \\ (+)1 & & 0 \\ 0 & & 0 \end{matrix}$ 5

(b) $\begin{matrix} 3 \\ 2 \end{matrix}$ 2

(c) protons (and electrons) **ACCEPT** atomic number 1
neutrons **ACCEPT** nucleons/ nucleon number/ mass number 1

Total 9 marks

12. (a) A : (most of) the atom is empty / space / hollow 1
ACCEPT arguments e.g. 'nucleus is a long way from electrons'

(b) B: small(er than atom) **ACCEPT** larger than alpha particle 2
massive **ACCEPT** heavy / very dense

(c) C : same as alpha / + ve 2
like charges repel

Total 5 marks

13. (a) neutron 4
uranium / plutonium
kinetic **NOT** heat
products / fragments **ACCEPT** neutrons

(b) **H:** Ba 3
J: Kr
K and L and **M:** n

Total 7 marks

PAPER TOTAL 90 MARKS

Paper 7

- | | | |
|----|----|---|
| 1. | A; | 1 |
| | F; | 1 |
| | C; | 1 |
| | B; | 1 |

Total 4 marks

- | | | | | |
|----|-----|-------|---|-----|
| 2. | (a) | (i) | 9 1 | |
| | | | 8 2 | |
| | | | 7 3 | |
| | | | 1 9 | |
| | | | 0 10 | |
| | | | table correctly filled in;; | 2 |
| | | (ii) | 70; | 1 |
| | | (iii) | W: axes correct way; | |
| | | | S: scales at least half and linear; | |
| | | | U: axes labelled <u>with units</u> (% germinated / age in years); | |
| | | | P: points accurate;; | 5 |
| | | (iv) | not to use seeds / use younger seeds; | |
| | | | they will not germinate / less chance of germination; | 2 |
| | (b) | | time; | |
| | | | water / moisture / humidity; | |
| | | | temperature / warmth; | |
| | | | light (intensity); | |
| | | | number; | |
| | | | oxygen / air; | |
| | | | variety / type; | |
| | | | size / mass; | max |
| | | | pH; | 2 |
| | (c) | | use more seeds / repeat; | 1 |
| | | | NOT using seeds of different ages to original experiment | |

Total 13 marks

- | | | | | |
|----|-----|-------|---|-----|
| 3. | (a) | (i) | equal numbers both sides / 15 seen / maggots evenly spread / equal areas/half of apparatus covered and uncovered; | 1 |
| | | (ii) | 25; | 1 |
| | (b) | (i) | 53; | 1 |
| | | (ii) | 4 / 14 - 16; | 1 |
| | | (iii) | cover not used / even light intensity / not left long enough; | 1 |
| | (c) | | all dish uncovered / clear / covered / dark; | max |
| | | | swap / rotate cover; | 1 |

Total 6 marks

4. (a) (i) measuring cylinder; 1
(ii) correct line; 1
- (b) (i) stop oxygen or air (**NOT** gas) getting in / keeps anaerobic; 1
(ii) count bubbles / amount of bubbles / volume of gas; max
reference to time; 2
method for changing temperature of water bath;
- (c) (i) increases; 3
peak / optimum / 45 °C;
decreases;
(ii) molecules move slower at low temps / low kinetic energy /
few collisions;
optimum temperature / eq; 3
enzymes denatured / destroyed by high temperatures;
- (d) smaller range / more readings; **NOT** repeats 2
above and below or around 45°C / optimum temperature;

Total 13 marks

5. (a) (i) heading with distance moved by bubble in mm;
columns with still air and wind;
four readings listed in each column;
average present; 4
(ii) added up four numbers / all numbers;
divided by four / all numbers;
OR as a sum $36 \div 4$ 2
- (b) obtain more results;
range of windy conditions e.g. less distance between plant & fan;
use different types of plant / leaves; 3

Total 9 marks

6. C : tea and no tea / range of tea concentrations / before and after
tea;
O : same person / age / sex / weight;
R : several people / several cups of tea / several times;
M1 : heart rate / pulse rate in set time;
2 : how measured;
S1 : same temperature;
2 : same concentration / volume / brand; max
3 : same level of activity; 5

Total 5 marks

PAPER TOTAL 50 MARKS

Paper 8

- | | | | | |
|----|-----|-------|----------------------|---|
| 1. | (a) | A | pipette | 1 |
| | | B | fractionating column | 1 |
| | | C | syringe | 1 |
| | | D | conical flask | 1 |
| | (b) | (i) | A / name | 1 |
| | | (ii) | C / name | 1 |
| | | (iii) | B / name | 1 |

Total 7 marks

- | | | | |
|----|-----|---|---|
| 2. | (a) | wear eye protection/gloves / wipe up spills | 1 |
| | | NOT glasses / don't get on skin | |
| | (b) | 20.2 | 1 |
| | | 1.6 | 1 |
| | | 18.6 | 1 |
| | (c) | (i) ticks under 27.45 and 27.25 | 1 |
| | | (ii) 27.35 (to 2 or 3 decimal places) | 1 |

Total 6 marks

- | | | | |
|----|-----|--|---|
| 3. | (a) | 2.7 (g) | 1 |
| | | 45 (%) | 1 |
| | (b) | (i) it would dissolve more quickly / would take less time | 1 |
| | | (ii) less | 1 |
| | (c) | dry the filter paper / residue | 1 |
| | | THEN | |
| | | weigh filter paper with insoluble impurities (1) | |
| | | weigh the original/new filter paper/subtract mass of filter paper (1) | |
| | | OR | |
| | | remove insoluble impurities from filter paper (1) | |
| | | weigh insoluble impurities (1) | 2 |

Total 7 marks

4. (a) polystyrene is a (better) insulator / to reduce heat loss / glass conducts heat **1**
- (b) 18.6 **1**
 22.8 **1**
 4.2 **IGNORE** sign **1**
- (c) points for 1-3 **1**
 line (**NOT** curve) of best fit for 1-3 **MUST use ruler** **1**
 points for 4-6 **1**
 line (**NOT** curve) of best fit for 4-6 **MUST use ruler** **1**
- (d) 27.2 - 27.4 °C **1**
 44 - 45 (cm³) **1**
 56 - 55 (cm³) **1**
- (e) use 44 cm³ of KOH and 56 cm³ of nitric acid **1**
MUST give two volumes, which total 100 cm³
- (f) KOH, because smaller volume than acid **1**

Total 13 marks

5. (a) (i) 5 (cm) **1**
 (ii) 40 (seconds) **1**
- (b) (i) 1 cm represents 1 cm for y axis **1**
 all points correct (deduct 1 for each error) **2**
 smooth line of best fit **1**
 (ii) any time between 85 and 90 (s) / c_q on graph **1**
- (c) (i) same surface area / powdered **1**
 same amount / same number of moles **1**
NOT same mass or same quantity
 (ii) same proportions **OR** volumes of acid and detergent
 same volume of mixture *any two*
 same concentration of acid **2**
(any of these could be scored in (iii) instead)
 (iii) temperature **1**
(this could be scored in (ii) instead of here)
could score metal points here if not in (i)
- (d) (i) 2 **1**
 (ii) Metal 3 for student S / 105 sec **1**
 (iii) clock read incorrectly / thought 100 sec = 1 min / used too little metal or mixture / did not use powder **1**
 (iv) 2 and 4 **1**
 (v) results overlap / some times are same for both metals / results similar **1**

Total 17 marks

PAPER TOTAL 50 MARKS

Paper 9

1. (a) 76 (mm) **ALLOW** 75.5 - 76.4 **1**
- (b) (i) (clamp) stand / retort stand **1**
 (ii) hang (**NOT** tie on) the weight/plumb line next to the tube **2**
 check same distance top and bottom / they appear to be parallel
- (c) stopwatch/ stopclock/ light gates/ electronic/electric timer/ **1**
 multiframe camera
- (d) ruler/ metre rule/ measuring tape **1**
- (e) magnet next to (steel) ball / (bottom of) tube/bung **1**
 lift/ drag the ball out of the tube (with the magnet) **1**
DO NOT credit either mark for magnet in the tube of oil.
DO NOT credit 2nd mark for magnet at the top of the tube to attract the steel ball
- (f) any two from: **2**
 * not all readings same/ there will be variations
 * to give an average
 * (this tends) to cancel out inaccuracies/ errors
OR increases reliability / accuracy
 * allows anomalous result(s) to be identified (and discounted)
- (g) (i) faster/ more quickly/ with a greater speed/velocity **1**
 (ii) (electronic) thermometer/ temperature probe **1**

Total 12 marks

2. (a) $i = 32-34$ **1**
 $r = 60$ **1**
- (b) ray box/ light box **1**
OR laser/ torch with slit **OR** suitable diagram
- (c) (i) appropriate headings **1**
 all in order **1**
 unit given as degrees / ° seen (**NOT** °C) anywhere at least once **1**
 (ii) both axes labelled **1**
 i on X axis r on Y axis **1**
 all points correctly plotted i.e. within 1 mm in any direction **3**
 (-**(1)** for each incorrectly plotted point; or if point is a blob)
 smooth curve /curved line **1**
 either for the plotted points or for the plotted points and the origin
DO NOT credit dot-to-dot, straight lines or lines >1 mm thick
 (iii) correct reading from candidate's graph when curve/line **1**
 extrapolated to $r = 90^\circ$

Total 13 marks

- Total 14 marks**

- Total 11 marks**

PAPER TOTAL 50 MARKS

For more information on Edexcel International, please contact our
International Customer Services Unit on +44 (0) 190 884 7750
or visit www.edexcel-international.org
Edexcel Limited. Registered in England and Wales No. 4496750
Registered Office: 190 High Holborn, London WC1V 7BH, UK

