



# THE PERIODIC TABLE

Group 1 2 3 4 5 6 7 0

Period

1																	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     1 H Hydrogen 1                 </div>																	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     4 He Helium 2                 </div>	
2	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     7 Li Lithium 3                 </div>																	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     9 Be Beryllium 4                 </div>																	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     20 Ne Neon 10                 </div>
3	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     23 Na Sodium 11                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     24 Mg Magnesium 12                 </div>																	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     31 P Phosphorus 15                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     32 S Sulphur 16                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     35.5 Cl Chlorine 17                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     40 Ar Argon 18                 </div>													
4	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     39 K Potassium 19                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     40 Ca Calcium 20                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     45 Sc Scandium 21                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     48 Ti Titanium 22                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     51 V Vanadium 23                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     52 Cr Chromium 24                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     55 Mn Manganese 25                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     56 Fe Iron 26                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     59 Co Cobalt 27                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     59 Ni Nickel 28                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     63.5 Cu Copper 29                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     65 Zn Zinc 30                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     70 Ga Gallium 31                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     73 Ge Germanium 32                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     75 As Arsenic 33                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     79 Se Selenium 34                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     80 Br Bromine 35                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     84 Kr Krypton 36                 </div>																	
5	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     86 Rb Rubidium 37                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     88 Sr Strontium 38                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     89 Y Yttrium 39                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     91 Zr Zirconium 40                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     93 Nb Niobium 41                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     96 Mo Molybdenum 42                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     99 Tc Technetium 43                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     101 Ru Ruthenium 44                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     103 Rh Rhodium 45                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     106 Pd Palladium 46                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     108 Ag Silver 47                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     112 Cd Cadmium 48                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     115 In Indium 49                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     119 Sn Tin 50                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     122 Sb Antimony 51                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     128 Te Tellurium 52                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     127 I Iodine 53                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     131 Xe Xenon 54                 </div>																	
6	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     133 Cs Caesium 55                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     137 Ba Barium 56                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     139 La Lanthanum 57                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     179 Hf Hafnium 72                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     181 Ta Tantalum 73                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     184 W Tungsten 74                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     186 Re Rhenium 75                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     190 Os Osmium 76                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     192 Ir Iridium 77                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     195 Pt Platinum 78                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     197 Au Gold 79                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     201 Hg Mercury 80                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     204 Tl Thallium 81                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     207 Pb Lead 82                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     209 Bi Bismuth 83                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     210 Po Polonium 84                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     210 At Astatine 85                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     222 Rn Radon 86                 </div>																	
7	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     223 Fr Francium 87                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     226 Ra Radium 88                 </div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">                     227 Ac Actinium 89                 </div>																																

Key

Relative atomic mass
Symbol
Name
Atomic number





N 3 6 8 5 2 A 0 2 2 0

**BLANK PAGE**



**SECTION A**

1. Lithium and potassium are both reactive metals.  
 A small piece of each metal is added to separate troughs of water.  
 The metals react with water as shown in these equations:



- (a) (i) State one observation that would be the same during both reactions.

.....  
 .....  
 (1)

- (ii) State one observation that could be made during the reaction between potassium and water, but not during the reaction between lithium and water.

.....  
 .....  
 (1)

- (b) (i) What is the **name** of compound A?

.....  
 (1)

- (ii) What is the **formula** of compound B?

.....  
 (1)

- (c) Identify gas X and describe a test, and the result, for this gas.

Identity of X .....

Test .....

.....  
 (2)





<p>(d) (i) State the colour of universal indicator in a solution of compound <b>B</b>. Which ion causes universal indicator to turn this colour?</p> <p>Colour of universal indicator .....</p> <p>Ion .....</p> <p style="text-align: right;"><b>(2)</b></p> <p>(ii) What colour does compound <b>B</b> give in a flame test?</p> <p>.....</p> <p style="text-align: right;"><b>(1)</b></p> <p style="text-align: right;"><b>(Total 9 marks)</b></p>	Leave blank
	Q1 <input type="text"/>



N 3 6 8 5 2 A 0 5 2 0



2. Crude oil is a mixture of many different compounds.

(a) During industrial refining, crude oil is first separated into fractions.

(i) What is the name of the process used to obtain fractions from crude oil?

..... (1)

(ii) Describe how the fractions are obtained.

.....  
.....  
.....  
.....  
.....  
..... (4)

(b) Four of the fractions obtained from crude oil are:

- bitumen
- diesel
- gasoline
- kerosene

(i) Which of these four fractions is used in making roads?

..... (1)

(ii) Name one other fraction obtained from crude oil.

..... (1)



Leave  
blank

(c) Octane is a hydrocarbon in the gasoline fraction.

Write the names of the substances in the word equation for the complete combustion of octane.

octane + ..... → ..... + ..... (3)

(d) Octane belongs to a homologous series called the alkanes.  
What is the general formula of the alkanes?

..... (1)

Q2

(Total 11 marks)

7

Turn over



3. The reaction between magnesium and chlorine forms the ionic compound magnesium chloride,  $\text{MgCl}_2$ .

(a) State the electronic configurations of magnesium and chlorine atoms.

Magnesium .....

Chlorine .....

(2)

(b) By reference to electrons, describe how magnesium and chlorine atoms form magnesium chloride.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

(3)

(c) Oxidation occurs in this reaction.

Identify the substance that is oxidised in the reaction, giving a reason for your choice.

Substance oxidised .....

Reason .....

.....

(2)





(d) Explain why magnesium chloride has a high melting point.

.....

.....

.....

.....

(3)

(Total 10 marks)

Leave  
blank

Q3

**TOTAL FOR SECTION A: 30 MARKS**



**SECTION B**

4. (a) What is meant by the term **atomic number**?

.....  
 .....  
 (1)

(b) (i) What name is given to two atoms of the same element that contain different numbers of neutrons?

.....  
 (1)

(ii) Complete the table about two atoms of argon.

Number of protons in an atom	Number of electrons in an atom	Number of neutrons in an atom	Mass number
18	18	20	
			40

(4)

(iii) Explain why argon is chemically unreactive.

.....  
 .....  
 .....  
 (1)



(c) In a sample of copper, 69.1% of the atoms have a mass number of 63 and the remainder have a mass number of 65.  
Use this information to calculate the relative atomic mass of copper. Give your answer to 3 significant figures.

Leave  
blank

(3)


Q4

(Total 10 marks)

--	--



5. Magnesium carbonate undergoes thermal decomposition in a similar way to calcium carbonate.



(a) Write a chemical equation for the thermal decomposition of magnesium carbonate.

..... (2)

(b) Magnesium carbonate can be made as a precipitate by reacting together solutions of two soluble salts.

(i) Name two suitable soluble salts.

.....  
..... (2)

(ii) Describe how you would obtain a pure, dry, sample of the magnesium carbonate formed in this reaction.


.....  
.....  
.....  
.....  
.....  
..... (3)

(Total 7 marks)


Q5



6. **A** and **B** are two hydrocarbons with the molecular formula  $C_4H_8$ .  
Their structures are:



**A**



**B**

- (a) Describe a chemical test to distinguish between hydrocarbons **A** and **B**.  
Give the result you would expect for each hydrocarbon.


Test .....

Result with **A** .....

Result with **B** .....

(3)

- (b) Hydrocarbon **C** belongs to the same homologous series as **B**. It has the structure:



**C**

**C** forms an addition polymer. Draw the repeat unit of this polymer.

(2)

- (c) Give the name of the addition polymer formed by **C**.

.....

(1)

Q6

(Total 6 marks)



7. The table gives some information about two metals and their compounds.

Substance	Colour of solid	Solubility in water	Colour of solution
copper	brown	insoluble	not applicable
copper(II) sulphate	blue	soluble	blue
zinc	grey	insoluble	not applicable
zinc sulphate	white	soluble	colourless

(a) When zinc is added to copper(II) sulphate solution a displacement reaction takes place.

(i) Write a chemical equation for the displacement reaction.

.....  
 ..... (2)

(ii) What does this reaction suggest about the reactivity of copper compared to zinc?

.....  
 ..... (1)

(iii) Use the information in the table to describe what you would expect to see during the reaction.

.....  
 .....  
 .....  
 ..... (2)



Leave  
blank

(b) Iron rusts when exposed to air and water.

Ships are often prevented from rusting by attaching zinc blocks to their hulls.

(i) Give the name of this method of preventing rusting.

.....  
(1)

(ii) Explain how the zinc blocks prevent rusting.

.....  
.....  
.....  
(2)

(iii) Suggest why attaching copper blocks to the hulls of ships would not prevent them from rusting.

.....  
.....  
(1)

**(Total 9 marks)**

Q7

15

Turn over



Leave blank

8. Phosphorus(V) chloride,  $\text{PCl}_5$ , reacts with water to form hydrogen chloride gas and phosphoric acid,  $\text{H}_3\text{PO}_4$ .

(a) Write the chemical equation for this reaction.

.....  
.....

(2)

(b) State and explain the colour change seen when hydrogen chloride gas is bubbled into water containing universal indicator.

.....  
.....  
.....  
.....

(3)

(c) A hydrogen chloride molecule contains a covalent bond.

Draw a dot and cross diagram to show the electrons in this molecule.  
Show only the outer electrons of each atom.

(2)

(d) Hydrogen chloride is a gas at room temperature.

Explain why hydrogen chloride has a low boiling point.

.....  
.....  
.....

(2)

Q8

(Total 9 marks)






**BLANK PAGE**



9. Magnesium is reacted with excess dilute hydrochloric acid using the apparatus shown.



(a) Write a chemical equation for the reaction between magnesium and dilute hydrochloric acid.

.....  
.....

(2)

(b) During the reaction the temperature of the dilute hydrochloric acid increases. State and explain how this would change the rate of the reaction.


.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

(4)



Leave blank

(c) The experiment was repeated using a water bath to keep the temperature of the acid constant. The graph shows the volume of gas collected at different times during the experiment.



(i) What happens to the rate of reaction between 10 and 30 seconds?

..... (1)

(ii) Explain why the rate of reaction changes in this way.

.....  
.....  
..... (2)

(iii) The experiment was repeated using excess hydrochloric acid of double the original concentration. All other variables were kept constant. Sketch on the axes above the results you would expect to obtain.

(2)

(Total 11 marks)

Q9

--	--



Leave blank

10. (a) Copper(II) carbonate reacts with dilute hydrochloric acid.  
The equation for the reaction is



An excess of copper(II) carbonate was added to a solution containing 0.200 mol of hydrochloric acid.

- (i) Calculate the amount, in moles, of copper(II) carbonate that will react with 0.200 mol of hydrochloric acid.

(1)

- (ii) Calculate the mass, in grams, of this amount of copper(II) carbonate.

(2)

- (iii) Calculate the volume of carbon dioxide gas at room temperature and atmospheric pressure that will be formed in this reaction.

(The volume of 1 mol of any gas at room temperature and atmospheric pressure is 24 dm<sup>3</sup>).

(2)

- (b) Describe what is seen when excess ammonia solution is added gradually to copper(II) chloride solution. Give the formula of the complex ion formed.

.....  
.....  
.....  
.....

(3)

Q10

(Total 8 marks)

**TOTAL FOR SECTION B: 60 MARKS**

**TOTAL FOR PAPER: 90 MARKS**

**END**

