Please check the examination details below before entering your candidate information		
Candidate surname		Other names
Pearson Edexcel International GCSE (9–1)	entre Number	Candidate Number
Monday 11 Jar	nuary	2021
Morning (Time: 2 hours)	Paper R	eference 4CH1/1CR 4SD0/1CR
Chemistry Unit: 4CH1 Science (Double Award) 4 Paper: 1CR	4SD0	
You must have: Calculator, ruler		Total Marks

### **Instructions**

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
  - there may be more space than you need.
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box  $\boxtimes$ . If you change your mind about an answer, put a line through the box  $\boxtimes$  and then mark your new answer with a cross  $\boxtimes$ .

### Information

- The total mark for this paper is 110.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

# **Advice**

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







# The Periodic Table of the Elements

0 <b>He</b> helium 2	20 <b>Ne</b> neon 10	40 <b>Ar</b> argon 18	84 <b>Kr</b> krypton 36	131 <b>Xe</b> xenon 54	[222] <b>Rn</b> radon 86	. fully
7	19 <b>F</b> fluorine 9	35.5 <b>CI</b> chlorine 17	80 <b>Br</b> bromine 35	127 	[210] <b>At</b> astatine 85	orted but not
O	16 <b>O</b> oxygen 8	32 <b>S</b> sulfur 16	79 <b>Se</b> selenium 34	128 <b>Te</b> tellurium 52	[209] <b>Po</b> polonium 84	ave been rep
5	14 <b>N</b> nitrogen 7	31 P phosphorus 15	75 <b>As</b> arsenic 33	122 <b>Sb</b> antimony 51	209 <b>Bi</b> bismuth 83	Elements with atomic numbers 112–116 have been reported but not fully authenticated
4	12 <b>C</b> carbon 6	28 <b>Si</b> silicon 14	73 <b>Ge</b> germanium 32	119 <b>Sn</b> tin 50	207 <b>Pb</b> lead 82	mic numbers
က	11 <b>B</b> boron 5	27 Al aluminium 13	70 <b>Ga</b> gallium 31	115 In indium 49	204 <b>TI</b> thallium 81	ents with ato
·			65 <b>Zn</b> zinc 30	112 <b>Cd</b> cadmium 48	201 <b>Hg</b> mercury 80	Elem
			63.5 <b>Cu</b> copper 29	108 <b>Ag</b> silver 47	197 <b>Au</b> gold 79	Rg roentgenium 111
			59 <b>Ni</b> nickel 28	106 <b>Pd</b> palladium 46	195 <b>Pt</b> platinum 78	[271] <b>Ds</b> damstadtium 110
			59 <b>Co</b> cobalt 27	103 <b>Rh</b> rhodium 45	192 <b>Ir</b> iridium 77	[268] <b>Mt</b> meitnerium 109
1 Hydrogen			56 <b>Fe</b> iron 26	101 <b>Ru</b> ruthenium 44	190 <b>0s</b> 0smium 76	[277] <b>Hs</b> hassium 108
			55 <b>Mn</b> manganese 25	[98] <b>Tc</b> technetium 43	186 <b>Re</b> rhenium 75	[264] <b>Bh</b> bohrium 107
	mass <b>ɔol</b> ıumber		52 <b>Cr</b> chromium 24	96 <b>Mo</b> molybdenum 42	184 <b>W</b> tungsten 74	[266] <b>Sg</b> seaborgium 106
Key	relative atomic mass atomic symbol name atomic (proton) number		51 <b>V</b> vanadium 23	93 <b>Nb</b> niobium 41	181 <b>Ta</b> tantalum 73	[262] <b>Db</b> dubnium 105
	relativ <b>atc</b> atomic		48 <b>Ti</b> titanium 22	91 <b>Zr</b> zirconium 40	178 <b>Hf</b> hafnium 72	[261] <b>Rf</b> rutherfordium 104
			45 Sc scandium 21	89 <b>Y</b> yttrium 39	139 <b>La*</b> lanthanum 57	[227] <b>Ac*</b> actinium 89
2	9 <b>Be</b> beryllium 4	24 <b>Mg</b> magnesium 12	40 <b>Ca</b> calcium 20	88 <b>Sr</b> strontium 38	137 <b>Ba</b> barium 56	[226] <b>Ra</b> radium 88
-	7 <b>Li</b> Ilthium 3	23 <b>Na</b> sodium 11	39 <b>K</b> potassium 19	85 <b>Rb</b> rubidium 37	133 <b>Cs</b> caesium 55	[223] <b>Fr</b> francium 87

<sup>\*</sup> The lanthanoids (atomic numbers 58–71) and the actinoids (atomic numbers 90–103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

# **Answer ALL questions.**

1 The box lists some substances.

air	bromine	carbon	copper	glucose
	nitrogen	oxygen	sulfur	water

Choose substances from the box to answer these questions.

Each substance may be used once, more than once or not at all.

(a) Name a metallic element.

(1)

(b) Name a compound.

(1)

(c) Name a mixture.

(1)

(d) Name an element that is a gas at room temperature.

(1)

(e) Name an element that forms a basic oxide.

(1)

(f) Name two elements that are in the same group of the Periodic Table.


(1)

(Total for Question 1 = 6 marks)



**2** A student does a chromatography experiment using ink 1, ink 2, and three known dyes A, B and C. The student uses water as the solvent.

The diagram shows the student's chromatogram.



(a) Deduce what conclusions can be made about the composition of ink 1.

(2)

(b) (i) Give one conclusion that can be made about ink 2.

(1)



	(ii) Suggest how the student could change the experiment to find the composition of ink 2.	(1)
(c)	Calculate the $R_{\rm f}$ value of dye C, giving your answer to 2 significant figures.	(3)

R<sub>f</sub> value = .....

(Total for Question 2 = 7 marks)

**3** Crude oil is a mixture of organic compounds.

Most of these compounds are members of the same homologous series.

(a) State the name of this homologous series.

(1)

- (b) An industrial process is used to separate crude oil into fractions.
  - (i) The process depends on a difference in a property of the fractions.

What is this property?

(1)

- A boiling point
- B density
- C melting point
- D solubility
- (ii) The boxes give some uses of fractions and some names of fractions.

Draw one straight line from each use to its correct fraction.

(3)

Use

Fraction

bitumen

fuel for aeroplanes

diesel

fuel for ships

fuel oil

surfacing roads

gasoline

kerosene



	Explain how the combustion of a common impurity in fuels may cause an	
	environmental problem.	
		(3)
(d)	Some of the fractions contain long-chain molecules which are not very useful.	
	(i) Give the name of the process used to convert long-chain molecules into more	
	useful shorter-chain molecules.	(4)
		(1)
	(ii) Give the catalyst and temperature used in the industrial process to convert	
	long-chain molecules into shorter-chain molecules.	(2)
		(-)
atalys	t	
mpei	rature	
	(iii) When $C_{13}H_{28}$ is used in this process, three different molecules are formed.	
	Complete the equation for this reaction.	
	Complete the equation for this reaction.	(2)
	$C_{13}H_{28} \rightarrow C_8H_{18} + \dots + \dots + \dots$	
	(Total for Question 3 = 13 ma	rke)




- 4 When iron is left in damp air, rust forms on its surface.
  - (a) (i) State the chemical name for rust.

(1)

(ii) Explain how a barrier method prevents rusting.

(2)


(b) A student uses this apparatus to find the approximate percentage by volume of oxygen in air.



This is the student's method.

- place a graduated glass tube in a beaker of water
- place some damp iron wool and a rubber bung in the top of the tube
- record the reading of the water level in the tube
- leave the apparatus for a few days
- record the reading of the water level again

The diagram shows the readings at the start and at the end of the experiment.



(i) Use the readings to complete the table, giving all values to the nearest 0.5 cm<sup>3</sup>.

reading at start in cm <sup>3</sup>	20.5
reading at end in cm <sup>3</sup>	
volume of oxygen used in cm <sup>3</sup>	

(ii) The student uses these results to calculate the percentage by volume of oxygen in air.

Suggest why her calculated value is lower than the expected value.

(1)



(c) The student repeats the experiment using the same apparatus.

These are her results for the second experiment.

volume of air in tube at start =  $80.0 \, \text{cm}^3$ 

reading at start = 20.0

reading at end = 35.5


Use the results to calculate the percentage by volume of oxygen in air.

(3)

(Total for Question 4 = 9 marks)



A student uses this apparatus to investigate the effect of heat on different solid metal carbonates.



This is the student's method.

- use a spatula to put some metal carbonate in the boiling tube
- fit the delivery tube into position
- pour some limewater into the test tube
- start a timer and immediately begin to heat the metal carbonate
- record the time when a change first occurs in the limewater

The student repeats the method using different metal carbonates.

When a metal carbonate is heated a reaction sometimes occurs.

The equation for the reaction is

metal carbonate  $\rightarrow$  metal oxide + carbon dioxide

(a) State the name given to this type of reaction.	(1)
(b) State two variables that the student should control in this investigation.	(2)
(c) Suggest why bubbles appear in the limewater immediately after heating has started but before there is any change to the metal carbonate.	(1)
(d) Explain the purpose of limewater in this investigation.	(2)

(Total for Question 5 = 12 marks)

(e) The table shows some of the results for the student's investigation.

Metal carbonate	Colour change of solid	Time taken for any change in limewater
calcium carbonate	remains white	90 seconds
sodium carbonate	remains white	no change
copper(II) carbonate		50 seconds

	(i)	State the colour change that occurs for copper(II) carbonate.	(2)
		fromto	
	(ii)	Give a chemical equation for this reaction of copper(II) carbonate.	(1)
(f)	(i)	There is a relationship between the position of a metal in the reactivity series and how easily the metal carbonate reacts when heated.	
		Use the student's results and your own knowledge to deduce this relationship.	(2)
	(ii)	State how you should extend the investigation to see if your deduction is corre	ct. (1)




- **6** Zinc reacts with dilute hydrochloric acid to form hydrogen.
  - (a) (i) Give a chemical equation for this reaction.

(2)

(ii) Give a test for hydrogen gas.

(1)

(b) A student investigates the reaction between pieces of zinc and dilute hydrochloric acid.
 In each experiment, he uses the same mass of zinc but a different volume of the acid.
 He collects the hydrogen and measures its volume in each experiment.
 The graph shows the student's results.



(i) Use the graph to find the minimum volume of acid needed to react with the zinc.	n all of (1)
(ii) The student repeats the investigation, using hydrochloric acid of double original concentration.	e the
Determine the volume of hydrogen that would be collected using 15 cm this acid.	n³ of
Show your working on the graph.	(2)
volume =	cm <sup>3</sup>
(c) Explain how increasing the concentration of the hydrochloric acid affects the of reaction.	e rate
	(3)



(d) The rate of reaction could also be affected by changing the temperature of the hydrochloric acid, or by using a catalyst.	
Explain one other way in which the rate of reaction between zinc and hydrochloric acid can be affected.	(3)
(Total for Question 6 = 12 r	marks)



(3)

7 The formation of ions and covalent bonds involves electrons.

The table gives the electronic configurations of atoms of hydrogen, lithium and chlorine.

Element	Electronic configuration of atom
hydrogen	1
lithium	2.1
chlorine	2.8.7

- (a) Describe the different roles of electrons in the formation of
  - ions in lithium chloride
  - covalent bonds in hydrogen chloride

 	 •••••	 	 						

b) Explain why lithium chloride has a higher melting point than hydroger	n chloride.					
Refer to structure and bonding in your answer.						
	(5)					
(Total for Occasion	on 7 – 9 marks)					
(Total for Question)	uii / = o iiiai ks)					

**8** (a) (i) Organic compounds can exist as isomers.

(2)

(ii) Organic compound Q reacts with bromine, without the presence of ultraviolet radiation, to form the compound C<sub>4</sub>H<sub>8</sub>Br<sub>2</sub>

Draw the displayed formulae of two isomers of Q.

(2)



(i) A student describes the molecule as an unsaturated hydrocarbon.

Explain whether this is a correct description.

(2)

(ii) Name the type of polymerisation that occurs in the formation of the polymer.

(1)

(iii) Complete the equation for the polymerisation reaction.

n 
$$C=C$$
  $\longrightarrow$  H  $COOCH_3$ 

(c) Octane is a compound in petrol.

The equation for the complete combustion of octane is

$$C_8 H_{18} \, + \, 12.5 \, O_2 \, \rightarrow \, 8 \, CO_2 \, + \, 9 \, H_2 O$$

(i) The fuel tank of a car contains 50.0 dm<sup>3</sup> of octane.

Calculate the mass, in kg, of carbon dioxide formed if all the octane in the fuel tank undergoes complete combustion.

[mass of  $1 \, dm^3$  of octane =  $700 \, g$ ]

(5)

(2)

(ii) State an environmental problem caused by carbon dioxide.

(1)


(Total for Question 8 = 15 marks)

9	Lithium, sodium and potassium are the first three elements in Group 1 of the Period  (a) Suggest why these three elements are all stored in paraffin oil.	ic Table.
	<ul><li>(b) Caesium, Cs, is below potassium in Group 1.</li><li>(i) Give a similarity and a difference between the reactions of potassium with w and caesium with water.</li></ul>	ater
sir	nilarity	(2)
dif	fference	
	(ii) Give the chemical equation for the reaction between caesium and water.	(2)



(c) A student investigates the temperature change in the reaction between dilute acids and solutions of Group 1 hydroxides.

He uses this apparatus.



This is the student's method.

- measure the temperature of 50 cm<sup>3</sup> of hydrochloric acid
- pour the acid into a polystyrene cup
- add 50 cm<sup>3</sup> of sodium hydroxide solution to the acid
- measure the maximum temperature of the mixture
- (i) Suggest what could be added to the apparatus to improve the experiment.

(1)

(ii) Explain a change to the method that would improve the accuracy of the experiment.

(2)



(d) These are the student's results.

temperature of hydrochloric acid = 19.9 °C maximum temperature of mixture = 26.5 °C

(i) Calculate the energy change, Q, in joules for this reaction.

[mass of  $1.0 \, \text{cm}^3$  of mixture =  $1.0 \, \text{g}$ ]

[for the mixture,  $c = 4.2 \text{ J/g/}^{\circ}\text{C}$ ]

(3)

(ii) In the student's reaction between hydrochloric acid and sodium hydroxide, 0.050 mol of water forms.

Calculate the molar enthalpy change,  $\Delta H$ , in kJ/mol for this reaction.

(2)

$$\Delta H = \dots kJ/mol$$

(Total for Question 9 = 13 marks)

10	Thi	s qı	uestion is about salts.								
	(a)	(a) Soluble salts can be prepared by the reaction between a metal oxide and an acid.									
	The equation for this type of reaction is										
	metal oxide + acid $\rightarrow$ salt + water										
		(i)	State the name given to this type of reaction.	(1)							
		(ii)	State, in terms of protons, what happens in this reaction.	(1)							
	(b)	(i)	A student is given 50 cm <sup>3</sup> of dilute sulfuric acid and a bottle of solid copper(II)	carbonate.							
			Describe the method that the student should use to prepare a saturated solution of copper(II) sulfate.								
			In your answer, refer to the pieces of apparatus that the student should use.	(5)							
	•••••										
	•••••										
	•••••										



(ii) The student produces dry crystals of hydrated copper(II) sulfate from the saturated solution.

He calculates that 6.40 g of dry crystals should be formed.

The mass of dry crystals he actually obtains is 1.80 g less than he calculated.

Calculate the student's percentage yield.

Give your answer to one decimal place.

(3)

percentage yield = ..... %



(c) (i) Gypsum is hydrated calcium sulfate.

A sample of gypsum contains 79% of calcium sulfate by mass.

Calculate the value of x in CaSO<sub>4</sub>.xH<sub>2</sub>O

$$[M_r \text{ of CaSO}_4 = 136 \qquad M_r \text{ of H}_2\text{O} = 18]$$

(3)

x =

(ii) Describe a test for calcium ions in the sample of gypsum.

(2)

(Total for Question 10 = 15 marks)

**TOTAL FOR PAPER = 110 MARKS** 



