



Mark Scheme (Results)

Summer 2024

Pearson Edexcel International Advanced
Subsidiary Level In Biology (WBI13)
Paper 01 Practical Skills in Biology I

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2024

Question Paper Log Number P75773A

Publications Code WBI13_01_2406_MS

All the material in this publication is copyright

© Pearson Education Ltd 2024

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question number	Answer	Additional guidance	Mark
1(a)	An explanation that includes two of the following points (in order): - because the surface area needs to be the same (1) - so they have the same {number / amount / substrate} of protein (molecules) (1) - to produce valid {(set of) data / results / experiment / test / comparisons} / for validity (1)	ACCEPT substrate / protein concentration Ignore reliable, accurate, precise, fair test	(2)

Question number	Answer	Additional guidance	Mark
1(b)(i)	water / same solvent (as used to dissolve the enzymes) / buffer	Accept boiled enzyme Denatured enzyme Ignore any qualification of water, e.g., salt water	(1)

Question number	Answer	Additional guidance	Mark
1(b)(ii)	so that any effect can be attributed to the enzymes (and not the solvent) / allows comparisons (1)	ACCEPT as a baseline ACCEPT reverse argument	(1)

Question number	Answer	Additional guidance	Mark
1(c)	(same) temperature and (same) {time / length / duration} (1)	DO NOT ACCEPT pH, size of pieces IGNORE volumes, concentration	(1)

Question number	Answer	Additional guidance	Mark
1(d)(i)	12.5 (cm³)	IGNORE other units than cm ³	(1)

Question number	Answer	Additional guidance	Mark
1(d)(ii)	A description that includes two of the following points: - both enzymes decrease the pH (more than in the control) / at higher concentration the decrease in pH is more than at lower concentration / decrease in pH in bromelain more (than in papain) (1) - bromelain is more effective at breaking down the protein (than papain) (1) - at the higher concentration both enzymes are more effective at breaking down the protein (than at lower concentration) (1)	ACCEPT lower pH {in bromelain than papain / at high concentration than at low concentration} ACCEPT there is a negative correlation between pH and enzyme concentration	(2)

Question number	Answer	Additional guidance	Mark
2(a)	0.989 / 0.99 / 1.0 / 1 (m)	ACCEPT 0.994	(1)

Question number	Answer	Additional guidance	Mark										
2(b)	<table><tr><th>Hazard</th><th>How to reduce the risk</th></tr><tr><td>(using / cutting oneself with) {knife / scissors / scalpel}</td><td>cut {away from fingers / hands / oneself / on a board or tile / wearing gloves} (1)</td></tr><tr><td>OR</td><td></td></tr><tr><td>(contact with / allergy to) fish (1)</td><td>wear {gloves / mask}</td></tr><tr><td>(use of / inhalation of / spilling of) formalin (1)</td><td>use in a well-ventilated room / use in a fume cupboard / wear gloves / wash hands / wear protective eye wear / wear mask (1)</td></tr></table>	Hazard	How to reduce the risk	(using / cutting oneself with) {knife / scissors / scalpel}	cut {away from fingers / hands / oneself / on a board or tile / wearing gloves} (1)	OR		(contact with / allergy to) fish (1)	wear {gloves / mask}	(use of / inhalation of / spilling of) formalin (1)	use in a well-ventilated room / use in a fume cupboard / wear gloves / wash hands / wear protective eye wear / wear mask (1)	ACCEPT preservative liquid for formalin	(4)
Hazard	How to reduce the risk												
(using / cutting oneself with) {knife / scissors / scalpel}	cut {away from fingers / hands / oneself / on a board or tile / wearing gloves} (1)												
OR													
(contact with / allergy to) fish (1)	wear {gloves / mask}												
(use of / inhalation of / spilling of) formalin (1)	use in a well-ventilated room / use in a fume cupboard / wear gloves / wash hands / wear protective eye wear / wear mask (1)												

Question number	Answer	Additional guidance	Mark
2(d)	An answer that includes 6 of the following points: • use minimum of five fish (1) • (of) different sizes (1) • measure the {length / mass / volume} of each fish (1) • measure the {length / mass/ volume} of each heart (1) • detail of fish standardisation of measurement (1) • detail of standardisation of heart {measurement / dissection} (1) • plot a graph of fish size vs heart size / calculate ratios (1) • carry out a (correctly named) correlation test / compare ratios (1)	ACCEPT more than one quoted size, minimum a big one and a small one ACCEPT diameter ACCEPT diameter e.g., between same points on each fish, preparation of fish prior to measurement (e.g., remove parasites) e.g., length from end of sinus venosus to start of bulbus arteriosus each time, preparation of heart prior to measurement (e.g. empty of blood, remove extraneous tissues)	(6)

Question number	Answer	Additional guidance	Mark
3(a)(i)	- percentage decrease of fruit coated with chitosan calculated (1) - difference calculated correctly and given to given to 2 significant figures (1)	34.69387755, or any correct rounding (34.6938776, 34.693878, 34.69388, 34.6939, 34.694, 34.69, 34.7) for the calculation ACCEPT 35 for one mark only e.g. $43.75 - 34.69 = 9.06$ $= 9.1$ to 2 sig figs Incorrect rounding at any intermediate stage can only have 1 mark.	(2)

Question number	Answer	Additional guidance	Mark
3(a)(ii)	An answer that includes the following points: • A-axes correct (x- time, y - Vit Conc,) (1) • L-both axes labelled with suitable title and units (x, Time / days, y, Vitamin C content of fruits coated with cinnamon oil / a.u. (1) • points plotted correctly on linear scale (1) • appropriate line of best fit (1)	Vitamin C, content, fruits, cinnamon oil / a.u. Time / days Vitamin C, content, fruits, cinnamon oil / a.u. Time / days	(4)

Question number	Answer	Additional guidance	Mark
3(a)(iii)	A description that includes the following points: • repeat {for all 3 groups / experiment} (1) • (calculate) mean and standard deviation (1) • plot (mean and) {standard deviation / error bars} (on a graph) (1)	IGNORE formula ACCEPT SD ACCEPT find ACCEPT range bars ACCEPT present in a table described e.g. with SD column	(3)

Question number	Answer	Additional guidance	Mark
3(a)(iv)	A description that includes three of the following points: • describe method to standardise coating method (1) • repeat the investigation under the same conditions as before (1) • use of DCPIP (1) • description of titration (1)	e.g. dip in it for standard time / do as done in original investigation / same concentrations as in original investigation ACCEPT e.g. temperature, length of time, 60 days, size of fruit, type of fruit IGNORE colour change e.g. titrate dropwise / using burette / pipette	(3)

Question number	Answer	Additional guidance	Mark
3(b)(i)	A description that includes the following points: • take readings at the (bottom of the) meniscus (1) • hold the pipette at eye level when taking the readings (1)	ACCEPT reverse argument ACCEPT avoid parallax error ACCEPT perpendicular	(2)

Question number	Answer	Additional guidance	Mark
3(b)(ii)	• 1×10^5 / 1.0×10^5	ACCEPT $1 \cdot 10^5$ $1.0 \cdot 10^5$	(1)

Question number	Answer	Additional guidance	Mark
3(b)(iii)	An explanation that includes two of the following points: • {aseptic technique / description of aseptic technique} to avoid contamination of {cultures with other bacteria / ourselves with bacteria (which could be pathogenic)} (1) • {leave the lid loose / only partially seal lid} (of Petri dish onto base) so that {conditions are aerobic / anaerobic bacteria (which could be pathogenic) do not grow} (1) • growing bacteria at temperatures {slightly below 37°C / no higher than 35°C / body temperature} to decrease growth of pathogenic bacteria (1)	ACCEPT harmful, disease causing for pathogenic IGNORE irritant, allergy IGNORE to kill microbes ACCEPT infection ACCEPT taped vertically ACCEPT forming pathogenic	(2)

Question number	Answer	Additional guidance	Mark
3(b)(iv)	An answer that includes the following points: • different types of agar used as bacteria and fungi have different nutritional requirements (1) • higher temperature for bacteria because the {enzymes / metabolism} of bacteria have a higher optimum (temperature than the enzymes of fungi) (1) • fungi cultured for longer as they have a slower {growth / reproductive} rate (than bacteria) (1)	ACCEPT food ACCEPT reverse argument ACCEPT enzyme / metabolism optima different ACCEPT reverse argument ACCEPT growth rates different ACCEPT fungi take more time to grow	(3)

Question number	Answer	Additional guidance	Mark
3(b)(v)	An answer that includes the following points: • uses {a range / more than one species} (of microorganism) / bacteria and fungi} so conclusion is (more) representative • uses only four microbes so conclusion is not representative (1) • no {data given for uncoated fruit / control} so do not know if either coating has an (antimicrobial) effect (1) • no {error bars / SDs / repeats} so cannot judge if the {differences are statistically significant / there is no measure of variability (1) • measures diameter, direct area measure would be better <i>because</i> zone not always circular (1) • no indication of concentration of coating substance so may not be {representative / optimal} (1)	ACCEPT the differences are small so cannot judge if the differences are statistically significant	(4)

