



Mark Scheme (Results)

October 2023

Pearson Edexcel International Advanced Level
In Biology (WBI16)

Paper 01

Unit 6: Practical Skills in Biology II

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

October 2023

Question Paper Log Number P75620A

Publications Code WBI16_01_MS_2310

All the material in this publication is copyright

© Pearson Education Ltd 2023

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Additional Guidance	Mark
-----------------	--------	---------------------	------

1a	<ul style="list-style-type: none"> 23 	Allow 23.0 Ignore % Mark only the first answer on the answer line Correct answer anywhere 1mk	1
----	--	--	---

Question Number	Answer	Additional Guidance	Mark
1b	A description that includes six of the following points: <ul style="list-style-type: none"> store fruits at same temperature (for both time intervals) (1) another stated variable about {storage / fruits} (1) {same / standardised} extraction method used (1) {stated / same} {volume / concentration} of DCPIP (1) titrate fruit juice against DCPIP and record volume (1) juice turns DCPIP from blue to {colourless/red/juice colour} (1) method of calculating Vit C content (1) 	Allow store juice Allow incubate eg same humidity /mass / volume / source / age Allow crush / blend / filter / pestle and mortar allow description of titration /adding DCPIP into fruit juice allow colourless to blue if DCPIP titrated into juice eg use of {standard / calibration} curve or $C_1 \times V_1 = C_2 \times V_2$ ignore compare to standard solution of Vit C	6

Question Number	Answer	Additional Guidance	Mark
1c	<p>A description that includes three of the following points:</p> <ul style="list-style-type: none"> • {polypeptide / amino acids} (1) • formed into an {alpha / triple} helix (1) • held together by H bonds (1) • the molecule is {fibrous / a straight chain} (1) • glycine is every 3rd amino acid (1) 	<p>Not beta pleated sheet</p> <p>Ignore other bonds</p> <p>Allow fibrils linear / unbranched</p>	3

Question Number	Answer	Additional Guidance	Mark
2a	<ul style="list-style-type: none"> • suitable risk identified (1) • reduction of risk identified to the volunteer (1) 	<p>Mark first risk identified</p> <p>e.g. risk of infection / carbon dioxide not absorbed/ CO₂ poisoning / breathing difficulties / named condition / {soda lime / carbon dioxide absorber} is irritant</p> <p>e.g. sterilise or replace mouthpiece (after each use) / replace carbon dioxide absorber / medical questionnaire / do not take part if at risk / wear gloves / goggles</p> <p>Ignore clean unqualified</p>	2

Question Number	Answer	Additional Guidance	Mark										
2b	<ul style="list-style-type: none"> answer in the correct range (1) use of appropriate units (1) 	<p>Range of 6.1 to 6.5 $\times 10^{-3}$ (if the units are $\text{dm}^3 \text{s}^{-1}$) Allow any number of decimal places Allow minus values</p> <table border="1" data-bbox="753 629 1257 943"> <thead> <tr> <th>Units</th> <th>Acceptable range</th> </tr> </thead> <tbody> <tr> <td>$\text{dm}^3 \text{s}^{-1}$</td> <td>$6.1 \times 10^{-3} - 6.5 \times 10^{-3}$</td> </tr> <tr> <td>$\text{dm}^3 \text{min}^{-1}$</td> <td>$3.7 \times 10^{-1} - 3.9 \times 10^{-1}$</td> </tr> <tr> <td>$\text{cm}^3 \text{s}^{-1}$</td> <td>6.1 – 6.5</td> </tr> <tr> <td>$\text{cm}^3 \text{min}^{-1}$</td> <td>366 - 390</td> </tr> </tbody> </table> <p>Not dm^3/s or dm^3/min</p> <p>Allow per second or per minute</p> <p>Allow</p> <p>$\text{m}^3 \text{s}^{-1}$ acceptable range is 6.1 to 6.5 $\times 10^{-6}$</p> <p>$\text{m}^3 \text{min}^{-1}$ acceptable range is 3.7 to 3.9 $\times 10^{-4}$</p>	Units	Acceptable range	$\text{dm}^3 \text{s}^{-1}$	$6.1 \times 10^{-3} - 6.5 \times 10^{-3}$	$\text{dm}^3 \text{min}^{-1}$	$3.7 \times 10^{-1} - 3.9 \times 10^{-1}$	$\text{cm}^3 \text{s}^{-1}$	6.1 – 6.5	$\text{cm}^3 \text{min}^{-1}$	366 - 390	2
Units	Acceptable range												
$\text{dm}^3 \text{s}^{-1}$	$6.1 \times 10^{-3} - 6.5 \times 10^{-3}$												
$\text{dm}^3 \text{min}^{-1}$	$3.7 \times 10^{-1} - 3.9 \times 10^{-1}$												
$\text{cm}^3 \text{s}^{-1}$	6.1 – 6.5												
$\text{cm}^3 \text{min}^{-1}$	366 - 390												

Question Number	Answer	Additional Guidance	Mark
2ci	An answer that includes two of the following points biotic <ul style="list-style-type: none"> • age (1) • {BM1 / mass / height} (1) • medical history (1) • sex (1) • {lung capacity / named example of lifestyle factor affecting this} (1) 	List rule applies Allow weight for mass obesity eg. asthma, cystic fibrosis, heart disease Allow gender eg smoking, exercise, playing wind instrument etc	2

Question Number	Answer	Additional Guidance	Mark
2cii	<ul style="list-style-type: none"> • description of an appropriate method of control (1) 	ECF for inappropriate variable chosen	1

Question Number	Answer	Additional Guidance	Mark
2d	An answer that includes the following points <ul style="list-style-type: none"> • chemoreceptors detect (change of) {pH / carbon dioxide concentration/level} (in blood) (1) • (nerve) impulses sent to {intercostal muscles / diaphragm} (1) • rate of breathing increases with {increased CO₂ / lower pH} (1) 	Allow converse statement	3

Question Number	Answer	Additional Guidance	Mark
3a	<ul style="list-style-type: none"> There is no (significant) difference between the (mean) mass of leaves eaten of variety A and variety B 	Candidates can express this in different ways	1

3b	<ul style="list-style-type: none"> suitable table format with correct column headings and units (1) all data correctly entered (1) means correctly calculated (1) 	<table border="1"> <thead> <tr> <th colspan="2">Mass of leaves eaten (in 24 hours) / g</th> </tr> <tr> <th>(variety) A</th> <th>(variety) B</th> </tr> </thead> <tbody> <tr> <td>17.3</td> <td>17.8</td> </tr> <tr> <td>17.2</td> <td>17.9</td> </tr> <tr> <td>17.5</td> <td>17.7</td> </tr> <tr> <td>17.0</td> <td>17.6</td> </tr> <tr> <td>16.7</td> <td>17.8</td> </tr> <tr> <td>16.9</td> <td>17.4</td> </tr> <tr> <td>Mean 17.1</td> <td>Mean 17.7</td> </tr> </tbody> </table>	Mass of leaves eaten (in 24 hours) / g		(variety) A	(variety) B	17.3	17.8	17.2	17.9	17.5	17.7	17.0	17.6	16.7	17.8	16.9	17.4	Mean 17.1	Mean 17.7	3
		Mass of leaves eaten (in 24 hours) / g																			
		(variety) A	(variety) B																		
		17.3	17.8																		
		17.2	17.9																		
		17.5	17.7																		
		17.0	17.6																		
		16.7	17.8																		
		16.9	17.4																		
Mean 17.1	Mean 17.7																				

Question Number	Answer	Additional Guidance	Mark
3c	<ul style="list-style-type: none"> bar graph with linear scale and axes labelled, with units (1) means plotted correctly (1) range bars plotted correctly (1) 	<p>Mean mass of leaves (eaten) /g A B</p> <p>ALLOW ECF from 3bi for plotting incorrect means</p> <p>16.7 to 17.5 17.4 to 17.9</p>	3

Question Number	Answer	Additional Guidance	Mark
3di	<ul style="list-style-type: none"> correct substitution of given $(S_A)^2$ and $(S_B)^2$ (1) correct answer (1) 	<p>0.084 and 0.032</p> <p>$t = 4.3 / 4.32 / 4.315 / 4.3152$</p> <p>Correct answer gains 2 marks Ignore minus signs Allow ECF using incorrect means</p> <p>Denominator is 0.139</p>	2

Question Number	Answer	Additional Guidance	Mark
3d ii	<ul style="list-style-type: none"> the calculated value of t (4.3152) is more than the critical value 2.23 (1) therefore reject the null hypothesis, so there is a difference in the mass (of leaves) eaten between variety A and variety B (1) 	<p>Do not allow -ve values $t < \text{critical value}$ if t value not given Ignore $p = 0.01$</p> <p>Allow ECF for MP2</p>	2

Question Number	Answer	Additional Guidance	Mark
3e	<p>An answer that includes two of the following points:</p> <ul style="list-style-type: none"> use different temperatures (1) use different {species / ages / stages of locust} (1) leave for longer than 24 hrs (1) use both varieties at once so locust can select diet (1) 	<p>Ignore repeat the expt / use more locusts</p> <p>Allow different humidities</p> <p>Ignore types</p>	2

Question Number	Answer	Additional Guidance	Mark
3f	<p>An answer that includes one of the following points:</p> <ul style="list-style-type: none"> • locusts {eat more at higher temperatures / have a faster metabolism / respire faster so they grow faster} (1) • {locusts complete their life cycle faster / more locusts produced} (1) 	<p>Allow environmental answers e.g. increase in drought / temperature too hot for plant growth / more extreme weather such as severe storms</p>	1

(Total for question 3 = 14 marks)

Question Number	Answer	Additional Guidance	Mark
4a	<p>A description that includes two of the following points:</p> <ul style="list-style-type: none"> • find a suitable {mass / length} of plant to use (1) • find a suitable method to change light intensity (1) • find a suitable {temperature / time} to collect {gas / O₂} (1) • find suitable {method / apparatus} to measure volume of {gas / O₂} (1) 	<p>A method to provide quantitative results</p> <p>Collection of gas / O₂ needs only be mentioned only once</p> <p>Allow suitable range of light intensities Ignore wavelength</p> <p>Allow optimum temperature</p> <p>Ignore number of bubbles rate of photosyn</p>	2

Question Number	Answer	Additional Guidance	Mark
4b	<p>An answer that includes nine of the following points:</p> <ul style="list-style-type: none"> • clear statement of the dependent variable e.g. the volume of {gas / O₂} released (1) • description of method of measuring volume of gas (1) • method of standardising plants (1) • method of producing two different light intensities (1) • use of (sodium) hydrogencarbonate (1) • allow plant time to acclimatise (1) • {standardised / stated} time for gas collection (1) • one variable that need to be controlled and its method of control (1) • {repeats / repeat the whole experiment} to give mean and SD (1) • method of calculation of rate (1) 	<p>ALLOW different valid methods.</p> <p>Do not allow carbon dioxide Ignore reference to time</p> <p>Allow (labelled) diagram / photosynthometer</p> <p>Allow length / mass / preconditioning Ignore age / species / size</p> <p>eg moving lamp / wattage of bulb / darkened room and light room</p> <p>Allow 5 mins to 24 hrs</p> <p>eg temperature – TC waterbath / heatshield / LED bulb Ignore AC room wavelength of light – filter / bulb pH – buffer</p> <p>eg $\frac{\text{volume}}{\text{time}} / \frac{\pi r^2 d}{t}$ / gradient of graph</p>	9

Question Number	Answer	Additional Guidance	Mark
4c	<p>An answer that includes the following points:</p> <ul style="list-style-type: none"> • table for raw data with headings and units, with means calculated from repeats (1) <p>AND</p> <ul style="list-style-type: none"> • bar graph format with labelled axes (1) • use of a t test for difference (with a bar graph showing only two different light intensities) <p>OR</p> <ul style="list-style-type: none"> • {line / scatter} graph format with labelled axes (1) • use of a correlation test difference (with a line graph showing more than two different light intensities) 	<p>Allow a description of how to calculate mean in text or as part of an axis label</p> <p>Allow other valid tests</p> <p>Allow named test e.g. Spearmans Rank</p>	3

Question Number	Answer	Additional Guidance	Mark
4d	<p>An answer that includes two of the following points:</p> <ul style="list-style-type: none"> • difficult to measure (small) {volumes / distances} of {gas / O₂} (with precision) (1) • difficult to control temperature (1) • difficult to control surface area of leaves (1) • idea that actual growing conditions in the river change during the day so the results may not be a fair representation (1) 	<p>Allow {some O₂ dissolved / some O₂ used in respiration / some gas may be CO₂}</p> <p>Ignore bubbles / escape of gas / errors in measuring</p> <p>Allow example of change</p>	2

Total for question 4 = 16

