

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

**Pearson Edexcel International Advanced Level**

**Friday 12 January 2024**

Afternoon (Time: 2 hours)

Paper  
reference

**WPS02/01**

**Psychology**

**International Advanced Subsidiary**

**UNIT 2: Biological Psychology, Learning Theories and  
Development**

**You do not need any other materials.**

Total Marks

### Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided  
– *there may be more space than you need.*

### Information

- The total mark for this paper is 96.
- The marks for **each** question are shown in brackets  
– *use this as a guide as to how much time to spend on each question.*
- The list of formulae and statistical tables are printed at the start of this paper.
- Candidates may use a calculator.

### Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P72147RA

©2024 Pearson Education Ltd.  
S:1/1/1/1



P 7 2 1 4 7 R A 0 1 3 6



Pearson

## FORMULAE AND STATISTICAL TABLES

### Standard deviation (sample estimate)

$$\sqrt{\left(\frac{\sum(x-\bar{x})^2}{n-1}\right)}$$

### Spearman's rank correlation coefficient

$$1 - \frac{6\sum d^2}{n(n^2-1)}$$

### Critical values for Spearman's rank

N	Level of significance for a one-tailed test				
	0.05	0.025	0.01	0.005	0.0025
N	Level of significance for a two-tailed test				
	0.10	0.05	0.025	0.01	0.005
5	0.900	1.000	1.000	1.000	1.000
6	0.829	0.886	0.943	1.000	1.000
7	0.714	0.786	0.893	0.929	0.964
8	0.643	0.738	0.833	0.881	0.905
9	0.600	0.700	0.783	0.833	0.867
10	0.564	0.648	0.745	0.794	0.830
11	0.536	0.618	0.709	0.755	0.800
12	0.503	0.587	0.678	0.727	0.769
13	0.484	0.560	0.648	0.703	0.747
14	0.464	0.538	0.626	0.679	0.723
15	0.446	0.521	0.604	0.654	0.700
16	0.429	0.503	0.582	0.635	0.679
17	0.414	0.485	0.566	0.615	0.662
18	0.401	0.472	0.550	0.600	0.643
19	0.391	0.460	0.535	0.584	0.628
20	0.380	0.447	0.520	0.570	0.612
21	0.370	0.435	0.508	0.556	0.599
22	0.361	0.425	0.496	0.544	0.586
23	0.353	0.415	0.486	0.532	0.573
24	0.344	0.406	0.476	0.521	0.562
25	0.337	0.398	0.466	0.511	0.551
26	0.331	0.390	0.457	0.501	0.541
27	0.324	0.382	0.448	0.491	0.531
28	0.317	0.375	0.440	0.483	0.522
29	0.312	0.368	0.433	0.475	0.513
30	0.306	0.362	0.425	0.467	0.504

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



**Chi-squared distribution formula**

$$X^2 = \sum \frac{(O-E)^2}{E} \quad df = (r-1)(c-1)$$

**Critical values for chi-squared distribution**

df	Level of significance for a one-tailed test					
	0.10	0.05	0.025	0.01	0.005	0.0005
df	Level of significance for a two-tailed test					
	0.20	0.10	0.05	0.025	0.01	0.001
1	1.64	2.71	3.84	5.02	6.64	10.83
2	3.22	4.61	5.99	7.38	9.21	13.82
3	4.64	6.25	7.82	9.35	11.35	16.27
4	5.99	7.78	9.49	11.14	13.28	18.47
5	7.29	9.24	11.07	12.83	15.09	20.52
6	8.56	10.65	12.59	14.45	16.81	22.46
7	9.80	12.02	14.07	16.01	18.48	24.32
8	11.03	13.36	15.51	17.54	20.09	26.12
9	12.24	14.68	16.92	19.02	21.67	27.88
10	13.44	15.99	18.31	20.48	23.21	29.59
11	14.63	17.28	19.68	21.92	24.73	31.26
12	15.81	18.55	21.03	23.34	26.22	32.91
13	16.99	19.81	22.36	24.74	27.69	34.53
14	18.15	21.06	23.69	26.12	29.14	36.12
15	19.31	22.31	25.00	27.49	30.58	37.70
16	20.47	23.54	26.30	28.85	32.00	39.25
17	21.62	24.77	27.59	30.19	33.41	40.79
18	22.76	25.99	28.87	31.53	34.81	42.31
19	23.90	27.20	30.14	32.85	36.19	43.82
20	25.04	28.41	31.41	34.17	37.57	45.32
21	26.17	29.62	32.67	35.48	38.93	46.80
22	27.30	30.81	33.92	36.78	40.29	48.27
23	28.43	32.01	35.17	38.08	41.64	49.73
24	29.55	33.20	36.42	39.36	42.98	51.18
25	30.68	34.38	37.65	40.65	44.31	52.62
26	31.80	35.56	38.89	41.92	45.64	54.05
27	32.91	36.74	40.11	43.20	46.96	55.48
28	34.03	37.92	41.34	44.46	48.28	56.89
29	35.14	39.09	42.56	45.72	49.59	58.30
30	36.25	40.26	43.77	46.98	50.89	59.70
40	47.27	51.81	55.76	59.34	63.69	73.40
50	58.16	63.17	67.51	71.42	76.15	86.66
60	68.97	74.40	79.08	83.30	88.38	99.61
70	79.72	85.53	90.53	95.02	100.43	112.32

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



### Wilcoxon Signed Ranks test process

- Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

### Critical values for the Wilcoxon Signed Ranks test

<i>n</i>	Level of significance for a one-tailed test		
	0.05	0.025	0.01
	Level of significance for a two-tailed test		
	0.1	0.05	0.02
N=5	0	–	–
6	2	0	–
7	3	2	0
8	5	3	1
9	8	5	3
10	11	8	5
11	13	10	7
12	17	13	9

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**SECTION A**

**Biological Psychology**

**Answer ALL questions in this section. Write your answers in the spaces provided.**

**1** In your studies of biological psychology, you will have learned about the classic study by Raine et al. (1997).

(a) State **one** conclusion of Raine et al. (1997).

(1)

.....

.....

.....

(b) Explain **one** weakness of Raine et al. (1997) in terms of generalisability.

(2)

.....

.....

.....

.....

.....

.....

.....

**(Total for Question 1 = 3 marks)**

---



P 7 2 1 4 7 R A 0 5 3 6

2 Sienna conducted an investigation to see if changing the time that mice were exposed to bright light altered their sleeping pattern. She used two separate groups of mice and recorded when they slept during the investigation.

- Condition A: The mice were exposed to bright light between the hours of 7am and 7pm.
- Condition B: The mice were exposed to bright light between the hours of 7pm and 7am.

When the mice were not exposed to bright light, the mice were kept in dark conditions.

Sienna recorded how many mice slept between the hours of 7am and 7pm, and how many mice slept between the hours of 7pm and 7am.

(a) Identify the independent variable (IV) in Sienna's investigation.

(1)

Sienna recorded whether the mice slept between 7am to 7pm or between 7pm to 7am.

Her results are shown in **Table 1**.

	Number of mice	Number of mice
	Slept between 7am and 7pm	Slept between 7pm and 7am
Condition A: Exposed to bright light between 7am and 7pm	24	1
Condition B: Exposed to bright light between 7pm and 7am	5	20


**Table 1**



(b) Draw a suitable graph for the sleeping patterns of the mice who were exposed to bright light between 7am and 7pm as shown in **Table 1**.

(3)

Title



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) Explain **one** conclusion that can be made from the data in **Table 1**.

(2)

.....

.....

.....

.....

.....

.....

(d) Explain **one** reason why Sienna used mice instead of humans as participants in her investigation.

(2)

.....

.....

.....

.....

.....

.....

**(Total for Question 2 = 8 marks)**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

3 (a) Describe the role of hormones in aggression.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



(b) Explain **one** strength and **one** weakness of the role of hormones as an explanation of aggression.

(4)

Strength

.....

.....

.....

.....

.....

.....

Weakness

.....

.....

.....

.....

.....

.....

**(Total for Question 3 = 7 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) Explain **one** weakness of light therapy as a treatment for seasonal affective disorder.

(2)

.....

.....

.....

.....

.....

.....

(c) Explain **one** reason why light therapy may be more effective than one other therapy for treating seasonal affective disorder.

(2)

.....

.....

.....

.....

.....

.....

**(Total for Question 4 = 8 marks)**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

5 Assess how well brain functioning can explain aggression as a human behaviour.

(8)

Area with horizontal dotted lines for writing.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 5 = 8 marks)

**TOTAL FOR SECTION A = 34 MARKS**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**SECTION B**

**Learning Theories and Development**

**Answer ALL questions in this section. Write your answers in the spaces provided.**

**6** In your studies of learning theories and development you will have learned about classical conditioning.

(a) Define, using an example, what is meant by the term 'unconditioned stimulus (UCS)' as used in classical conditioning.

(2)

.....

.....

.....

.....

.....

.....

(b) Define, using an example, what is meant by the term 'conditioned stimulus (CS)' as used in classical conditioning.

(2)

.....

.....

.....

.....

.....

.....



(c) Explain **one** strength of classical conditioning.

(2)

.....

.....

.....

.....

.....

.....

.....

**(Total for Question 6 = 6 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



7 Reece conducted an observation to investigate the effect of rewards on the behaviour of boys and girls. He went to a local school that used a points system to reward children who did as the teacher requested. Reece used a random sampling technique to select his sample of boys and girls from the local school.

He split the boys and girls into two conditions:

- Condition A: Those who only got 1 point or less during the day.
- Condition B: Those who got 5 or more points during the day.

Reece observed the children during one day using an overt observation. He noted down how many points the boys and girls received.

(a) Describe how Reece could have used a random sampling technique to gather his participants for his investigation.

(2)

.....

.....

.....

.....

.....

.....



Reece analysed his data using chi-squared.

- (b) (i) Calculate the chi-squared for the data gathered by Reece by completing **Table 2**.

Your answers should all be correct to **one** decimal place.

(4)

		Observed	Expected	O-E	(O-E) <sup>2</sup>	(O-E) <sup>2</sup> /E
<b>Condition A: 1 point or less during the day</b>	Boys	3	6			
	Girls	8	5			
<b>Condition B: 5 points or more during the day</b>	Boys	9	6			
	Girls	2	5			
				<b>Chi-squared =</b>		

**Table 2**

**Space for calculations**



(ii) Determine, using your answer for 7(b)(i), whether Reece's results are significant at  $p \leq 0.05$  for a one-tailed test where  $df=1$ .

(2)

.....

.....

.....

.....

.....

.....

(c) Explain **two** improvements Reece could make to his observation.

(4)

1 .....

.....

.....

.....

.....

.....

.....

.....

2 .....

.....

.....

.....

.....

.....

.....

.....

**(Total for Question 7 = 12 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



8 In your studies of learning theories and development you will have learned about Freud's psychosexual stages of development.

(a) Name **two** of Freud's psychosexual stages of development.

(2)

1 .....

2 .....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) Explain **one** weakness of Freud's psychosexual stages of development as an explanation of Patti's behaviour.

(2)

.....

.....

.....

.....

.....

.....

.....

**(Total for Question 8 = 8 marks)**





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 24 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 18 horizontal dotted lines.

**(Total for Question 9 = 8 marks)**

**TOTAL FOR SECTION B = 34 MARKS**





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 15 horizontal dotted lines.

**(Total for Question 10 = 12 marks)**

Large blank area for writing the answer to Question 10.





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.

**(Total for Question 11 = 16 marks)**

**TOTAL FOR SECTION C = 28 MARKS**  
**TOTAL FOR PAPER = 96 MARKS**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**

