

Please check the examination details below before entering your candidate information

Candidate surname		Other names	
Centre Number		Candidate Number	
Pearson Edexcel International GCSE (9–1)		<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	
Time 2 hours		<div> <div>Paper reference</div> <div>4CH1/1C 4SD0/1C</div> </div>	
<div> <div> Chemistry Science (Double Award) 4SD0 PAPER 1C </div> <div>▲ ▲</div> </div>			
You must have: Calculator, ruler			Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

Information

- The total mark for this paper is 110.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.
- Good luck with your examination.

Turn over ►

The Periodic Table of the Elements

1	2											3	4	5	6	7	0																		
																	1 H hydrogen 1					4 He helium 2													
																	Key																		
																	relative atomic mass atomic symbol name atomic (proton) number																		
7 Li lithium 3		9 Be beryllium 4												11 B boron 5		12 C carbon 6		14 N nitrogen 7		16 O oxygen 8		19 F fluorine 9		20 Ne neon 10											
23 Na sodium 11		24 Mg magnesium 12												27 Al aluminium 13		28 Si silicon 14		31 P phosphorus 15		32 S sulfur 16		35.5 Cl chlorine 17		40 Ar argon 18											
39 K potassium 19		40 Ca calcium 20		45 Sc scandium 21		48 Ti titanium 22		51 V vanadium 23		52 Cr chromium 24		55 Mn manganese 25		56 Fe iron 26		59 Co cobalt 27		59 Ni nickel 28		63.5 Cu copper 29		65 Zn zinc 30		70 Ga gallium 31		73 Ge germanium 32		75 As arsenic 33		79 Se selenium 34		80 Br bromine 35		84 Kr krypton 36	
85 Rb rubidium 37		88 Sr strontium 38		89 Y yttrium 39		91 Zr zirconium 40		93 Nb niobium 41		96 Mo molybdenum 42		[98] Tc technetium 43		101 Ru ruthenium 44		103 Rh rhodium 45		106 Pd palladium 46		108 Ag silver 47		112 Cd cadmium 48		115 In indium 49		119 Sn tin 50		122 Sb antimony 51		128 Te tellurium 52		127 I iodine 53		131 Xe xenon 54	
133 Cs caesium 55		137 Ba barium 56		139 La* lanthanum 57		178 Hf hafnium 72		181 Ta tantalum 73		184 W tungsten 74		186 Re rhenium 75		190 Os osmium 76		192 Ir iridium 77		195 Pt platinum 78		197 Au gold 79		201 Hg mercury 80		204 Tl thallium 81		207 Pb lead 82		209 Bi bismuth 83		[209] Po polonium 84		[210] At astatine 85		[222] Rn radon 86	
[223] Fr francium 87		[226] Ra radium 88		[227] Ac* actinium 89		[261] Rf rutherfordium 104		[262] Db dubnium 105		[266] Sg seaborgium 106		[264] Bh bohrium 107		[277] Hs hassium 108		[268] Mt meitnerium 109		[271] Ds darmstadtium 110		[272] Rg roentgenium 111		Elements with atomic numbers 112-116 have been reported but not fully authenticated													

Key

relative atomic mass
atomic symbol
name
atomic (proton) number

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

Answer ALL questions.

- 1 The box shows the names of some substances.

bromine	carbon dioxide	copper	iodine
methane	nitrogen	sulfur dioxide	water

- (a) Complete the table by choosing substances from the box that match the description.

Each substance may be used once, more than once or not at all.

(5)

Description	Substance
a good conductor of electricity	
an element that has a basic oxide	
a substance used as a fuel	
a major cause of acid rain	
a non-metallic element that is a solid at room temperature	

- (b) Describe a test for carbon dioxide.

(2)

(Total for Question 1 = 7 marks)

2 (a) Table 1 gives some information about three subatomic particles.

(i) Complete Table 1 by giving the missing information.

(3)

Subatomic particle	Relative mass	Relative charge
electron	0.0005	
proton		+1
neutron	1	

Table 1

(ii) Give the name of the part of the atom containing protons and neutrons.

(1)

(b) Table 2 shows the numbers of protons, neutrons and electrons in the species U, V, W, X, Y and Z.

Species	Number of protons	Number of neutrons	Number of electrons
U	8	10	8
V	9	10	10
W	11	12	10
X	11	12	11
Y	12	12	12
Z	12	13	12

Table 2

Use the information in Table 2 to answer these questions.

Each species may be used once, more than once or not at all.

(i) Give the letter of the species that has six electrons in its outer shell. (1)

(ii) Give the mass number of Z. (1)

(iii) Give the letter of the species that is a positive ion. (1)

(iv) Give the letters of the two species that are isotopes of the same element. (1)

(c) A sample of neon contains two isotopes, ^{20}Ne and ^{22}Ne

The relative abundances of the two isotopes in the sample are

^{20}Ne 91.2% ^{22}Ne 8.80%

Calculate the relative atomic mass of this sample of neon.

Give your answer to one decimal place. (3)

relative atomic mass =

(Total for Question 2 = 11 marks)

3 Some sugar is added to cold water in a beaker.

After some time, all the sugar dissolves and spreads throughout the water.

(a) (i) Name the process that occurs which causes the sugar to spread throughout the water.

(1)


(ii) State two ways to make the sugar dissolve more quickly.

(2)

1

2

(b) Pure water can be obtained from the sugar solution using this apparatus.



(i) Name the process used to obtain pure water from the sugar solution.

(1)

(ii) Explain the purpose of the piece of apparatus labelled X.

(2)

(Total for Question 3 = 6 marks)

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

- 4 A student uses paper chromatography in an experiment to separate the dyes in four different food colourings, E, F, G and H.

The diagram shows the appearance of the paper before and after the experiment.



- (a) (i) Describe how the student should complete the experiment after putting a spot of each food colouring on the paper.

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(ii) Deduce the number of dyes in food colouring H.

(1)

(iii) Suggest why food colouring F does not move during the experiment.

(1)

(iv) Explain which two food colourings contain the dye that is likely to be the most soluble in the solvent.

(2)

(b) Determine which food colouring contains a dye with R_f value closest to 0.67

Show your working.

(3)

(Total for Question 4 = 10 marks)

5 This question is about alkanes and alkenes.

- (a) (i) Complete the boxes by giving the missing information about the alkane with the molecular formula C_2H_6

(3)

molecular formula	C_2H_6
name	
empirical formula	
displayed formula	

- (ii) Complete the chemical equation for the complete combustion of the alkane C_2H_6

(1)



- (iii) Incomplete combustion occurs when the air supply is limited.

Give the names of two products of incomplete combustion.

(2)

1

2

- (b) An alkene with molecular formula C_4H_8 reacts with bromine to form a compound with molecular formula $C_4H_8Br_2$

- (i) What is the name of this type of reaction?

(1)

- ☐ **A** addition
- ☐ **B** decomposition
- ☐ **C** precipitation
- ☐ **D** substitution

- (ii) Draw displayed formulae for two different alkenes with the molecular formula C_4H_8

(2)

alkene 1

alkene 2


- (iii) State the term used for compounds with the same molecular formula but different structural formulae.

(1)

- (c) The alkene C_3H_6 can be polymerised to form the polymer poly(propene).

- (i) Complete the equation for this polymerisation reaction.

(2)



(ii) Two ways of disposing of polymers such as poly(propene) are

- burying them in landfill sites
- burning them to release heat energy

Discuss the environmental problems caused by these two methods of disposal.

(3)

(Total for Question 5 = 15 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

6 This question is about some of the Group 1 elements and their compounds.

(a) A teacher adds a small piece of lithium to water in a trough.

(i) Give three observations that are made when lithium reacts with water.

(3)

1

2

3

(ii) After the reaction has finished, the teacher adds a few drops of universal indicator to the solution in the trough.

Explain the colour of the universal indicator after it is added to the solution.

(2)

(iii) Write a chemical equation for the reaction of lithium with water.

(2)

(b) A student does a flame test to see if a white solid contains sodium ions.

She cleans a platinum wire before using it for the flame test.

(i) Explain why the student needs to clean the platinum wire.

(2)

(ii) Which of these is the colour of the flame if the solid contains sodium ions?

(1)

- ☐ **A** green
- ☐ **B** lilac
- ☐ **C** red
- ☐ **D** yellow

(c) Potassium sulfate (K_2SO_4) is an ionic compound.

(i) Give the formula of each ion in potassium sulfate.

(1)

potassium ion

sulfate ion

(ii) The melting point of potassium sulfate is 1069°C .

Explain why potassium sulfate has a high melting point.

Refer to structure and bonding in your answer.

(4)

(Total for Question 6 = 15 marks)

7 A student investigates the reaction between magnesium and hydrochloric acid.

He uses this method.


- Step 1 add 25 cm^3 of dilute hydrochloric acid to a polystyrene cup
- Step 2 record the temperature of the acid
- Step 3 find the mass of a 10 cm strip of magnesium ribbon
- Step 4 add the magnesium ribbon to the hydrochloric acid
- Step 5 when all the magnesium has reacted, record the highest temperature reached

(a) Complete the word equation for the reaction.

(1)

magnesium + hydrochloric acid \rightarrow +

(b) The thermometer shows the temperature of the acid at the start of the experiment.



(i) Complete the table by giving the temperatures to the nearest 0.1 $^{\circ}\text{C}$.

(2)

temperature of the acid at the start in $^{\circ}\text{C}$	
highest temperature reached in $^{\circ}\text{C}$	
temperature rise in $^{\circ}\text{C}$	20.8

(ii) Show that the heat energy change (Q) for this reaction is about 2200 J.

[mass of 1.0 cm^3 of solution = 1.0 g]

[for the solution, $c = 4.2\text{ J/g/}^\circ\text{C}$]

(2)

(iii) The mass of magnesium used by the student was 0.12 g.

Calculate the value of the enthalpy change (ΔH), in kilojoules per mole of magnesium, for the reaction between magnesium and hydrochloric acid.

Include a sign in your answer.

(4)

$\Delta H =$ kJ/mol

(Total for Question 7 = 9 marks)

- 8** (a) A scientist finds an unlabelled bottle on a shelf.

She thinks the bottle contains a solution of ammonium sulfate, $(\text{NH}_4)_2\text{SO}_4$

Describe tests the scientist could do to show that the solution is ammonium sulfate.

(6)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) Ammonium sulfate is often used as a fertiliser.

It is prepared by reacting ammonia (NH_3) with sulfuric acid (H_2SO_4).

(i) Name the type of reaction that occurs between ammonia and sulfuric acid. (1)

(ii) Write a chemical equation for the reaction of ammonia with sulfuric acid. (1)

(iii) Draw a dot-and-cross diagram to show the bonding in a molecule of ammonia.
Show outer electrons only. (2)

(Total for Question 8 = 10 marks)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

- 9 A student uses this apparatus to investigate the rate of reaction between marble chips and dilute hydrochloric acid.



The equation for the reaction is



- (a) During the reaction the mass of the contents of the flask decreases.

(i) State why the mass of the contents of the flask decreases.

(1)


(ii) State the purpose of the cotton wool.

(1)

(iii) Explain why sulfuric acid is not a suitable acid to use in this investigation.

(2)

(b) The graph shows the student's results.



(i) In the investigation the marble chips are in excess.

Explain the shape of the graph.

(4)

- (ii) The student repeats the experiment using the same volume of hydrochloric acid but of half the concentration of the original acid. All other conditions are kept the same.

On the grid, draw the curve the student would obtain.


(2)

- (c) Explain, using particle collision theory, how increasing the temperature affects the rate of a reaction.

(4)

(Total for Question 9 = 14 marks)

- 10 (a) The diagram shows the apparatus a teacher uses to determine the formula of an oxide of lead.



This is the teacher's method.

- Step 1 find the mass of the reduction tube
 - Step 2 add some of the lead oxide to the reduction tube
 - Step 3 find the mass of the reduction tube and lead oxide
 - Step 4 pass hydrogen gas over the lead oxide and ignite the hydrogen at the hole
 - Step 5 heat the lead oxide strongly for 10 minutes
 - Step 6 keep passing hydrogen through the reduction tube until the tube and contents are cool
 - Step 7 find the new mass of the reduction tube and its contents
- (i) Give a reason why hydrogen is passed through the reduction tube until the tube and contents are cool. (1)
- (ii) Describe what the teacher should do next to make sure all the lead oxide has been reduced to lead. (2)

(b) The teacher completes the experiment and obtains these results.

mass of reduction tube = 23.50 g

mass of tube + lead oxide = 28.64 g

mass of tube + lead = 28.16 g

(i) Calculate the mass of lead formed.

(1)

mass of lead = g

(ii) Calculate the mass of oxygen removed from the lead oxide.

(1)

mass of oxygen = g

(iii) Determine the empirical formula of the lead oxide.


(4)

empirical formula of the lead oxide

(c) The insoluble salt lead(II) chloride (PbCl_2) can be prepared by reacting a solution of lead(II) nitrate with dilute hydrochloric acid.

(i) Complete the equation for the reaction by adding the state symbols.

(1)



(ii) Show that the maximum mass of lead(II) chloride that can be made from 0.0370 mol of hydrochloric acid is about 5 g.

[M_r of $\text{PbCl}_2 = 278$]

(3)

maximum mass = g

(Total for Question 10 = 13 marks)

TOTAL FOR PAPER = 110 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE