

Paper Reference(s) 4PH1/2PR
Pearson Edexcel International GCSE (9–1)

Physics

UNIT: 4PH1

PAPER: 2PR

May–June 2022 Assessment Window

Equation Booklet

**DO NOT RETURN THIS BOOKLET WITH
THE QUESTION PAPER.**

These equations may be required for both International GCSE Physics (4PH1) and International GCSE Combined Science (4SD0) papers.

1. Forces and Motion
average speed = $\frac{\text{distance moved}}{\text{time taken}}$
acceleration = $\frac{\text{change in velocity}}{\text{time taken}}$ $a = \frac{(v - u)}{t}$
$(\text{final speed})^2 = (\text{initial speed})^2 + (2 \times \text{acceleration} \times \text{distance moved})$ $v^2 = u^2 + (2 \times a \times s)$
force = mass \times acceleration $F = m \times a$
weight = mass \times gravitational field strength $W = m \times g$
2. Electricity
power = current \times voltage $P = I \times V$

energy transferred = current \times voltage \times time

$$\mathbf{E = I \times V \times t}$$

voltage = current \times resistance

$$\mathbf{V = I \times R}$$

charge = current \times time

$$\mathbf{Q = I \times t}$$

energy transferred = charge \times voltage

$$\mathbf{E = Q \times V}$$

3. Waves

wave speed = frequency \times wavelength

$$\mathbf{v = f \times \lambda}$$

$$\mathbf{frequency = \frac{1}{time\ period}}$$

$$\mathbf{f = \frac{1}{T}}$$

$$\mathbf{refractive\ index = \frac{\sin(\text{angle of incidence})}{\sin(\text{angle of refraction})}}$$

$$\mathbf{n = \frac{\sin i}{\sin r}}$$

(continued on the next page)

Turn over

$$\sin(\text{critical angle}) = \frac{1}{\text{refractive index}}$$

$$\sin c = \frac{1}{n}$$

4. Energy resources and energy transfers

$$\text{efficiency} = \frac{\text{useful energy output}}{\text{total energy output}} \times 100\%$$

$$\text{work done} = \text{force} \times \text{distance moved}$$

$$W = F \times d$$

$$\begin{aligned} \text{gravitational potential energy} = \\ \text{mass} \times \text{gravitational field strength} \times \text{height} \end{aligned}$$

$$\text{GPE} = m \times g \times h$$

$$\text{kinetic energy} = \frac{1}{2} \times \text{mass} \times \text{speed}^2$$

$$\text{KE} = \frac{1}{2} \times m \times v^2$$

$$\text{power} = \frac{\text{work done}}{\text{time taken}}$$

$$P = \frac{W}{t}$$

(continued on the next page)

Turn over

5. Solids, liquids and gases

$$\text{density} = \frac{\text{mass}}{\text{volume}}$$

$$\rho = \frac{m}{V}$$

$$\text{pressure} = \frac{\text{force}}{\text{area}}$$

$$p = \frac{F}{A}$$

$$\text{pressure difference} = \text{height} \times \text{density} \times \text{gravitational field strength}$$

$$p = h \times \rho \times g$$

$$\frac{\text{pressure}}{\text{temperature}} = \text{constant}$$

$$\frac{p_1}{T_1} = \frac{p_2}{T_2}$$

$$\text{pressure} \times \text{volume} = \text{constant}$$

$$p_1 \times V_1 = p_2 \times V_2$$

(continued on the next page)

8. Astrophysics

$$\text{orbital speed} = \frac{2 \times \pi \times \text{orbital radius}}{\text{time period}}$$

$$v = \frac{2 \times \pi \times r}{T}$$

The equations on the following pages will only be required for International GCSE Physics.

These additional equations may be required in International GCSE Physics papers 2P and 2PR.

1. Forces and Motion
<p>momentum = mass × velocity</p> <p>$p = m \times v$</p>
<p>force = $\frac{\text{change in momentum}}{\text{time taken}}$</p> <p>$F = \frac{(mv - mu)}{t}$</p>
moment = force × perpendicular distance from the pivot
5. Solids, liquids and gases
<p>change in thermal energy = mass × specific heat capacity × change in temperature</p> <p>$\Delta Q = m \times c \times \Delta T$</p>
6. Magnetism and electromagnetism
<p>relationship between input and output voltages for a transformer</p> <p>$\frac{\text{input (primary) voltage}}{\text{output (secondary) voltage}} = \frac{\text{primary turns}}{\text{secondary turns}}$</p>

(continued on the next page)

Turn over

input power = output power

$$V_p I_p = V_s I_s$$

for 100% efficiency

8. Astrophysics

$$\frac{\text{change in wavelength}}{\text{reference wavelength}} = \frac{\text{velocity of a galaxy}}{\text{speed of light}}$$

$$\frac{\lambda - \lambda_0}{\lambda_0} = \frac{\Delta\lambda}{\lambda_0} = \frac{v}{c}$$

END OF EQUATION LIST