

**Paper Reference 9FM0/01  
Pearson Edexcel  
Level 3 GCE**

**Further Mathematics  
Advanced  
Paper 1: Core Pure Mathematics 1**

**Monday 3 June 2019 – Morning**

**Time: 1 hour 30 minutes plus your  
additional time allowance.**

**MATERIALS REQUIRED FOR  
EXAMINATION**

**Mathematical Formulae and Statistical  
Tables (Green), calculator**

**ITEMS INCLUDED WITH QUESTION  
PAPERS**

**Diagram Book  
Answer Book**

**V61177A**

**Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for algebraic manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.**

## **INSTRUCTIONS**

**In the boxes on the Answer Book and on the Diagram Book, write your name, centre number and candidate number.**

**Answer ALL questions and ensure that your answers to parts of questions are clearly labelled.**

**Answer the questions in the Answer Book or on the separate diagrams – there may be more space than you need.**

**Do NOT write on the Question Paper.**

**You should show sufficient working to make your methods clear. Answers without working may not gain full credit.**

**Answers should be given to three significant figures unless otherwise stated.**

**Turn over**

## **INFORMATION**

**A booklet ‘Mathematical Formulae and Statistical Tables’ is provided.**

**There are 8 questions in this Question Paper.**

**The total mark for this paper is 75**

**The marks for EACH question are shown in brackets – use this as a guide as to how much time to spend on each question.**

**Turn over**

**ADVICE**

**Read each question carefully before you start to answer it.**

**Try to answer every question.**

**Check your answers if you have time at the end.**

---

**Answer ALL questions.**

**Write your answers in the  
Answer Book.**

1.

$$f(z) = z^4 + az^3 + bz^2 + cz + d$$

where **a**, **b**, **c** and **d** are real constants.

Given that  $-1 + 2i$  and  $3 - i$  are two roots of the equation  $f(z) = 0$

(a) show all the roots of  $f(z) = 0$  on a single Argand diagram,  
(4 marks)

(b) find the values of **a**, **b**, **c** and **d**  
(5 marks)

(Total for Question 1 is 9 marks)

---

Turn over

**2. Show that**

$$\int_0^{\infty} \frac{8x - 12}{(2x^2 + 3)(x + 1)} dx = \ln k$$

**where  $k$  is a rational number to be found.**

**(Total for Question 2 is 7 marks)**

---

**3. Look at the diagram for Question 3 in the Diagram Book.**

**It is NOT to scale.**

**It shows the design for a table top in the shape of a rectangle **ABCD****

**The length of the table, **AB**, is **1.2 metres**.**

**The area inside the closed curve is made of glass and the surrounding area, shown shaded in the diagram, is made of wood.**

**(continued on the next page)**

**3. continued.**

**The perimeter of the glass is  
modelled by the curve with polar  
equation**

$$r = 0.4 + a \cos 2\theta \quad 0 \leq \theta < 2\pi$$

**where  $a$  is a constant.**

**(a) Show that  $a = 0.2$   
(2 marks)**

**(continued on the next page)**

**3. continued.**

**Hence, given that  $AD = 60$  cm,**

- (b) find the area of the wooden part  
of the table top, giving your  
answer in  $m^2$  to  
3 significant figures.  
(8 marks)**

**(Total for Question 3 is 10 marks)**

---

4. Prove that, for  $n \in \mathbb{Z}$ ,  $n \geq 0$

$$\sum_{r=0}^n \frac{1}{(r+1)(r+2)(r+3)} = \frac{(n+a)(n+b)}{c(n+2)(n+3)}$$

where **a**, **b** and **c** are integers to be found.

(Total for Question 4 is 5 marks)

---

**5. A tank at a chemical plant has a capacity of 250 litres.**

**The tank initially contains 100 litres of pure water.**

**Salt water enters the tank at a rate of 3 litres every minute.**

**Each litre of salt water entering the tank contains 1 gram of salt.**

**It is assumed that the salt water mixes instantly with the contents of the tank upon entry.**

**(continued on the next page)**

**5. continued.**

**At the instant when the salt water begins to enter the tank, a valve is opened at the bottom of the tank and the solution in the tank flows out at a rate of 2 litres per minute.**

**Given that there are  $S$  grams of salt in the tank after  $t$  minutes,**

**(a) show that the situation can be modelled by the differential equation**

$$\frac{dS}{dt} = 3 - \frac{2S}{100 + t}$$

**(4 marks)**

**(continued on the next page)**

**Turn over**

**5. continued.**

- (b) Hence find the number of grams of salt in the tank after 10 minutes.  
(5 marks)**

**When the concentration of salt in the tank reaches  $0.9$  grams per litre, the valve at the bottom of the tank must be closed.**

- (c) Find, to the nearest minute, when the valve would need to be closed.  
(3 marks)**

**(continued on the next page)**

**Turn over**

**5. continued.**

**(d) Evaluate the model.**

**(1 mark)**

**(Total for Question 5 is 13 marks)**

---

**Turn over**

**6. Prove by induction that for all positive integers  $n$**

$$f(n) = 3^{2n+4} - 2^{2n}$$

**is divisible by 5**

**(Total for Question 6 is 6 marks)**

---

7. The line  $L_1$  has equation

$$\frac{x-1}{2} = \frac{y+1}{-1} = \frac{z-4}{3}$$

The line  $L_2$  has equation

$$\underline{r} = \underline{i} + 3\underline{k} + t(\underline{i} - \underline{j} + 2\underline{k})$$

where  $t$  is a scalar parameter.

(a) Show that  $L_1$  and  $L_2$  lie in the same plane.

(3 marks)

(continued on the next page)

**7. continued.**

**(b) Write down a vector equation for the plane containing  $L_1$  and  $L_2$  (1 mark)**

**(c) Find, to the nearest degree, the acute angle between  $L_1$  and  $L_2$  (3 marks)**

**(Total for Question 7 is 7 marks)**

---

**Turn over**

8. A scientist is studying the effect of introducing a population of white-clawed crayfish into a population of signal crayfish. At time  $t$  years, the number of white-clawed crayfish,  $W$ , and the number of signal crayfish,  $S$ , are modelled by the differential equations

$$\frac{dw}{dt} = \frac{5}{2}(w - s)$$

$$\frac{ds}{dt} = \frac{2}{5}w - 90e^{-t}$$

(continued on the next page)

**8. continued.**

**(a) Show that**

$$2 \frac{d^2 w}{dt^2} - 5 \frac{dw}{dt} + 2w = 450e^{-t}$$

**(3 marks)**

**(b) Find a general solution for the number of white-clawed crayfish at time  $t$  years.**

**(6 marks)**

**(c) Find a general solution for the number of signal crayfish at time  $t$  years.**

**(2 marks)**

**(continued on the next page)**

**Turn over**

**8. continued.**

**The model predicts that, at time  $T$  years, the population of white-clawed crayfish will have died out.**

**Given that  $w = 65$  and  $s = 85$  when  $t = 0$**

**(d) find the value of  $T$ , giving your answer to 3 decimal places.**

**(6 marks)**

**(e) Suggest a limitation of the model.**

**(1 mark)**

**(Total for Question 8 is 18 marks)**

---

**Turn over**

---

**TOTAL FOR PAPER IS 75 MARKS**

**END OF PAPER**

---