

**Paper Reference 4MA1/2H
Pearson Edexcel
International GCSE**

Mathematics A

PAPER: 2H

**Higher Tier
(Calculator)**

Formulae Pages

**DO NOT RETURN THIS
FORMULAE BOOKLET WITH
THE QUESTION PAPER.**

Y68798RA

Arithmetic series

Sum to n terms, $S_n = \frac{n}{2} [2a + (n - 1)d]$


The quadratic equation

The solutions of $ax^2 + bx + c = 0$

where $a \neq 0$ are given by:


$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Area of trapezium = $\frac{1}{2} (a + b) h$



Turn over

Trigonometry



In any triangle ABC

$$\text{Sine Rule } \frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$


$$\text{Cosine Rule } a^2 = b^2 + c^2 - 2bc \cos A$$

$$\text{Area of triangle} = \frac{1}{2} ab \sin C$$

Turn over

$$\text{Volume of cone} = \frac{1}{3} \pi r^2 h$$


$$\text{Curved surface area of cone} = \pi r l$$



Turn over

Volume of prism


= area of cross section \times length



Turn over

Volume of cylinder = $\pi r^2 h$

**Curved surface area of
cylinder = $2\pi r h$**



Turn over

$$\text{Volume of sphere} = \frac{4}{3} \pi r^3$$

$$\text{Surface area of sphere} = 4\pi r^2$$

